

**Industrial, Commercial, Institutional,
Multi-Residential & Agricultural Properties**

Source Water Protection

Clean Water Act, 2006 Source Water Protection Permit (Section 59 Notice) Application Form

If you require content in an alternate format please contact us by email at SourceWaterProtection@york.ca

The information on this form will help the Regional Municipality of York determine if a development or building application is subject to Part IV policies under the Credit Valley-Toronto and Region-Central Lake Ontario and South Georgian Bay Lake Simcoe Source Protection Plans. This form should be filled out and submitted along with a drawing of the site for review prior to the submission of Building Permit or Planning Act applications located wholly or partially within a source protection vulnerable area in the Regional Municipality of York. Any applications determined to require a Risk Management Plan will require further consultation with the Risk Management Official (RMO). The RMO will follow up with the applicant within ten business days to advise if further information is required, or if the application can proceed.

1.0 Business Owner Contact Information

Business Owner's Name			
Company Name			
Mailing Address: (this is the mailing address NOT the project location address)			
Street Address		Unit #	
Municipality			
Postal Code			
Phone Number (Primary)			
Phone Number (Alternate)			
Email			

Land Owner Contact Information (if you are leasing a commercial space)

<input type="checkbox"/> N/A Same as Business Owner Contact Information			
Owner's Name			
Company Name			
Mailing Address: (this is the mailing address NOT the project location address)			
Street Address		Unit #	

Municipality	
Postal Code	
Phone Number	
Email	

2.0 Contact Information for Agent/Consultant

Consulting Firm			
Contact Name			
Street Address		Unit #	
Municipality			
Postal Code			
Phone Number		Cell	
Email			

3.0 Building Permit Information (Site Information)

Municipal Address			
Building Permit Number			
For Office Use Only			
S. 59 Application ID*		eDOCs ID	
iPACS Notice #		iPACS Facility ID	
WHPA/IPZ		VS	<input type="checkbox"/> SGRA <input type="checkbox"/> HVA <input type="checkbox"/> ORM <input type="checkbox"/> LSRCA <input type="checkbox"/> Partial <input type="checkbox"/> Partial <input type="checkbox"/> TRCA

4.0 Application Information

Description of work to be completed	

Have Previous Building Permit or Development Applications been filed related to this application and/or Project? For example a Site Plan application?	<input type="checkbox"/> NO <input type="checkbox"/> YES If yes, provide details: Agency: _____ Application Reference Number: _____ Date of Approval: _____
--------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Attached Drawings Please include a Digital Copy.	<input type="checkbox"/> Yes <input type="checkbox"/> No	Are you installing a Geothermal/Earth energy system for heating and/or cooling as part of this application? Yes No
-----------------------------------------------------------------------	-------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------

5.0 Clean Water Act Significant Threat Activity Screening

The *Clean Water Act, 2006* has identified several activities, which under certain circumstances, may be significant drinking water threats and require a Source Water Protection Permit (Section 59 notice). For more in depth information please visit: www.ourwatershed.ca or www.ctcswp.ca

Please answer all questions in this section:

1. Will there be any of the following **organic solvents** handled or stored on the site that will exceed these thresholds?
 - a. Carbon Tetrachloride
 - i. 25 L or more below/partially below grade
 - ii. >250 L at or above grade
 - b. Chloroform
 - i. >250 L or more below/partially below grade
 - ii. >2500 L at or above grade
 - c. Methylene Chloride (Dichloromethane)
 - i. >250 L or more below/partially below grade
 - ii. >2500 L at or above grade
 - d. Pentachlorophenol
 - i. >2500 L or more below/partially below grade

Yes (Check those that apply) No

2. Will there be any of the following **Dense Non-Aqueous Phase Liquids (DNAPLs)** handled or stored on the site in any quantity?
 - a. Dioxane-1,4
 - b. Polycyclic Aromatic Hydrocarbons (PAHs)
 - c. Tetrachloroethylene (PCE) (also known as tetrachloroethene or perchloroethylene "PERC")
 - d. Trichloroethylene (TCE) or another DNAPL that could degrade to Trichloroethylene
 - e. Vinyl Chloride or another DNAPL that could degrade to vinyl chloride (e.g. cis- and trans-1,2-dichloroethene (dichloroethylene))

Yes (Check those that apply) No

3. Will there be any **fuel** (gasoline, diesel, heating oil/fuel oil, or other) handled or stored on the site that will exceed these thresholds? Fuels identified by the *Clean Water Act, 2006* include the following categories of chemicals:

- a. BTEX
 - i. >250 L to 2500 L
 - ii. >2500 L
- b. Petroleum Hydrocarbons F1 (nC6-nC10)
 - i. >250 L to 2500 L
 - ii. >2500 L
- c. Petroleum Hydrocarbons F2 (>nC10-nC16)
 - i. >2500 L
- d. Petroleum Hydrocarbons F3 (>nC16-nC34)
 - i. >2500 L
- e. Petroleum Hydrocarbons F4 (>nC34)
 - i. >2500 L

Yes (Check those that apply)

No

4. Pesticides

a. Will any of the following **pesticides** be applied to land areas in the following sizes on the site?

- i. MCPA (2-methyl-4-chlorophenoxyacetic acid) >1 ha
- ii. Mecoprop >1 ha
- iii. Atrazine > 10 ha
- iv. Dicamba >10 ha
- v. Dichlorophenoxy Acetic Acid (D-2,4) >10 ha
- vi. Dichloropropene-1,3 >10 ha
- vii. MCPB (4-(4-chloro-2-methylphenoxy) butanoic acid) >10 ha
- viii. Metalaxyl >10 ha
- ix. Metolachlor or s-Metolachlor >10 ha

Yes (Check those that apply)

No

b. Will any of the following **pesticides** be stored or handled on the site in the following amounts?

- i. MCPA (2-methyl-4-chlorophenoxyacetic acid) >250 L/250 kg
- ii. Mecoprop >250 L/250 kg
- iii. Atrazine > 2500 L/2500 kg
- iv. Dicamba > 2500 L/2500 kg
- v. Dichlorophenoxy Acetic Acid (D-2,4) > 2500 L/2500 kg
- vi. Dichloropropene-1,3 > 2500 L/2500 kg
- vii. MCPB (4-(4-chloro-2-methylphenoxy) butanoic acid) > 2500 L/2500 kg
- viii. Metalaxyl > 2500 L/2500 kg
- ix. Metolachlor or s-Metolachlor > 2500 L/2500 kg

Yes (Check those that apply)

No

5. Commercial Fertilizer

- a. Will **commercial fertilizer** containing **nitrogen** be applied to the site?
 Yes No
- b. Will **commercial fertilizer** containing **nitrogen** be stored or handled on the site in a quantity greater than 2500 L/2500 kg?
 Yes No

6.0 Confirmation of Information Collected

NOTE: Insufficient or inaccurate information may delay the processing of your application. This application does not relieve the applicant of the obligation to secure any other necessary approvals from The Regional Municipality of York (York Region), the local municipality, federal government, provincial governments or their agencies or the conservation authority.

I, _____, am authorized to prepare, sign and, submit this application
(print name)

and to make all of the certifications set out below. I have reviewed this application and have made all inquiries necessary to declare to the best of my knowledge, information and belief:

The information contained in this application and in all plans submitted in support of this application is complete and accurate

- I acknowledge that this application and supporting documents will be considered as public documents and available to the public upon written request under the *Municipal Freedom of Information and Protection of Privacy Act*(MFIPPA). I understand that personal information gathered by the Regional Municipality of York will be used only for the express purpose(s) of the application for which it has been provided, and will be handled in accordance with MFIPPA.

I consent to entry to the Site by Regional Municipality of York staff for the purpose of conducting site inspections.

Signature of Signing Authority: _____ Date: _____

*Please check Owner Agent/Applicant Other

*Please check preferred method of correspondence: Phone Mail E-mail

Submit s59 Application Form:

For Internal Use Only

Action Taken

- Application can proceed as written; S.59.2 (a) Notice to Proceed issued by RMO on _____ for current stage of approvals process only. Additional Notice to Proceed required for subsequent approvals under the Planning or Building Code Act.
- Risk Management Plan has been established and s.59.2(b) Notice to Proceed issued by the RMO on _____.
- Activity is prohibited. Application cannot proceed as written.