

Initial Report

Premises/Facility under investigation (name and address)

Diamond Nails and Spa
4-2943 Major Mackenzie Drive
Vaughan , Ontario L6A 3N9

Type of Premises/Facility

Personal Service Settings

Date Board of Health became aware of IPAC lapse (yyyy/mm/dd)	Date of Initial Report posting (yyyy/mm/dd)
2024/05/31	2024/06/12

Date of Initial Report update(s) (if applicable) (yyyy/mm/dd)	How the IPAC lapse was identified
	Complaint

Summary Description of the IPAC Lapse

- Disinfection of reusable equipment was not conducted in accordance with “Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd Edition, July 2019”.
- Re-use of single-use equipment.
- Disinfectant used for reprocessing of reusable equipment was not accompanied by a Health Canada Drug Identification Number (DIN) , Natural Product Number(NPN) or Class 2 Device License

IPAC Lapse Investigation	Yes	No	N/A	Please provide further details/steps
Did the IPAC lapse involve a member of a regulatory college?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
If yes, was the issue referred to the regulatory college?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Were any corrective measures recommended and/or implemented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Please provide further details/steps

Corrective measures for Premises/Facility:

- Reprocess (clean and disinfect or sterilize) re-usable equipment/instruments after each use in accordance with the “Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd edition, First Revision: July 2019.”
- Use disinfectants for the reprocessing of reusable equipment/devices that have an expiry date, a Drug Identification Number (DIN), Natural Product Number (NPN), and/or Medical Device License (MDAL) with Health Canada (with exception of Chlorine Bleach).
- Keep and maintain written records for equipment and instruments that receive high-level disinfection.
- Discard single-use equipment immediately after use.

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)

Verbal Order Issued 2024/05/31. Written Order Issued 2024/06/04

Initial Report Comments: Verbal order was issued on May 31, 2024, ordering operator to correct conditions related to manicure and pedicure services, followed up with a written order on June 04, 2024.

Any additional Comments: (Please do not include any personal information or personal health information)



York Region
Infection Prevention and Control Lapse Report

If you have any further questions, please contact
Health Connection

Telephone Number
1-800-361-5653

Email Address
Health.inspectors@york.ca

Final Report

Date of Final Report posting (yyyy/mm/dd)

2024/06/12

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)

Verbal Order Issued 2024/05/31. Written Order Issued 2024/06/04

Brief description of corrective measures taken

Corrective measures were implemented, and education provided 2024/05/31

Date of all corrective measures were confirmed to have been completed (yyyy/mm/dd)

Reinspection conducted and all corrective measures were confirmed to have been completed 2024/06/04

Final Report Comments and Contact Information

Any Additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact
Health Connection

Telephone Number
1-800-361-5653

Email Address
Health.inspectors@york.ca