

REPORT

Teston Road Area Transportation Improvements Individual Environmental Assessment

Soil Investigation Report

Presented to:

Praveen John, P. Eng.
Senior Project Manager
The Regional Municipality of York

17250 Yonge Street
Newmarket, ON L3Y 6Z1

Report No. 190261800

April 8, 2024

\\EGNYTEDRIVE\MH CLOUD\PROJ\2019\190261800-P-19-218-TESTON ROAD
IEA\08. WORKING\CONTAMINATION-WASTE\SOIL AND GROUNDWATER
INVESTIGATION\00 DELIVERABLES\19261800_SOIL INVESTIGATION
REPORT_DRAFT MAR 26, 2024.DOCX

EXECUTIVE SUMMARY

Morrison Hershfield now Stantec (MH) was retained by The Regional Municipality of York (York Region) to prepare a soil investigation report as a part of an Individual Environmental Assessment (IEA) for the proposed improvements to Teston Road between Keele Street and Bathurst Street (Project Area). The proposed improvements include realignment of Teston Road between Keele Street and about 500 m east of Keele Street, constructing a new segment of Teston Road from 500m east of Keele Street to Dufferin Street, and widening and rehabilitation of Teston Road between Dufferin Street and Bathurst Street.

The objective of the soil investigation report is to summarize the results of the soil investigation that has been completed to assess the general quality of the soil within the Project Area with special consideration to the results of the Contamination Overview Study completed by MH in October 2022.

The environmental assessment standards for the project area were determined using Ontario Regulation (O. Reg.) 153/04, under Part XV.1 of the Environmental Protection Act. Soil samples were collected, preserved and submitted to Eurofins, a Canadian Association for Laboratory Accreditation (CALA) accredited laboratory.

A total of four (4) boreholes were advanced by MH within the Project Area to depths ranging from 0.76 to 4.56 meters below ground surface (mbgs). A total of ten (10) soil samples collected from these boreholes were submitted for the laboratory analyses of metals, inorganics, petroleum hydrocarbons in the fraction range of F1-F4 (PHC), volatile organic compounds (VOC), polycyclic aromatic hydrocarbons (PAHs), organochlorine pesticides (OCP), polychlorinated biphenyls (PCB), dioxins and furans, and/or phenols. In addition, a total of eighteen (18) soil samples were collected from a total of fourteen (14) boreholes drilled during concurrent geotechnical investigations conducted by WSP and Golder Associates and were submitted for laboratory analyses of metals, inorganics, PHC, VOC, PAH, OCP, PCB and/or phenols.

The general soil stratigraphy encountered in the MH boreholes consisted of topsoil, underlain by a layer of granular fill, overlying native sand and/or silty sand. No field evidence of contamination was observed in the soil of either boreholes and only low level headspace combustible vapours were detected in the soil samples.

The environmental assessment standards for the project area were determined using Ontario Regulation (O. Reg.) 153/04, under Part XV.1 of the Environmental Protection Act, and based on the site conditions found within the Project Area, the following standards were considered for comparison of results:

- MECP Soil, Ground water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act, Table 1: Full Depth Background Site Condition Standards in a Non-Potable Ground Water Condition. Industrial/Commercial/Community Property Use, coarse-textured soils, 2011 (Table 1 SCS).
- MECP Soil, Ground water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act, Table 3: Full Depth Generic Site Condition

Standards in a Non-Potable Ground Water Condition.
Residential/Parkland/Institutional/Industrial/Commercial/Community Property
Use, 2011 (Table 3 SCS).

The results of the chemical analyses indicated that all the soil samples met the applicable site condition standards for all the parameters tested, except for select metal exceedances of the Table 3 site condition standards in soil sample MH-BH1 which is located immediately east of the railway tracks.

Pockets of waste may be present within the road Right-of-Way. Landfill gas will likely be present within the subsurface of the road Right-of-Way.

The following are recommendations for assessing and managing soil for the later phases of design and construction:

- Additional soil quality sampling and analysis should be carried out in conjunction with geotechnical investigations, to continue to delineate areas of poor-quality soil identified in this study (area of MH-BH1) and to build a data set for the appropriate management of excess materials;
- An overall Soil (or Earth) Management Plan should be developed, outlining areas and volumes of potential cut and fill, strategies for on- and off-site management of soil, environmental quality of soil, strategies for excess soil management in accordance with O.Reg. 406/19, approaches for waste management.
- The presence of landfill waste within the road ROW should be further investigated during the geotechnical investigation that will be undertaken at later design stages.
- The presence of landfill gas beneath the road ROW should be further investigated in conjunction with the geotechnical investigation that will be undertaken at later design stages.
- A mitigation plan should be developed against the possibility of encountering any landfill related waste and gases during excavation activities. In such an event, the landfill operator should be immediately notified and control measures should be taken to minimize the exposure of harmful chemicals and gases to construction workers.

TABLE OF CONTENTS

1. Introduction	1
1.1 Project Area Description.....	1
1.2 Scope of Work	1
2. Methods	2
2.1 Borehole Drilling.....	2
2.2 Soil Sampling	2
2.3 Field Screening Measurements.....	3
2.4 Laboratory Analysis of Soil.....	4
3. Results	5
3.1 Project Area Background	5
3.1.1 Topography and Drainage	5
3.1.2 Geology.....	5
3.1.3 Hydrogeology	5
3.2 Environmental Field Investigation.....	5
3.3 Soil Conditions	6
3.4 Applicable Standards	6
3.5 Soil Analytical Results	7
3.5.1 Waste Soil Characterization.....	8
3.6 Import/Export of Excess Soil	8
3.7 Landfill Contamination Within Right Of Way	9
3.7.1 Landfill Waste	9
3.7.2 Landfill Gases.....	9
4. Conclusions	11
5. Recommendations	11
6. Closure	12
7. References	13

LIST OF TABLES

Table 1: Summary of Borehole Drilling.....	2
Table 2 Summary of MECP Well Logs with Waste Annotation	9

APPENDICES

APPENDIX A - STATEMENT OF LIMITATIONS AND USE

APPENDIX B – FIGURES

Figure 1 – Project Area Locality Map

Figures 2a to 2f – Borehole Location Map & Analytical Results Summary

APPENDIX C - ANALYTICAL RESULTS

APPENDIX D - BOREHOLE LOGS

APPENDIX E - QUALITY MANAGEMENT, CONTROL AND ASSURANCE

APPENDIX F - LABORATORY CERTIFICATES OF ANALYSIS

1. INTRODUCTION

Morrison Hershfield (MH) was retained by The Regional Municipality of York (York Region) to prepare a soil investigation report as a part of an Individual Environmental Assessment (IEA) for the proposed improvements to Teston Road between Keele Street and Bathurst Street (Project Area). The proposed improvements include realignment of Teston Road between Keele Street and about 500 m east of Keele Street, constructing a new segment of Teston Road from 500m east of Keele Street to Dufferin Street, and widening and rehabilitation of Teston Road between Dufferin Street and Bathurst Street.

The objective of the soil investigation report is to summarize the results of the soil investigation that has been completed to assess the general quality of the soil within the Project Area with special consideration to the results of the Contamination Overview Study completed by MH in October 2022.

The environmental assessment standards for the project area were determined using Ontario Regulation (O. Reg.) 153/04, under Part XV.1 of the Environmental Protection Act. Soil samples were collected, preserved and submitted to Eurofins, a Canadian Association for Laboratory Accreditation (CALA) accredited laboratory.

MH performed the work in accordance with MH Standard Operating Procedures (SOP) and generally accepted professional practices. The soil investigation was also conducted in accordance with the MECP Guidance on Sampling and Analytical Methods for Use at Contaminated Sites in Ontario. Subject to this standard of care, MH makes no express or implied warranties regarding its services and no third-party beneficiaries are intended. A statement of limitations and use is provided in **APPENDIX A**.

1.1 Project Area Description

The Project Area is located in City of Vaughan, within York Region, Ontario. The Project Area consists of the existing Teston Road and Teston Road right-of-way between Keele Street and Bathurst Street. The general location of the Project Area is shown on **Figure 1** in **APPENDIX B**. The Project Area is owned by York Region.

The surrounding land use is primarily commercial and industrial, with some residential use towards the east end of the Project Area.

1.2 Scope of Work

The scope of work for the Soil Investigation included the following:

- Performing a subsurface investigation consisting of borehole drilling and soil sampling.
- Conducting chemical analysis of soil samples for the identified contaminants of concern.
- Summarizing and interpreting the collected data and preparing a report to document the findings.

2. METHODS

2.1 Borehole Drilling

Borehole drilling for MH-BH2, MH-BH3 and MH-BH4 was performed by Landshark Group of Brantford, Ontario, using a Geo-probe drill rig on December 12th, 2022, under the supervision of MH staff. Drilling of MH-BH1 was performed using a hand auger by MH staff on January 19th, 2023.

In addition, soil samples were collected from the foundation and pavement boreholes drilled during a concurrent geotechnical investigation led by Golder Associates Ltd. (Golder) and WSP Canada Inc. (WSP) between October 2022 and January 2023. A list of geotechnical boreholes used by MH for simultaneous environmental sampling as well as boreholes drilled by MH is summarized in **Table 1** below.

Table 1: Summary of Borehole Drilling

Borehole ID	Type of Investigation	Borehole Depth (mbgs)
MH-BH1	Environmental only	0.76
MH-BH2	Environmental only	3.1
MH-BH3	Environmental only	4.56
MH-BH4	Environmental only	4.56
A22-2	Foundation and Environmental	10.36
A22-3	Foundation and Environmental	15.86
C1	Foundation and Environmental	7.11
BHP4, BHP5, BHP7, BHP9, BHP10, BHP11, BHP17, BHP22, BHP25, BHP34 and BHP38	Pavement and Environmental	~1.5

2.2 Soil Sampling

The procedure used to collect soil samples varied with location and is summarized below.

MH-BH1

Soil sample from MH-BH1 was collected using hand auguring equipment and immediately transferred polyethylene bags for sampling and headspace vapour screening.

MH-BH2 to MH-BH4

Continuous soil samples were collected using a DT325 dual tube sampling system. This sampling system uses two (2) sets of probe rods. The outer probe rods have an outside diameter (OD) of 3.25-inch (83 mm). These rods remain in place throughout sampling and serve as casing. The inner probe rod acts as a sample sheath. Soil cores are collected in dedicated thin-walled PVC sample liners. These sample liners are placed inside the inner probe rod, which holds them in place during sampling. Following a sampling interval, the inner probe rod and PVC sample liner are retrieved using 1.25-inch (32 mm) OD center rods.

Soil samples were collected in 5 ft (1.5 m) intervals and the resulting soil cores were approximately 1.85-inch in diameter.

The retrieved soil samples were immediately inspected in the plastic liners for field evidence of contamination and then transferred to polyethylene bags for sampling and headspace vapour screening.

A22-2, A22-3 and C1

Soil samples were generally obtained from the boreholes at 0.75 m and 1.5 m intervals of depth using a 50 millimeter (mm) outer diameter split-spoon sampler driven by an automatic hammer or a rope and cathead operated donut hammer. The retrieved soil samples were immediately inspected in the split spoons for field evidence of contamination and then transferred to polyethylene bags for sampling and headspace vapour screening.

Split spoons were cleaned in a pail of water and phosphate free detergent to prevent cross contamination between samples.

Pavement Boreholes (BHPs)

The pavement boreholes were drilled using either solid-stem augers or hand auguring equipment and soil samples were collected off the auger flights and were immediately transferred polyethylene bags for sampling and headspace vapour screening.

The auger flights were cleaned with a brush between borehole locations.

Nitrile gloves were worn by MH field staff at all times during collection and handling of soil samples and were changed for each sample in order to minimize the potential for cross contamination.

2.3 Field Screening Measurements

Field screening was performed using an RKI Eagle II gas monitor, equipped with photoionization detector (PID) and combustible gas indicator (CGI) sensors and methane elimination mode turned on. Prior to use in the field, the PID was calibrated using an isobutylene standard of 100 ppm, while the CGI was calibrated using a hexane standard of 400 ppm.

The polyethylene bags used for vapour screening were filled halfway with soil and allowed to equilibrate for several minutes before conducting the headspace vapour readings. During reading events, the probe-tip of the gas monitor was used to puncture the sealed polyethylene bag and the peak PID and CGI readings were recorded after 15 seconds of measurement.

Based on field evidence of contamination and/or headspace vapour readings, the most contaminated samples and a representative set of samples from various depths were placed in laboratory supplied jars and vials. The filled jars and vials for each soil sample included one (1) 150 mL and one (1) 250 mL glass jars with Teflon-lined lids, and two (2) 40 mL glass vials with methanol preservative. The soil that was placed in the 40 mL glass vials was collected in 5 g samples using dedicated Terra Core™ samplers. The samples were then placed in ice-filled coolers for storage, prior to delivery to the lab.

Following sample collection, a minimum of one (1) soil sample from each borehole was selected for laboratory analysis of the identified contaminants of concern (COC).

2.4 Laboratory Analysis of Soil

Under chain of custody documentation, the soil samples were submitted to Eurofins Environment Testing Canada Inc. (Eurofins) in Ottawa. Eurofins is a Canadian Association for Laboratory Accreditation (CALA) accredited laboratory for the analyses performed.

All samples were received and analyzed within the sample holding times outlined in the *Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act*.

3. RESULTS

3.1 Project Area Background

3.1.1 Topography and Drainage

According to Google Earth, the western portion of the Project Area is relatively flat with elevations ranging from 261 meters above sea level (masl) at the intersection of Teston Road and Keele Street to 286 masl at the intersection of Teston Road and Rodinea Road. The elevation along the Teston Road easement ranging from Rodinea Road to Dufferin Street is generally uneven with occasional rolling and steep slopes. The East Branch of the Don River crosses the alignment at elevation less than 250 masl, approximately 350 m west of Dufferin Street. The eastern portion of the Project Area is relatively flat with elevations ranging from 276 masl at the intersection of Teston Road and Dufferin Street to 255 masl at the intersection of Teston Road and Bathurst Street. Waste piles associated with three closed landfills dominate the topography on either side of the alignment. On the north side, just north of Rodinea Road, the Disposal Services Landfill rises to a peak of approximately 311 masl. East of this, the Vaughan Landfill rises to a peak of approximately 304 masl. South of the alignment, between Rodinea Road and the East Branch of the Don River, the Keele Valley Landfill rises to a peak of 300 masl.

The drainage work for the Project Area consists of a combination of municipally serviced storm sewers fed by catch basins, roadside ditches or natural drainage through the run-off into naturally occurring waterbodies. Tributaries of the East Branch of the Don River cross the alignment, 350 m east of Dufferin Street, 800 m east of Bathurst Street, and 60 m east of Bathurst Street.

3.1.2 Geology

According to the *2023 Golder Foundation Report*^[1], the Project Area is primarily within the Oak Ridges Moraine physiographic region. The surface generally consists of glaciofluvial sands and gravel underlain by extensive lacustrine clay and silt deposits. The eastern portion of the Project Area is underlain by shale and limestone of the Georgian Bay Foundation and the western portion is underlain by shale of the Blue Mountain Formation.

3.1.3 Hydrogeology

The study area is located in the Humber River – Don River tertiary watershed which discharges into Lake Ontario (MNRF, 2019). The regional groundwater is expected to flow towards the tributaries of the Don River West Branch in the western portion of the Project Area and towards the tributaries of Don River East Branch in the eastern portion of the Project Area.

3.2 Environmental Field Investigation

The environmental field investigation, including soil, was performed on between October 2022 and January 2023. It consisted of the following tasks:

- Drilling a total of three (3) boreholes (MH-BH2, MH-BH3 and MH-BH4) on December 12, 2022. The boreholes were advanced to depths ranging from 3.1 m below ground surface (mbgs) to 4.56 mbgs, and two of the boreholes (MH-BH3 and MH-BH4) were instrumented with monitoring wells for a concurrent hydrogeology investigation conducted by MH.
- Drilling of MH-BH1 using hand auguring equipment on January 19, 2023 to a maximum depth of 0.76 mbgs.
- Collection of soil samples from boreholes drilled during concurrent geotechnical investigations conducted by WSP and Golder between October 2022 and January 2023.
- Collection of soil samples into laboratory supplied containers for the analysis of identified CPOCs, which included metals, inorganics, petroleum hydrocarbons (PHC) fraction F1 to F4, volatile organic compounds (VOC), polycyclic aromatic hydrocarbons (PAH), organochlorine pesticides (OCP), polychlorinated biphenyls (PCB), phenols, dioxins and/or furans.
- Collection of two (2) soil samples from boreholes MH-BH2 and MH-BH3 for leachate analysis of metals, inorganics, VOC, benzo(a)pyrene, and PCB using the toxicity characteristic leaching procedure (TCLP) according to Ontario Regulation (O. Reg.) 558 to characterize the waste class (i.e. hazardous or non-hazardous) of the soil for off-site disposal purposes.

A site plan showing the borehole locations can be seen on **Figure 2a** through **Figure 2f** in **APPENDIX B**.

3.3 Soil Conditions

Details of the subsurface conditions encountered during drilling are presented on the borehole logs in **APPENDIX D**.

Generally speaking, the soil stratigraphy encountered in the MH boreholes consisted of topsoil, underlain by a layer of granular fill, overlying native sand and/or silty sand.

No field evidence of contamination was observed in the soil of either boreholes and only low level headspace combustible vapours were detected in the soil samples. The maximum values of CGI and PID readings for all soil samples were 15 ppm and 1 ppm respectively. A summary of the headspace combustible vapours for the soil samples is provided in **Table C0** in **APPENDIX C**.

3.4 Applicable Standards

Ontario Regulation (O. Reg.) 153/04, as amended, under Part XV.1 of the *Environmental Protection Act* provides generic remediation standards based on land use (agricultural, residential/ parkland/institutional, or industrial/commercial/community), ground water use (potable or non-potable), soil type (coarse or medium and fine textured), and restoration depth (full or stratified).

The following characteristics were noted for the site and were used in selecting the applicable Site Condition Standards (SCS):

- The site and surrounding lands are serviced by a municipal drinking water supply which is not supplied by the local groundwater;
- The site is not considered a shallow soil property;
- The most sensitive land use of the Project Area is industrial;
- Coarse soil texture was considered for the site (conservative approach) as no grain size analysis was performed as part of this Phase II ESA.
- A pond and a tributary of the Don River East Branch is located in the central to east-central portion of the Project Area near A22-2 and A22-3, and the surrounding area is classified as an area of natural and scientific interest (ANSI) and known as Maple Spur Channel.
- A tributary of the Don River East Branch passes through the eastern portion of the Project Area, near the culver location C1.

Based on the above considerations, the following SCSs were selected to assess the soil quality at the site:

- **Boreholes A22-2, A22-3 and C1:** MECP Soil, Ground water and Sediment Standards for Use Under Part XV.1 of the *Environmental Protection Act*, Table 1: Full Depth Background Site Condition Standards in a Non-Potable Ground Water Condition. Industrial/Commercial/Community Property Use, coarse-textured soils, 2011 (Table 1 SCS).
- **All boreholes except A22-2, A22-3 and C1:** MECP Soil, Ground water and Sediment Standards for Use Under Part XV.1 of the *Environmental Protection Act*, Table 3: Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition. Residential/Parkland/Institutional/Industrial/Commercial/Community Property Use, 2011 (Table 3 SCS).

3.5 Soil Analytical Results

The soil analytical results for all parameters tested in all soil samples are presented in **Tables C1** through **C8** in **APPENDIX C**. The soil analytical results are also shown on **Figure 2a** through **Figure 2f** in **APPENDIX B**.

A total of nineteen (19) soil samples, including a duplicate sample, were submitted for the bulk analysis of PHC F1 to F4 and benzene, toluene, ethylbenzene, xylene (collectively referred to as BTEX), and the results are provided in **Table C-1** in **APPENDIX C** along with the MECP Standards. The results of the chemical analyses indicated that all samples met the Table 1 SCS and Table 3 SCS for all the parameters tested.

A total of nineteen (19) soil samples, including a duplicate sample, were submitted for the bulk analysis of VOC, and the results are provided in **Table C-2** in **APPENDIX C** along with

the MECP Standards. The results of the chemical analyses indicated that all samples met the Table 1 SCS and Table 3 SCS for all the parameters tested.

A total of nineteen (19) soil samples, including a duplicate sample, were submitted for the bulk analysis of metals and inorganics, and the results are provided in **Table C-3** in **APPENDIX C** along with the MECP Standards. The results of the chemical analyses indicated that sample MH-BH1 SS1 exceeded the Table 1 SCS criteria for Copper (228 µg/g vs Table 1 SCS criteria of 92 µg/g) and Table 3 SCS for Cobalt (137 µg/g vs Table 3 SCS criteria of 21 µg/g) and Nickel (328 µg/g vs. Table 3 SCS criteria of 82 µg/g). All the other samples met the Table 1 SCS and Table 3 SCS for all the parameters tested.

A total of nineteen (19) soil samples, including a duplicate sample, were submitted for the bulk analysis of PAH and the results are provided in **Table C-4** in **APPENDIX C** along with the MECP Standards. The results of the chemical analyses indicated that all samples met the Table 1 SCS and Table 3 SCS for all the parameters tested.

A total of four (4) soil samples were submitted for the bulk analysis of phenols and the results are provided in **Table C-5** in **APPENDIX C** along with the MECP Standards. The results of the chemical analyses indicated that all samples met the Table 1 SCS and Table 3 SCS for all the parameters tested.

A total of eight (8) soil samples were submitted for the bulk analysis of OCP and PCB, and the results are provided in **Table C-6** in **APPENDIX C** along with the MECP Standards. The results of the chemical analyses indicated that all samples met the Table 1 SCS and Table 3 SCS for all the parameters tested.

A total of three (3) soil samples were submitted for the bulk analysis of dioxins and furans, and the results are provided in **Table C-7** in **APPENDIX C** along with the MECP Standards. The results of the chemical analyses indicated that all samples met the Table 1 SCS and Table 3 SCS for all the parameters tested.

The laboratory Certificates of Analysis for the soil analyses is provided in **APPENDIX F**.

3.5.1 Waste Soil Characterization

The results of the soil chemical analysis for selected TCLP parameters are provided in **Table C-8** in **APPENDIX C**, along with the applicable O. Reg. 347 Standards. All soil samples were within the Schedule 4 criteria for all parameters analyzed.

Based on the findings of the soil investigation, soil within the project area can be classified as non-hazardous solid waste for off-site disposal.

3.6 Import/Export of Excess Soil

All importation or exportation of excess soil for the Project shall be done in accordance with O. Reg. 406/19 – On-site and Excess Soil Management and MECP's Rules For Soil Management And Excess Soil Quality Standards (the Soil Rules).

The quality of the soil for importation at different sections of the Project Area shall be determined using the guidelines outlined in the Soil Rules. The quality of soil to be imported

in the Keele Valley region shall meet MECP's Table 1 Full Depth Background Site Condition Standards (Table 1 SCS). The quality of soil to be imported in all other areas shall meet MECP's Table 2.1 Full Depth Excess Soil Quality Standards in a Potable Ground Water Condition (Table 2.1 ESQS) or Table 3.1 Full Depth Excess Soil Quality Standards in a Non-Potable Ground Water Condition (Table 3.1 ESQS), depending on the presence or absence of potable groundwater wells within the Study Area. The property use within the Study Area shall be determined by a Qualified Person (QP), as defined under O. Reg. 153/04, during the final design or pre-construction stage to select the right MECP standards, corresponding to agricultural or other, residential/parkland/institutional, or industrial/commercial/community property use.

The Project Leader or their QP shall complete all required assessments and studies to meet the requirements of O. Reg. 406/19.

3.7 Landfill Contamination Within Right Of Way

3.7.1 Landfill Waste

Upon inspection of the well logs in the Water Well Information System, twelve (12) boreholes on the south side of Teston Sideroad were noted to have no waste in the logs, and two (2) boreholes were noted with waste in the logs (see the red and blue dots in Figures 2a, 2b, and 2c). The details of the logs with waste annotation are listed in **Table 2** below.

Table 2 Summary of MECP Well Logs with Waste Annotation

ID	Date Drilled	Location Noted on Log	Annotation on Log
6917129	December, 1982	425 m east of Rodinea Ave., 45 m south of Teston Sideroad	"Garbage (Fill)" from 0 to 1.8 m
6917137	April, 1983	320 m east of Rodinea Ave., 10 m south of Teston Sideroad	"Fill & organics" from 0 to 5.2 m

On the other hand, the three boreholes drilled by MH (MH-BH2 through MH-BH4) and four boreholes drilled by WSP (BH-P9 through BH-P12) east of Rodinea Avenue and between VL and KVL, all within the Right-of-Way, did not exhibit any evidence of waste/garbage in the soil.

This information suggests that waste may be present in the subsurface within the road alignment, though, if present, it will be shallow and it will be in isolated pockets. The presence of waste within the road ROW should be further investigated during the geotechnical investigation that will be undertaken at later design stages.

3.7.2 Landfill Gases

MH reviewed the following landfill monitoring reports and other similar reports from previous years:

- Semi-Annual Gas Monitoring Report January to June 2019, prepared for City of Vaughan, prepared by Comcor Environmental Limited, dated August 29, 2019
- Semi-Annual Gas Monitoring Report July to December 2019, prepared for City of Vaughan, prepared by Comcor Environmental Limited, dated February 13, 2020

The City of Vaughan operates a landfill gas (LFG) collection system and flaring system, and carries out monthly monitoring in a number of onsite and offsite monitoring probes. Based on a review of similar monitoring reports for 2015, 2016, 2017, 2018, and 2019, it appears that elevated methane concentrations were measured sporadically in offsite gas probes (south of Teston Road, both east and west of Rodinea), and measured sporadically but more reliably (especially in probes drilled into waste, and during the winter) in onsite probes (north of Teston Road, both east and west of the blower building). Landfill gas is mobile within the subsurface, and the presence of the elevated methane in the offsite probes does not necessarily mean that waste is present in these areas. The presence of methane beneath the proposed roadway must be considered during design. The presence of landfill gas beneath the road ROW should be further investigated in conjunction with the geotechnical investigation that will be undertaken at later design stages. Measures to prevent methane build up in sub-surface infrastructure (particularly storm sewers) should be included in the design of the project.

4. CONCLUSIONS

A total of eighteen (18) boreholes locations were selected to collect soil samples which were submitted for the laboratory analyses of metals, inorganics, PHC, BTEX, VOC, PAH, OCP, PCB, phenols, dioxins and/or furans. The results of the chemical analyses indicated that all the soil samples met the applicable site condition standards for all the parameters tested, except for select metal exceedances of the Table 3 site condition standards in soil sample MH-BH1 which is located immediately east of the railway tracks.

Pockets of waste may be present within the road Right-of-Way, though, if present they are likely to be small and shallow. Landfill gas will likely be present in the sub-surface within the road Right-of-Way, and measures shall be included in the design to prevent its migration into new infrastructure (particularly storm sewers).

5. RECOMMENDATIONS

The following are recommendations for assessing and managing soil for the later phases of design and construction:

- Additional soil quality sampling and analysis should be carried out in conjunction with geotechnical investigations, to continue to delineate areas of poor-quality soil identified in this study (area of MH-BH1) and to build a data set for the appropriate management of excess materials;
- An overall Soil (or Earth) Management Plan should be developed, outlining areas and volumes of potential cut and fill, strategies for on- and off-site management of soil, environmental quality of soil, strategies for excess soil management in accordance with O.Reg. 406/19, approaches for waste management.
- The presence of landfill waste within the road ROW should be further investigated during the geotechnical investigation that will be undertaken at later design stages.
- The presence of landfill gas beneath the road ROW should be further investigated in conjunction with the geotechnical investigation that will be undertaken at later design stages.
- A mitigation plan should be developed against the possibility of encountering any landfill related waste and gases during excavation activities. In such an event, the landfill operator should be immediately notified and control measures should be taken to minimize the exposure of harmful chemicals and gases to construction workers.

6. CLOSURE

We trust the above meets with your current requirements. Should you have any comments, questions, or require additional information, please do not hesitate to contact this office.

Respectfully submitted,
Morrison Hershfield Limited

Prepared by:

DRAFT REPORT ONLY, FINAL WILL BE SIGNED

Sarth Sheth, M.Sc., E.I.T.,
Environmental EIT
ssheth@morrisonhershfield.com
416 499 3110 Ext. 1011119

Reviewed by:

DRAFT REPORT ONLY, FINAL WILL BE SIGNED

Ant West, Ph.D., P.Eng.,
Department Manager
awest@morrisonhershfield.com
416 499 3110 Ext. 1022424

7. REFERENCES

Comcor Environmental Limited, 2019. Semi-Annual Gas Monitoring Report January to June 2019, August 29, 2019.

Comcor Environmental Limited, 2020. Semi-Annual Gas Monitoring Report July to December 2019, February 13, 2020.

Google Earth

Ontario Ministry of the Environment, Conservation and Parks, *Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act*, April 15, 2011.

Ontario Ministry of the Environment and Climate Change, *Guidance on Sampling and Analytical Methods for Use at Contaminated Sites in Ontario*, December 1996.

Ontario Ministry of the Environment and Climate Change, *Protocol for Analytical Methods used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act* (March 9, 2004), as amended July 1, 2011.

Ontario Ministry of Natural Resources and Forestry, Ontario Watershed Information Tool (<https://www.lioapplications.lrc.gov.on.ca>)

Ontario Ministry of Natural Resources and Forestry, Biodiversity Explorer website (<https://www.ontario.ca/environment-and-energy/make-natural-heritage-area-map>)
Golder Associates Ltd., Preliminary Foundation Report – IEA for Teston Road Area Between Highway 400 and Bathurst Street, York Region, Ontario, dated February 24, 2023. (2023 Golder Foundation Report)

Ontario Regulation 153/04, as amended, made under Part XV.1 of the *Environmental Protection Act*, April 15, 2011.

Ontario Regulation 406/19, as amended, made under Part XV.1 of the *Environmental Protection Act*, December 4, 2019.

Ontario Ministry of the Environment, Conservation and Parks, *Rules For Soil Management And Excess Soil Quality Standards*

WSP Canada Inc., 2023. Pavement Design Report – Teston Road from Keele Street to Bathurst Street, Regional Municipality of York, March 17, 2023.

**APPENDIX A - STATEMENT OF LIMITATIONS
AND USE**

Statement of Limitations and Use


This report has been prepared for the exclusive use of ***The Regional Municipality of York*** (York Region) by Morrison Hershfield Limited (Morrison Hershfield). Morrison Hershfield hereby disclaims any liability or responsibility to any person or party, other than York Region, for any loss, damage, expense, fines, or penalties which may arise from the use of any information or recommendations contained in this report by a third party.

In preparing this report Morrison Hershfield has relied in good faith on information provided by individuals and companies noted in this report. Morrison Hershfield assumes that the information provided is factual and accurate, and accepts no responsibility for any deficiency, misstatements or inaccuracies contained in this report as a result of omissions, misinterpretations or fraudulent acts of the persons interviewed or contacted.

The report, which specifically includes all tables, figures and appendices is based on data and information collected during investigations conducted by Morrison Hershfield and is based solely on the conditions of the site at the time of the investigation, supplemented by historical information and data obtained by Morrison Hershfield as described in this report. Limitations of the data and information include the fact that conditions between and beyond the limited number of sampling locations may vary; that the assessment is dependent upon the accuracy of the analytical data generated through sample analysis; and that contaminants may exist for which no analyses have been conducted. Furthermore, no assurance is made regarding changes in conditions and/or the regulatory regime (standards, guidelines, etc.), subsequent to the time of investigation.

Morrison Hershfield has exercised professional judgment in collecting and analyzing the information and formulating recommendations based on the results of the study. The services performed as described in this report were conducted in a manner consistent with that level of care and skill normally exercised by other members of the engineering and science professions currently practicing under similar conditions, subject to the time limits and financial and physical constraints applicable to this study. No other warranty or representation, either express or implied, as to the accuracy of the information or recommendations is included or intended in this report.

APPENDIX B - FIGURES



LEGEND

- Project Area
- Landfill

Land Information Ontario Data

- Watercourses
- Waterbodies

Transportation Network


- Arterial / Collector
- Local Roads
- ++ Railway

NOTES:

- The area shown is within the jurisdiction of the Ministry of Natural Resources and Forestry (MNR) Aurora District and Toronto and Region Conservation Authority Area




Coordinate System: NAD 1983 UTM Zone 18N
 Sources: MNR, ESRI Basemaps
 Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance



TITLE: **Project Area Locality Map**

PROJECT NO.: 190261800
**Teston Road, Vaughan Ontario
 (From Keele Street to Bathurst Street)**

DATE: **April 2023** **Figure 1**



MH-BH2 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
SS1	0-0.76	Metals, Inorganics < SCS
SS2	0.76-1.52	PHC, VOC, PAH, phenols, dioxins, furans < SCS

BHP5 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP5	0-0.5	Metals, Inorganics, PHC, VOC, PAH < SCS

BHP4 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP4	0-0.5	Metals, Inorganics, PHC, VOC, PAH < SCS

BHP7 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP7	0-0.5	Metals, Inorganics, PHC, VOC, PAH, OCP, PCB < SCS

MH-BH1 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Concentrations Above and/or Parameter Suites Below SCS
SS1	0-0.76	Cobalt - 137 (Table 3 SCS criteria - 21) Nickel - 328 (Table 3 SCS criteria - 82) Other Metals, Inorganics, PHC, VOC, PAH < SCS

LEGEND

- MECP Well Records at Segment Of Project Area Between Landfills
- Golden Pavement Boreholes
- WSP Pavement Boreholes
- Also Sampled for Environmental Analyses
- MH Boreholes
- Property Parcels
- Project Area

Land Information Ontario Data

- Watercourse
- Unevaluated Wetlands

Transportation Network


- Arterial / Collector
- Local Roads

NOTES:

- The area shown is within the jurisdiction of the Ministry of Natural Resources and Forestry (MNR) Aurora District and Toronto and Region Conservation Authority Area



Coordinate System: NAD 1983 UTM Zone 17N
 Sources: MNR, ESRI Basemaps, Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN



TITLE:
Borehole Location Map & Analytical Results Summary


PROJECT NO.: 190261800
 Teston Road, Vaughan Ontario
 (From Keele Street to Bathurst Street)

DATE: March 2024 **Figure 2a**

NOTES:

< SCS - Concentrations are less than applicable site condition standards

Table 3 SCS - MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Residential/Parkland/Institutional Property Use and Coarse Textured Soils



BHP10 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP10	0-0.5	Metals, Inorganics, PHC, VOC, PAH < SCS

MH-BH2 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
SS1	0-0.76	Metals, Inorganics < SCS
SS2	0.76-1.52	PHC, VOC, PAH, OCP, PCB, phenols, dioxins, furans < SCS

BHP11 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP11	0-0.5	Metals, Inorganics, PHC, VOC, PAH, OCP < SCS

MH-BH3 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
SS1	0-0.76	Metals, Inorganics < SCS
SS2	0.76-1.52	PHC, VOC, PAH, OCP, PCB, phenols, dioxins, furans < SCS


BHP9 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP9	0-0.5	Metals, Inorganics, PHC, VOC, PAH, OCP, PCB < SCS

LEGEND


- MECP Well Records at Segment Of Project Area Between Landfills
- MECP Well Records Showing Signs of Garbage within the Logs
- WSP Pavement Boreholes Also Sampled for Environmental Analyses
- MH Boreholes
- Groundwater Monitoring Wells
- Property Parcels
- Project Area

Land Information Ontario Data
 Transportation Network
 Local Roads

NOTES:
 - The area shown is within the jurisdiction of the Ministry of Natural Resources and Forestry (MNRF) Aurora District and Toronto and Region Conservation Authority Area



Coordinate System: NAD 1983 UTM Zone 17N
 Sources: MNRF, ESRI Basemaps, Esri, HERE, Garmin, Intermap, increment P-Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN




Borehole Location Map & Analytical Results Summary

PROJECT NO.: 190261800
 Teston Road, Vaughan Ontario
 (From Keele Street to Bathurst Street)

DATE: **March 2024** **Figure 2b**

NOTES:
 <SCS - Concentrations are less than applicable site condition standards
 Table 3 SCS - MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Residential/Parkland/Institutional Property Use and Coarse Textured Soils

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community



A22-3 Results Compared to Table 1 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
SS1	0.11-0.71	Metals, Inorganics < SCS
SS4	2.28-2.88	PHC, VOC, PAH < SCS

A22-2 Results Compared to Table 1 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
SS3	0-0.76	Metals, Inorganics < SCS
SS5	3.1-3.7	PHC, VOC, PAH, phenols < SCS
SS6	3.8-4.4	OCP, PCB < SCS


LEGEND

- MECP Well Records at Segment Of Project Area Between Landfills
 - MECP Well Records Showing Signs of Garbage within the Logs
 - Golder Pavement Boreholes
 - Golder Foundation Boreholes (At Abutment / Culvert)
 - WSP Pavement Boreholes Also Sampled for Environmental Analyses
 - MH Boreholes
 - Groundwater Monitoring Wells
 - Property Parcels
 - Project Area
- Land Information Ontario Data**
- Watercourse
 - Waterbodies
- Transportation Network**
- Local Roads

NOTES:
 - The area shown is within the jurisdiction of the Ministry of Natural Resources and Forestry (MNR) Aurora District and Toronto and Region Conservation Authority Area



Coordinate System: NAD 1983 UTM Zone 17N
 Sources: MNR, ESRI Basemaps



TITLE: Borehole Location Map & Analytical Results Summary

PROJECT NO.: 190261800
 Teston Road, Vaughan Ontario
 (From Keele Street to Bathurst Street)

DATE: **March 2024** **Figure 2c**

NOTES:
 <SCS - Concentrations are less than applicable site condition standards

Table 1 SCS - MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 1 - Full Depth Background Site Condition Standards - Residential/ Parkland/Institutional/Industrial/ Commercial/Community Property Use

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community



BHP17 Results Compared to Table 3 SCS

Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP17	0-0.5	Metals, Inorganics, PHC, VOC, PAH, OCP, PCB < SCS

BHP22 Results Compared to Table 3 SCS

Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP22	0-0.5	Metals, Inorganics, PHC, VOC, PAH < SCS

NOTES:
 <SCS - Concentrations are less than applicable site condition standards

Table 3 SCS - MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Residential/Parkland/Institutional Property Use and Coarse Textured Soils

LEGEND

- Goldier Pavement Boreholes
- WSP Pavement Boreholes
- Also Sampled for Environmental Analyses
- Property Parcels
- Project Area


Land Information Ontario Data

- Watercourse


Transportation Network

- Arterial / Collector
- Local Roads

NOTES:
 - The area shown is within the jurisdiction of the Ministry of Natural Resources and Forestry (MNR) Aurora District and Toronto and Region Conservation Authority Area




Coordinate System: NAD 1983 UTM Zone 17N
 Sources: MNR, ESRI Basemaps, Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN



TITLE:
Borehole Location Map & Analytical Results Summary

PROJECT NO.: 190261800
 Teston Road, Vaughan Ontario
 (From Keele Street to Bathurst Street)

DATE: April 2023 **Figure 2d**



C1 Results Compared to Table 1 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
SS2	0.6-1.2	Metals, Inorganics < SCS
SS5	3.1-3.7	PHC, VOC, PAH < SCS

BHP25 Results Compared to Table 3 SCS		
Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP25	0-0.5	Metals, Inorganics, PHC, VOC, PAH < SCS

NOTES:
 <SCS - Concentrations are less than applicable site condition standards
 Table 1 SCS - MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 1 - Full Depth Background Site Condition Standards - Residential/Parkland/Institutional/Industrial/ Commercial/Community Property Use
 Table 3 SCS - MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Residential/Parkland/Institutional Property Use
 Large Textured Soils

LEGEND

- Goldier Pavement Boreholes
- WSP Pavement Boreholes
- Also Sampled for Environmental Analyses
- WSP Pavement Boreholes Also Sampled for Environmental Analyses
- Groundwater Monitoring Wells
- Property Parcels
- Project Area

Land Information Ontario Data

- Watercourse
- Waterbodies
- Unevaluated Wetlands


Transportation Network

- Arterial / Collector
- Local Roads

NOTES:
 - The area shown is within the jurisdiction of the Ministry of Natural Resources and Forestry (MNR) Aurora District and Toronto and Region Conservation Authority Area



Coordinate System: NAD 1983 UTM Zone 17N
 Sources: MNR, ESRI Basemaps, Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN



TITLE:
Borehole Location Map & Analytical Results Summary

PROJECT NO.: 190261800
 Teston Road, Vaughan Ontario
 (From Keele Street to Bathurst Street)

DATE: April 2023 Figure 2e



BHP38 Results Compared to Table 3 SCS

Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP38	0-0.5	Metals, Inorganics, PHC, VOC, PAH < SCS

BHP34 Results Compared to Table 3 SCS

Sample Id	Sample Depth (mbgs)	Results without Exceedances
BHP34	0-0.5	Metals, Inorganics, PHC, VOC, PAH < SCS

NOTES:
 <SCS - Concentrations are less than applicable site condition standards
 Table 3 SCS - MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Residential/Parkland/Institutional Property Use and Coarse Textured Soils

LEGEND

- Goldier Pavement Boreholes
- WSP Pavement Boreholes
- Also Sampled for Environmental Analyses
- Property Parcels
- Project Area

Land Information Ontario Data

- Watercourse
- Waterbodies
- Unevaluated Wetlands


Transportation Network

- Arterial / Collector
- Local Roads

NOTES:
 - The area shown is within the jurisdiction of the Ministry of Natural Resources and Forestry (MNR) Aurora District and Toronto and Region Conservation Authority Area



Coordinate System: NAD 1983 UTM Zone 17N
 Sources: MNR, ESRI Basemaps, Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN



TITLE:
Borehole Location Map & Analytical Results Summary

PROJECT NO.: 190261800
 Teston Road, Vaughan Ontario
 (From Keele Street to Bathurst Street)

DATE: April 2023 Figure 2f

APPENDIX C - ANALYTICAL RESULTS

Table C-0: Summary of Soil Samples, Teston Road IEA, Ontario

190261800

Parameter	Sample Depth (mbgs)	Soil Type	CGI (ppm)	PID (ppm)
MH-BH1 SS1	0-0.76	Fill: silty sand	-	-
MH-BH2 SS1	0-0.76	Fill: sand & gravel	0	0
MH-BH2 SS2	0.76-1.52	Fill: sandy silt, trace gravel	0	1
MH-BH3 SS1	0-0.76	Fill: sand & gravel	0	1
MH-BH3 SS2	0.76-1.52	Sand, trace gravel	0	1
MH-BH4 SS1	0-0.76	Fill: sand & silt	0	0
MH-BH4 SS2	0.76-1.52	Sand	0	0
A22-2 SS3	1.52-2.12	Silt, some sand	0	0
A22-2 SS5	3.1-3.7	Silt, some sand	0	0
A22-2 SS6	3.8-4.4	Silt, some sand	0	0
A22-3 SS1	0.11-0.71	Fill: silty sand, some gravel	0	0
A22-3 SS4	2.28-2.88	Silty sand to sandy silt	0	0
BHC1 SS2	0.6-1.2	Fill: silty sand	0	0
BHC1 SS5	3.1-3.7	Silty sand	0	0
BHP-25	0-0.5	Granular material typical of a pavement sub-base structure	-	-
BHP-17	0-0.5		-	-
BHP-38	0-0.5		-	-
BHP-34	0-0.5		-	-
BHP4	0-0.5		-	-
BHP5	0-0.5		-	-
BHP7	0-0.5		-	-
BHP9	0-0.5		-	-
BHP 10	0-0.5		-	-
BHP11	0-0.5		-	-
BHP 22	0-0.5		-	-



**Table C-1: Summary of Soil Samples Analytical Results
Petroleum Hydrocarbons and BTEX, Teston Road IEA, Ontario**

190261800

Teston Road				Soil Investigation								
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	MH BH1 - SS1	MH BH2 - SS2	MH BH3 - SS2	MH BH4 - SS2	A22-2 SS5	A22-3 SS4	BHC1 - SS5	BHP-25	BHP-17
Sample Date:				2023-01-19	2022-12-12	2022-12-12	2022-12-12	2022-10-11	2022-10-24	2022-10-05	2023-01-20	2023-01-20
Sample Depth (mBGS)				0-0.76	0.76-1.52	0.76-1.52	0.76-1.52	3.1-3.7	2.28-2.88	3.1-3.7	0-0.5	0-0.5
Certificate of Analysis				1671865	1667981	1667983	1667985	1655946	1658424	1655944	1671848	1671849
Parameter												
Benzene	µg/g	0.02	0.32	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068
Ethylbenzene	µg/g	0.05	9.5	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018
Toluene	µg/g	0.2	68.0	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
o-Xylene	µg/g	NV	NV	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
p+m-Xylene	µg/g	NV	NV	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Total Xylenes	µg/g	0.05	26	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
PHC F1 (C6-C10)	µg/g	25	55	<10	<10	<10	<10	<10	<10	<10	<10	<10
PHC F2 (>C10-C16)	µg/g	10	230	<2	<2	<2	<2	<2	<2	<2	<2	<2
PHC F3 (>C16-C34)	µg/g	240	1700	110	<20	<20	<20	<20	20	170	20	<20
PHC F4 (>C34-C50)	µg/g	120	3300	150	<20	<20	<20	<20	<20	20	50	<20

Notes:

All values in µg/g

<0.02 - Not detected above the reporting detection limits

mBGS - metres below ground surface

NV - No Value

NA - Not Analyzed

Screening:

BOLD

Parameter exceeded MECP (April 15, 2011) Table 1 Standards⁽¹⁾

BOLD

Parameter exceeded MECP (April 15, 2011) Table 3 Standards⁽²⁾

References:

1- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 1 - Full Depth Background Site Condition Standards - Residential/ Parkland/Institutional/Industrial/ Commercial/Community Property Use

2- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Industrial/Commercial/Community Property Use and Coarse Textured Soils

Prepared by: SS

Reviewed by: AW

Date: 4/14/2023

Analytical Tables - Teston Road



**Table C-1: Summary of Soil Samples Analytical Results
Petroleum Hydrocarbons and BTEX, Teston Road IEA, Ontario**

190261800

Teston Road				Soil Investigation												
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	BHP-38	BHP-34	BHP4	BHP5	BHP7	BHP9	BHP 10	BHP11	BHP 22	BHP Dup 22			
Sample Date:				2023-01-20	2023-01-20	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16	
Sample Depth (mBGS)				0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5
Certificate of Analysis				1671850	1671851	1671394	1671395	1671396	1671397	1671398	1671398	1671398	1671398	1671400	1671401	1671402
Parameter																
Benzene	µg/g	0.02	0.32	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068		
Ethylbenzene	µg/g	0.05	9.5	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018		
Toluene	µg/g	0.2	68.0	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08		
o-Xylene	µg/g	NV	NV	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
p+m-Xylene	µg/g	NV	NV	<0.05	<0.05	<0.05	0.06	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
Total Xylenes	µg/g	0.05	26	<0.05	<0.05	<0.05	0.06	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05		
PHC F1 (C6-C10)	µg/g	25	55	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10		
PHC F2 (>C10-C16)	µg/g	10	230	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2		
PHC F3 (>C16-C34)	µg/g	240	1700	<20	<20	40	<20	<20	<20	<20	<20	<20	<20	<20		
PHC F4 (>C34-C50)	µg/g	120	3300	<20	<20	30	<20	<20	100	<20	<20	<20	<20	<20		

Notes:

All values in µg/g
 <0.02 - Not detected above the reporting detection limits
 mbgs - metres below ground surface
 NV - No Value
 NA - Not Analyzed

Screening:

BOLD

Parameter exceeded MECP (April 15, 2011) Table 1 Standards⁽¹⁾

BOLD

Parameter exceeded MECP (April 15, 2011) Table 3 Standards⁽²⁾

References:

- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 1 - Full Depth Background Site Condition Standards - Residential/Parkland/Institutional/Industrial/ Commercial/Community Property Use
- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Industrial/Commercial/Community Property Use and Coarse Textured Soils



**Table C-2: Summary of Soil Samples Analytical Results
Volatile Organic Compounds, Teston Road IEA, Ontario**

190261800

Teston Road				Soil Investigation				
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	MH BH1 - SS1	MH BH2 - SS2	MH BH3 - SS2	MH BH4 - SS2	A22-2 SS5
Sample Date:				2023-01-19	2022-12-12	2022-12-12	2022-12-12	2022-10-11
Sample Depth (mBGS)				0-0.76	0.76-1.52	0.76-1.52	0.76-1.52	3.1-3.7
Certificate of Analysis				1671865	1667981	1667983	1667985	1655946
Parameter								
Acetone	µg/g	0.5	16	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	µg/g	0.02	0.32	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068
Bromodichloromethane	µg/g	0.05	18	<0.05	<0.05	<0.05	<0.05	<0.05
Bromoform	µg/g	0.05	0.61	<0.05	<0.05	<0.05	<0.05	<0.05
Bromomethane	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Carbon Tetrachloride	µg/g	0.05	0.21	<0.05	<0.05	<0.05	<0.05	<0.05
Chlorobenzene	µg/g	0.05	2.4	<0.05	<0.05	<0.05	<0.05	<0.05
Chloroform	µg/g	0.05	0.47	<0.05	<0.05	<0.05	<0.05	<0.05
Dibromochloromethane	µg/g	0.05	13	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,2-	µg/g	0.05	6.8	<0.05	<0.05	<0.05	<0.05	<1
Dichlorobenzene, 1,3-	µg/g	0.05	9.6	<0.05	<0.05	<0.05	<0.05	<1
Dichlorobenzene, 1,4-	µg/g	0.05	0.2	<0.05	<0.05	<0.05	<0.05	<1
Dichlorodifluoromethane	µg/g	0.05	16	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,1-	µg/g	0.05	17	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,2-	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethylene, trans-1,2-	µg/g	0.05	1.3	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropane, 1,2-	µg/g	0.05	0.16	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropene 1,3- cis+trans	µg/g	0.05	0.18	<0.05	<0.05	<0.05	<0.05	<0.05
Ethylbenzene	µg/g	0.05	9.5	<0.018	<0.018	<0.018	<0.018	<0.018
Ethylene Dibromide	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Hexane	µg/g	0.05	46	<0.05	<0.05	<0.05	<0.05	<0.05
Methyl Ethyl Ketone	µg/g	0.5	70	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	µg/g	0.5	31	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl-t-butyl Ether	µg/g	0.05	11	<0.05	<0.05	<0.05	<0.05	<0.05
Styrene	µg/g	0.05	34	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,1,2-	µg/g	0.05	0.087	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,2,2-	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethylene	µg/g	0.05	4.5	<0.05	<0.05	<0.05	<0.05	<0.05
Toluene	µg/g	0.2	68	<0.08	<0.08	<0.08	<0.08	<0.08
Trichloroethane, 1,1,1-	µg/g	0.05	6.1	<0.05	<0.05	<0.05	<0.05	<0.05
Trichloroethane, 1,1,2-	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Trichloroethylene	µg/g	0.05	0.91	<0.01	<0.01	<0.01	<0.01	<0.01
Trichlorofluoromethane	µg/g	0.25	4	<0.05	<0.05	<0.05	<0.05	<0.05
Vinyl Chloride	µg/g	0.02	0.032	<0.02	<0.02	<0.02	<0.02	<0.02
Xylene, m,p-	µg/g	NV	NV	<0.05	<0.05	<0.05	<0.05	<0.05
Xylene, o-	µg/g	NV	NV	<0.05	<0.05	<0.05	<0.05	<0.05
Xylene, m,p,o-	µg/g	0.05	26	<0.05	<0.05	<0.05	<0.05	<0.05
1,1-Dichloroethene	µg/g	0.05	0.064	<0.05	<0.05	<0.05	<0.05	<0.05
cis-1,2-Dichloroethene	µg/g	0.05	55	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloromethane	µg/g	0.05	1.6	<0.05	<0.05	<0.05	<0.05	<0.05

Notes:

All values in µg/g
 <0.02 - Not detected above the reporting detection limits
 mbgs - metres below ground surface
 NV - No Value
 NA - Not Analyzed

Screening:



**Table C-2: Summary of Soil Samples Analytical Results
Volatile Organic Compounds, Teston Road IEA, Ontario**

190261800

Teston Road				Soil Investigation				
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	A22-3 SS4	BHC1 - SS5	BHP-25	BHP-17	BHP-38
Sample Date:				2022-10-24	2022-10-05	2023-01-20	2023-01-20	2023-01-20
Sample Depth (mBGS)				2.28-2.88	3.1-3.7	0-0.5	0-0.5	0-0.5
Certificate of Analysis				1658424	1655944	1671848	1671849	1671850
Parameter								
Acetone	µg/g	0.5	16	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	µg/g	0.02	0.32	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068
Bromodichloromethane	µg/g	0.05	18	<0.05	<0.05	<0.05	<0.05	<0.05
Bromoform	µg/g	0.05	0.61	<0.05	<0.05	<0.05	<0.05	<0.05
Bromomethane	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Carbon Tetrachloride	µg/g	0.05	0.21	<0.05	<0.05	<0.05	<0.05	<0.05
Chlorobenzene	µg/g	0.05	2.4	<0.05	<0.05	<0.05	<0.05	<0.05
Chloroform	µg/g	0.05	0.47	<0.05	<0.05	<0.05	<0.05	<0.05
Dibromochloromethane	µg/g	0.05	13	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,2-	µg/g	0.05	6.8	<0.05	<1	<0.05	<0.05	<0.05
Dichlorobenzene, 1,3-	µg/g	0.05	9.6	<0.05	<1	<0.05	<0.05	<0.05
Dichlorobenzene, 1,4-	µg/g	0.05	0.2	<0.05	<1	<0.05	<0.05	<0.05
Dichlorodifluoromethane	µg/g	0.05	16	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,1-	µg/g	0.05	17	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,2-	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethylene, trans-1,2-	µg/g	0.05	1.3	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropane, 1,2-	µg/g	0.05	0.16	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropene 1,3- cis+trans	µg/g	0.05	0.18	<0.05	<0.05	<0.05	<0.05	<0.05
Ethylbenzene	µg/g	0.05	9.5	<0.018	<0.018	<0.018	<0.018	<0.018
Ethylene Dibromide	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Hexane	µg/g	0.05	46	<0.05	<0.05	<0.05	<0.05	<0.05
Methyl Ethyl Ketone	µg/g	0.5	70	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	µg/g	0.5	31	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl-t-butyl Ether	µg/g	0.05	11	<0.05	<0.05	<0.05	<0.05	<0.05
Styrene	µg/g	0.05	34	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,1,2-	µg/g	0.05	0.087	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,2,2-	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethylene	µg/g	0.05	4.5	<0.05	<0.05	<0.05	<0.05	<0.05
Toluene	µg/g	0.2	68	<0.08	<0.08	<0.08	<0.08	<0.08
Trichloroethane, 1,1,1-	µg/g	0.05	6.1	<0.05	<0.05	<0.05	<0.05	<0.05
Trichloroethane, 1,1,2-	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Trichloroethylene	µg/g	0.05	0.91	<0.01	<0.01	<0.01	<0.01	<0.01
Trichlorofluoromethane	µg/g	0.25	4	<0.05	<0.05	<0.05	<0.05	<0.05
Vinyl Chloride	µg/g	0.02	0.032	<0.02	<0.02	<0.02	<0.02	<0.02
Xylene, m,p-	µg/g	NV	NV	<0.05	<0.05	<0.05	<0.05	<0.05
Xylene, o-	µg/g	NV	NV	<0.05	<0.05	<0.05	<0.05	<0.05
Xylene, m,p,o-	µg/g	0.05	26	<0.05	<0.05	<0.05	<0.05	<0.05
1,1-Dichloroethene	µg/g	0.05	0.064	<0.05	<0.05	<0.05	<0.05	<0.05
cis-1,2-Dichloroethene	µg/g	0.05	55	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloromethane	µg/g	0.05	1.6	<0.05	<0.05	<0.05	<0.05	<0.05

Notes:

All values in µg/g
 <0.02 - Not detected above the reporting detection limits
 mbgs - metres below ground surface
 NV - No Value
 NA - Not Analyzed

Screening:



**Table C-2: Summary of Soil Samples Analytical Results
Volatile Organic Compounds, Teston Road IEA, Ontario**

190261800

Teston Road				Soil Investigation				
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	BHP-34	BHP4	BHP5	BHP7	BHP9
Sample Date:				2023-01-20	2023-01-16	2023-01-16	2023-01-16	2023-01-16
Sample Depth (mBGS)				0-0.5	0-0.5	0-0.5	0-0.5	0-0.5
Certificate of Analysis				1671851	1671394	1671395	1671396	1671397
Parameter								
Acetone	µg/g	0.5	16	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	µg/g	0.02	0.32	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068
Bromodichloromethane	µg/g	0.05	18	<0.05	<0.05	<0.05	<0.05	<0.05
Bromoform	µg/g	0.05	0.61	<0.05	<0.05	<0.05	<0.05	<0.05
Bromomethane	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Carbon Tetrachloride	µg/g	0.05	0.21	<0.05	<0.05	<0.05	<0.05	<0.05
Chlorobenzene	µg/g	0.05	2.4	<0.05	<0.05	<0.05	<0.05	<0.05
Chloroform	µg/g	0.05	0.47	<0.05	<0.05	<0.05	<0.05	<0.05
Dibromochloromethane	µg/g	0.05	13	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,2-	µg/g	0.05	6.8	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,3-	µg/g	0.05	9.6	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,4-	µg/g	0.05	0.2	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorodifluoromethane	µg/g	0.05	16	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,1-	µg/g	0.05	17	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,2-	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethylene, trans-1,2-	µg/g	0.05	1.3	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropane, 1,2-	µg/g	0.05	0.16	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropene 1,3- cis+trans	µg/g	0.05	0.18	<0.05	<0.05	<0.05	<0.05	<0.05
Ethylbenzene	µg/g	0.05	9.5	<0.018	<0.018	<0.018	<0.018	<0.018
Ethylene Dibromide	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Hexane	µg/g	0.05	46	<0.05	<0.05	<0.05	<0.05	<0.05
Methyl Ethyl Ketone	µg/g	0.5	70	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	µg/g	0.5	31	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl-t-butyl Ether	µg/g	0.05	11	<0.05	<0.05	<0.05	<0.05	<0.05
Styrene	µg/g	0.05	34	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,1,2-	µg/g	0.05	0.087	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,2,2-	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethylene	µg/g	0.05	4.5	<0.05	<0.05	<0.05	<0.05	<0.05
Toluene	µg/g	0.2	68	<0.08	<0.08	<0.08	<0.08	<0.08
Trichloroethane, 1,1,1-	µg/g	0.05	6.1	<0.05	<0.05	<0.05	<0.05	<0.05
Trichloroethane, 1,1,2-	µg/g	0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Trichloroethylene	µg/g	0.05	0.91	<0.01	<0.01	<0.01	<0.01	<0.01
Trichlorofluoromethane	µg/g	0.25	4	<0.05	<0.05	<0.05	<0.05	<0.05
Vinyl Chloride	µg/g	0.02	0.032	<0.02	<0.02	<0.02	<0.02	<0.02
Xylene, m,p-	µg/g	NV	NV	<0.05	<0.05	0.06	<0.05	<0.05
Xylene, o-	µg/g	NV	NV	<0.05	<0.05	<0.05	<0.05	<0.05
Xylene, m,p,o-	µg/g	0.05	26	<0.05	<0.05	0.06	<0.05	<0.05
1,1-Dichloroethene	µg/g	0.05	0.064	<0.05	<0.05	<0.05	<0.05	<0.05
cis-1,2-Dichloroethene	µg/g	0.05	55	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloromethane	µg/g	0.05	1.6	<0.05	<0.05	<0.05	<0.05	<0.05

Notes:

All values in µg/g
 <0.02 - Not detected above the reporting detection limits
 mbgs - metres below ground surface
 NV - No Value
 NA - Not Analyzed

Screening:



**Table C-2: Summary of Soil Samples Analytical Results
Volatile Organic Compounds, Teston Road IEA, Ontario**

190261800

Teston Road				
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	BHP 10
Sample Date:				2023-01-16
Sample Depth (mBGS)				0-0.5
Certificate of Analysis				1671398
Parameter				
Acetone	µg/g	0.5	16	<0.50
Benzene	µg/g	0.02	0.32	<0.0068
Bromodichloromethane	µg/g	0.05	18	<0.05
Bromoform	µg/g	0.05	0.61	<0.05
Bromomethane	µg/g	0.05	0.05	<0.05
Carbon Tetrachloride	µg/g	0.05	0.21	<0.05
Chlorobenzene	µg/g	0.05	2.4	<0.05
Chloroform	µg/g	0.05	0.47	<0.05
Dibromochloromethane	µg/g	0.05	13	<0.05
Dichlorobenzene,1,2-	µg/g	0.05	6.8	<0.05
Dichlorobenzene,1,3-	µg/g	0.05	9.6	<0.05
Dichlorobenzene,1,4-	µg/g	0.05	0.2	<0.05
Dichlorodifluoromethane	µg/g	0.05	16	<0.05
Dichloroethane,1,1-	µg/g	0.05	17	<0.05
Dichloroethane,1,2-	µg/g	0.05	0.05	<0.05
Dichloroethylene, trans-1,2-	µg/g	0.05	1.3	<0.05
Dichloropropane,1,2-	µg/g	0.05	0.16	<0.05
Dichloropropene 1,3- cis+trans	µg/g	0.05	0.18	<0.05
Ethylbenzene	µg/g	0.05	9.5	<0.018
Ethylene Dibromide	µg/g	0.05	0.05	<0.05
Hexane	µg/g	0.05	46	<0.05
Methyl Ethyl Ketone	µg/g	0.5	70	<0.50
Methyl Isobutyl Ketone	µg/g	0.5	31	<0.50
Methyl-t-butyl Ether	µg/g	0.05	11	<0.05
Styrene	µg/g	0.05	34	<0.05
Tetrachloroethane,1,1,1,2-	µg/g	0.05	0.087	<0.05
Tetrachloroethane,1,1,2,2-	µg/g	0.05	0.05	<0.05
Tetrachloroethylene	µg/g	0.05	4.5	<0.05
Toluene	µg/g	0.2	68	<0.08
Trichloroethane,1,1,1-	µg/g	0.05	6.1	<0.05
Trichloroethane,1,1,2-	µg/g	0.05	0.05	<0.05
Trichloroethylene	µg/g	0.05	0.91	<0.01
Trichlorofluoromethane	µg/g	0.25	4	<0.05
Vinyl Chloride	µg/g	0.02	0.032	<0.02
Xylene, m,p-	µg/g	NV	NV	<0.05
Xylene, o-	µg/g	NV	NV	<0.05
Xylene, m,p,o-	µg/g	0.05	26	<0.05
1,1-Dichloroethene	µg/g	0.05	0.064	<0.05
cis-1,2-Dichloroethene	µg/g	0.05	55	<0.05
Dichloromethane	µg/g	0.05	1.6	<0.05

Notes:

All values in µg/g
 <0.02 - Not detected above the reporting detection limits
 mbgs - metres below ground surface
 NV - No Value
 NA - Not Analyzed

Screening:



**Table C-3: Summary of Soil Samples Analytical Results
Select Inorganic Parameters, Teston Road IEA, Ontario**

190261800

#REF!				Soil Investigation		
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	MH BH1 - SS1	MH BH2 - SS1	MH BH3 - SS1
Sample Date:				2023-01-19	2022-12-12	2022-12-12
Sample Depth (mBGS)				0-0.76	0-0.76	0-0.76
Certificate of Analysis				1671865	1667980	1667982
Parameter						
pH	NA	NV	NV	7.62	8.17	8.12
Cyanide (Free)	ug/g	0.051	0.051	<0.005	<0.005	<0.005
Electrical Conductivity (EC)	mS/cm	0.57	1.4	0.2	0.64	0.17
Sodium Absorption Ratio (SAR)	NA	2.4	12	1.2	8.88	0.61
Antimony	µg/g	1.3	40	<1	<1	<1
Arsenic	µg/g	18	18	5	4	2
Barium	µg/g	220	670	31	12	40
Beryllium	µg/g	2.5	8	<1	<1	<1
Boron	µg/g	36	120	<5	9	<5
Boron (Hot Water Soluble)	µg/g	NV	2	<0.5	<0.5	<0.5
Cadmium	µg/g	1.2	1.9	<0.4	<0.4	<0.4
Chromium	µg/g	70	160	59	9	14
Chromium VI	µg/g	0.66	8	<0.20	<0.20	<0.20
Cobalt	µg/g	21	80	137	2	4
Copper	µg/g	92	230	228	8	14
Lead	µg/g	120	120	24	12	16
Mercury	µg/g	0.27	3.9	<0.1	<0.1	<0.1
Molybdenum	µg/g	2	40	3	<1	<1
Nickel	µg/g	82	270	328	6	10
Selenium	µg/g	1.5	5.5	0.8	<0.5	<0.5
Silver	µg/g	0.5	40	<0.2	<0.2	<0.2
Thallium	µg/g	1	3.3	<1	<1	<1
Uranium	µg/g	2.5	33	<0.5	<0.5	<0.5
Vanadium	µg/g	86	86	23	9	21
Zinc	µg/g	290	340	117	52	34

Notes:

All values in µg/g

<0.02 - Not detected above the reporting detection limits

mbgs - metres below ground surface

NV - No Value

NA - Not Analyzed

Screening:

BOLD

Parameter exceeded MECP (April 15, 2011) Table 1 Standards⁽¹⁾

BOLD

Parameter exceeded MECP (April 15, 2011) Table 3 Standards⁽²⁾



**Table C-4: Summary of Soil Samples Analytical Results
Polycyclic Aromatic Hydrocarbons, Teston Road IEA, Ontario**

190261800

#REF!				Soil Investigation				
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	MH BH1 - SS1	MH BH2 - SS2	MH BH3 - SS2	MH BH4 - SS2	A22-2 SS5
Sample Date:				2023-01-19	2022-12-12	2022-12-12	2022-12-12	2022-10-11
Sample Depth (mBGS)				0-0.76	0.76-1.52	0.76-1.52	0.76-1.52	3.1-3.7
Certificate of Analysis				1671865	1667981	1667983	1667985	1655946
Parameter								
Acenaphthene	µg/g	0.072	96	<0.05	<0.05	<0.05	<0.05	<0.05
Acenaphthylene	µg/g	0.093	0.15	0.16	<0.05	<0.05	<0.05	<0.05
Anthracene	µg/g	0.16	0.67	0.26	<0.05	<0.05	<0.05	<0.05
Benz(a)anthracene	µg/g	0.36	0.96	0.16	<0.05	<0.05	<0.05	<0.05
Benzo(a)pyrene	µg/g	0.3	0.3	0.3	<0.05	<0.05	<0.05	<0.05
Benzo(b)fluoranthene	µg/g	0.47	0.96	0.34	<0.05	<0.05	<0.05	<0.05
Benzo(g,h,i)perylene	µg/g	0.68	9.6	0.9	<0.05	<0.05	<0.05	<0.05
Benzo(k)fluoranthene	µg/g	0.48	0.96	0.18	<0.05	<0.05	<0.05	<0.05
Chrysene	µg/g	2.8	9.6	0.2	<0.05	<0.05	<0.05	<0.05
Dibenz(a,h)anthracene	µg/g	0.1	0.1	0.06	<0.05	<0.05	<0.05	<0.05
Fluoranthene	µg/g	0.56	9.6	0.29	<0.05	<0.05	<0.05	<0.05
Fluorene	µg/g	0.12	62	<0.05	<0.05	<0.05	<0.05	<0.05
Indeno(1,2,3,-cd)pyrene	µg/g	0.23	0.76	0.38	<0.05	<0.05	<0.05	<0.05
1-Methylnaphthalene	µg/g	0.59	NV	<0.05	<0.05	<0.05	<0.05	<0.05
2-Methylnaphthalene	µg/g	0.59	NV	<0.05	<0.05	<0.05	<0.05	<0.05
Naphthalene	µg/g	0.59	9.6	0.024	<0.013	<0.013	<0.013	<0.013
Phenanthrene	µg/g	0.09	12	0.08	<0.05	<0.05	<0.05	<0.05
Pyrene	µg/g	0.69	96	0.29	<0.05	<0.05	<0.05	<0.05

Notes:

All values in µg/g

<0.02 - Not detected above the reporting detection limits

mBGS - metres below ground surface

NV - No Value

NA - Not Analyzed

Screening:

BOLD

Parameter exceeded MECP (April 15, 2011) Table 1 Standards⁽¹⁾

BOLD

Parameter exceeded MECP (April 15, 2011) Table 3 Standards⁽²⁾

References:

1- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 1 - Full Depth Background Site Condition Standards - Residential/ Parkland/Institutional/Industrial/ Commercial/Community Property Use

2- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Industrial/Commercial/Community Property Use and Coarse Textured Soils



**Table C-4: Summary of Soil Samples Analytical Results
Polycyclic Aromatic Hydrocarbons, Teston Road IEA, Ontario**

190261800

#REF!				Soil Investigation					
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	A22-3 SS4	BHCI - SS5	BHP-25	BHP-17	BHP-38	BHP-34
Sample Date:				2022-10-24	2022-10-05	2023-01-20	2023-01-20	2023-01-20	2023-01-20
Sample Depth (mBGS)				2.28-2.88	3.1-3.7	0-0.5	0-0.5	0-0.5	0-0.5
Certificate of Analysis				1658424	1655944	1671848	1671849	1671850	1671851
Parameter									
Acenaphthene	µg/g	0.072	96	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Acenaphthylene	µg/g	0.093	0.15	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Anthracene	µg/g	0.16	0.67	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Benz(a)anthracene	µg/g	0.36	0.96	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(a)pyrene	µg/g	0.3	0.3	0.06	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(b)fluoranthene	µg/g	0.47	0.96	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(g,h,i)perylene	µg/g	0.68	9.6	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(k)fluoranthene	µg/g	0.48	0.96	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Chrysene	µg/g	2.8	9.6	0.07	<0.05	<0.05	<0.05	<0.05	<0.05
Dibenz(a,h)anthracene	µg/g	0.1	0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Fluoranthene	µg/g	0.56	9.6	0.12	<0.05	<0.05	<0.05	<0.05	<0.05
Fluorene	µg/g	0.12	62	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Indeno(1,2,3,-cd)pyrene	µg/g	0.23	0.76	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
1-Methylnaphthalene	µg/g	0.59	NV	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2-Methylnaphthalene	µg/g	0.59	NV	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Naphthalene	µg/g	0.59	9.6	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013
Phenanthrene	µg/g	0.09	12	0.09	<0.05	<0.05	<0.05	<0.05	<0.05
Pyrene	µg/g	0.69	96	0.09	<0.05	<0.05	<0.05	<0.05	<0.05

Notes:

All values in µg/g

<0.02 - Not detected above the reporting detection limits

mBGS - metres below ground surface

NV - No Value

NA - Not Analyzed

Screening:

BOLD

Parameter exceeded MECP (April 15, 2011) Table 1 Standards⁽¹⁾

BOLD

Parameter exceeded MECP (April 15, 2011) Table 3 Standards⁽²⁾

References:

1- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 1 - Full Depth Background Site Condition Standards - Residential/ Parkland/Institutional/Industrial/ Commercial/Community Property Use

2- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Industrial/Commercial/Community Property Use and Coarse Textured Soils



**Table C-4: Summary of Soil Samples Analytical Results
Polycyclic Aromatic Hydrocarbons, Teston Road IEA, Ontario**

190261800

#REF!				Soil Investigation					
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	BHP4	BHP5	BHP7	BHP9	BHP 10	BHP11
Sample Date:				2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16
Sample Depth (mBGS)				0-0.5	0-0.5	0-0.5	0-0.5	0-0.5	0-0.5
Certificate of Analysis				1671394	1671395	1671396	1671397	1671398	1671400
Parameter									
Acenaphthene	µg/g	0.072	96	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Acenaphthylene	µg/g	0.093	0.15	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Anthracene	µg/g	0.16	0.67	0.06	<0.05	<0.05	<0.05	<0.05	<0.05
Benz(a)anthracene	µg/g	0.36	0.96	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(a)pyrene	µg/g	0.3	0.3	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(b)fluoranthene	µg/g	0.47	0.96	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(g,h,i)perylene	µg/g	0.68	9.6	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Benzo(k)fluoranthene	µg/g	0.48	0.96	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Chrysene	µg/g	2.8	9.6	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dibenz(a,h)anthracene	µg/g	0.1	0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Fluoranthene	µg/g	0.56	9.6	0.09	<0.05	<0.05	<0.05	<0.05	<0.05
Fluorene	µg/g	0.12	62	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Indeno(1,2,3,-cd)pyrene	µg/g	0.23	0.76	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
1-Methylnaphthalene	µg/g	0.59	NV	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
2-Methylnaphthalene	µg/g	0.59	NV	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Naphthalene	µg/g	0.59	9.6	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013
Phenanthrene	µg/g	0.09	12	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Pyrene	µg/g	0.69	96	0.08	<0.05	<0.05	<0.05	<0.05	<0.05

Notes:

All values in µg/g

<0.02 - Not detected above the reporting detection limits

mBGS - metres below ground surface

NV - No Value

NA - Not Analyzed

Screening:

BOLD

Parameter exceeded MECP (April 15, 2011) Table 1 Standards⁽¹⁾

BOLD

Parameter exceeded MECP (April 15, 2011) Table 3 Standards⁽²⁾

References:

1- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 1 - Full Depth Background Site Condition Standards - Residential/Parkland/Institutional/Industrial/ Commercial/Community Property Use

2- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Industrial/Commercial/Community Property Use and Coarse Textured Soils

**Table C-4: Summary of Soil Samples Analytical Results
Polycyclic Aromatic Hydrocarbons, Teston Road IEA, Ontario**

190261800

#REF!				Soil Investigation	
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	BHP 22	BHP Dup 22
Sample Date:				2023-01-16	2023-01-16
Sample Depth (mBGS)				0-0.5	0-0.5
Certificate of Analysis				1671401	1671402
Parameter					
Acenaphthene	µg/g	0.072	96	<0.05	<0.05
Acenaphthylene	µg/g	0.093	0.15	<0.05	<0.05
Anthracene	µg/g	0.16	0.67	<0.05	<0.05
Benzo(a)anthracene	µg/g	0.36	0.96	<0.05	<0.05
Benzo(a)pyrene	µg/g	0.3	0.3	<0.05	<0.05
Benzo(b)fluoranthene	µg/g	0.47	0.96	<0.05	<0.05
Benzo(g,h,i)perylene	µg/g	0.68	9.6	<0.05	<0.05
Benzo(k)fluoranthene	µg/g	0.48	0.96	<0.05	<0.05
Chrysene	µg/g	2.8	9.6	<0.05	<0.05
Dibenz(a,h)anthracene	µg/g	0.1	0.1	<0.05	<0.05
Fluoranthene	µg/g	0.56	9.6	<0.05	<0.05
Fluorene	µg/g	0.12	62	<0.05	<0.05
Indeno(1,2,3,-cd)pyrene	µg/g	0.23	0.76	<0.05	<0.05
1-Methylnaphthalene	µg/g	0.59	NV	<0.05	<0.05
2-Methylnaphthalene	µg/g	0.59	NV	<0.05	<0.05
Naphthalene	µg/g	0.59	9.6	<0.013	<0.013
Phenanthrene	µg/g	0.09	12	<0.05	<0.05
Pyrene	µg/g	0.69	96	<0.05	<0.05

Notes:

All values in µg/g

<0.02 - Not detected above the reporting detection limits

mBGS - metres below ground surface

NV - No Value

NA - Not Analyzed

Screening:

BOLD

Parameter exceeded MECP (April 15, 2011) Table 1 Standards⁽¹⁾

BOLD

Parameter exceeded MECP (April 15, 2011) Table 3 Standards⁽²⁾

References:

1- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 1 - Full Depth Background Site Condition Standards - Residential/ Parkland/Institutional/Industrial/ Commercial/Community Property Use

2- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Industrial/Commercial/Community Property Use and Coarse Textured Soils

**Table C-5: Summary of Soil Samples Analytical Results
Polycyclic Aromatic Hydrocarbons, Teston Road IEA, Ontario**

190261800

#REF!				Soil Investigation			
Sample ID:	Units	MECP Table 1 Standards ⁽¹⁾	MECP Table 3 Standards ⁽²⁾	MH BH2 - SS2	MH BH3 - SS2	MH BH4 - SS2	A22-2 SS5
Sample Date:				2022-12-12	2022-12-12	2022-12-12	2022-10-11
Sample Depth (mBGS)				0.76-1.52	0.76-1.52	0.76-1.52	3.1-3.7
Certificate of Analysis				1667981	1667983	1667985	1655946
Parameter							
1,2,4-Trichlorobenzene	µg/g	0.05	3.2	<0.05	<0.05	<0.05	<0.04
2,4 + 2,6-Dinitrotoluene	µg/g	0.5	1.2	<0.5	<0.5	<0.5	<0.5
2,4,5-Trichlorophenol	µg/g	0.1	10	<0.1	<0.1	<0.1	<0.1
2,4,6-Trichlorophenol	µg/g	0.1	3.8	<0.1	<0.1	<0.1	<0.1
2,4-Dichlorophenol	µg/g	0.1	3.4	<0.1	<0.1	<0.1	<0.1
2,4-Dimethylphenol	µg/g	0.2	390	<0.2	<0.2	<0.2	<0.2
2,4-Dinitrophenol	µg/g	2	59	<0.2	<0.2	<0.2	<0.2
2-Chlorophenol	µg/g	0.1	3.1	<0.1	<0.1	<0.1	<0.1
3,3'-Dichlorobenzidine	µg/g	1	1	<0.6	<0.6	<0.6	<0.6
4-Chloroaniline	µg/g	0.5	0.5	<0.2	<0.2	<0.2	<0.2
Biphenyl	µg/g	0.05	52	<0.05	<0.05	<0.05	<0.05
Bis(2-chloroethyl)ether	µg/g	0.5	0.5	<0.3	<0.3	<0.3	<0.3
Bis(2-chloroisopropyl)ether	µg/g	0.5	11	<0.2	<0.2	<0.2	<0.2
Bis(2-ethylhexyl)phthalate	µg/g	5	28	<0.4	<0.4	<0.4	<0.4
Diethyl phthalate	µg/g	0.5	NV	<0.2	<0.2	<0.2	<0.2
Dimethyl phthalate	µg/g	0.5	0.5	<0.2	<0.2	<0.2	<0.2
Pentachlorophenol	µg/g	0.1	2.9	<0.1	<0.1	<0.1	<0.1
Phenol	µg/g	0.5	9	<0.1	<0.1	<0.1	<0.1

Notes:

All values in µg/g

<0.02 - Not detected above the reporting detection limits

mBGS - metres below ground surface

NV - No Value

NA - Not Analyzed

Screening:

BOLD

Parameter exceeded MECP (April 15, 2011) Table 1 Standards⁽¹⁾

BOLD

Parameter exceeded MECP (April 15, 2011) Table 3 Standards⁽²⁾

References:

1- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 1 - Full Depth Background Site Condition Standards - Residential/ Parkland/Institutional/Industrial/ Commercial/Community Property Use

2- MECP Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011) - Table 3 - Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition - Industrial/Commercial/Community Property Use and Coarse Textured Soils



**Table C-6: Summary of Soil Samples Analytical Results
OC Pesticides and Polychlorinated Biphenyls, Teston Road IEA, Ontario**

#REF!					
Sample ID:	Units	MECP Table 1 Standards (1)	MECP Table 3 Standards (2)	MH BH2 - SS2	MH BH3 - SS2
Sample Date:				2022-12-12	2022-12-12
Sample Depth (mBGS)				0.76-1.52	0.76-1.52
Certificate of Analysis				1667981	1667983
Parameter					
Aldrin	µg/g	0.05	0.088	<0.002	<0.002
Chlordane (Total)	µg/g	0.05	0.05	<0.006	<0.006
DDD (Total)	µg/g	0.05	4.6	<0.002	<0.002
DDE (Total)	µg/g	0.05	0.52	<0.002	<0.002
DDT (Total)	µg/g	0.05	1.4	<0.002	<0.002
Dieldrin	µg/g	0.05	0.088	<0.002	<0.002
Total Endosulfan	µg/g	0.04	0.3	<0.004	<0.004
Endrin	µg/g	0.04	0.04	<0.002	<0.002
gamma-BHC (Lindane)	µg/g	0.01	0.056	<0.002	<0.002
Heptachlor	µg/g	0.05	0.19	<0.002	<0.002
Heptachlor epoxide	µg/g	0.05	0.05	<0.002	<0.002
Hexachlorobenzene	µg/g	0.01	0.66	<0.01	<0.01
Hexachlorobutadiene	µg/g	0.01	0.031	<0.01	<0.01
Hexachloroethane	µg/g	0.01	0.21	<0.01	<0.01
Methoxychlor	µg/g	0.05	1.6	<0.002	<0.002
Aroclor 1242	µg/g	NV	NV	<0.02	<0.02
Aroclor 1248	µg/g	NV	NV	<0.02	<0.02
Aroclor 1254	µg/g	NV	NV	<0.02	<0.02
Aroclor 1260	µg/g	NV	NV	<0.02	<0.02
Polychlorinated Biphenyls	µg/g	0.3	1.1	<0.02	<0.02

Notes:

All values in µg/g
 <0.02 - Not detected above the reporting detection limits
 mbgs - metres below ground surface
 NV - No Value
 NA - Not Analyzed

Screening:

BOLD
 Parameter exceeded MECP (April 15, 2011) Table 1 Standards⁽¹⁾
BOLD
 Parameter exceeded MECP (April 15, 2011) Table 3 Standards⁽²⁾



Table C-8: Summary of the Toxicity Characteristic Leachate Procedure Testing 190261800
Teston Road IEA, Ontario

#REF!			Soil Investigation	
Soil Sample ID	Units	O.Reg.347 Schedule 4 Leachate Quality Criteria ⁽¹⁾	MH BH2 - SS2	MH BH3 - SS2
Sample Date			2022-12-12	2022-12-12
Certificate of Analysis			1672375	1672376
Parameter			0.76-1.52	0.76-1.52
Inorganics				
Leachable Fluoride (F-)	mg/L	150	0.21	0.24
Leachable Free Cyanide	mg/L	20	<0.05	<0.05
Leachable Nitrate + Nitrite	mg/L	1000	<1.0	<1.0
Metals				
Leachable Arsenic (As)	mg/L	2.5	<0.02	<0.02
Leachable Barium (Ba)	mg/L	100	0.42	0.32
Leachable Boron (B)	mg/L	500	<0.1	<0.1
Leachable Cadmium (Cd)	mg/L	0.5	<0.008	<0.008
Leachable Chromium (Cr)	mg/L	5	<0.05	<0.05
Leachable Lead (Pb)	mg/L	5	<0.01	<0.01
Leachable Mercury (Hg)	mg/L	0.1	<0.001	<0.001
Leachable Selenium (Se)	mg/L	1	<0.02	<0.02
Leachable Silver (Ag)	mg/L	5	<0.01	<0.01
Leachable Uranium (U)	mg/L	10	<0.01	<0.01
Ignitability				
Flashpoint	°C	NV	neg	neg
Volatile Organics				
Leachable Benzene	mg/L	0.5	<0.0005	<0.0005
Leachable Carbon Tetrachloride	mg/L	0.5	<0.0002	<0.0002
Leachable Chlorobenzene	mg/L	8	<0.0005	<0.0005
Leachable Chloroform	mg/L	10	<0.0005	<0.0005
Leachable 1,2-Dichlorobenzene	mg/L	20	<0.0004	<0.0004
Leachable 1,4-Dichlorobenzene	mg/L	0.5	<0.0004	<0.0004
Leachable 1,2-Dichloroethane	mg/L	0.5	<0.0005	<0.0005
Leachable 1,1-Dichloroethylene	mg/L	1.4	<0.0005	<0.0005
Leachable Methylene Chloride	mg/L	5	<0.004	<0.004
Leachable Methyl Ethyl Ketone	mg/L	200	<0.002	<0.002
Leachable Tetrachloroethylene	mg/L	3	<0.0003	<0.0003
Leachable Trichloroethylene	mg/L	5	<0.0003	<0.0003
Leachable Vinyl Chloride	mg/L	0.2	<0.0002	<0.0002
Polycyclic Aromatic Hydrocarbons				
Leachable Benzo(a)pyrene	mg/L	0.001	0.00001	0.00001
PCBs				
Leachable Total PCB	mg/L	0.3	<0.0001	<0.0001

Notes:

<0.02 - Not detected above the reporting detection limits

NV - No Value

NA - Not Analyzed

NI - Not Ignitable

References:

1 - Schedule 4 of Ontario Regulation 347 – General Waste Management: Leachate Quality Criteria. Soils producing leachate above these standards would be considered hazardous waste under the regulation

Prepared by: SS

Reviewed by: AW

Date: 4/14/2023

Analytical Tables - Teston Road



APPENDIX D - BOREHOLE LOGS



Morrison Hershfield Ltd

BOREHOLE MH-BH1

CLIENT The Regional Municipality of York

PROJECT NAME Teston Road IEA

PROJECT NUMBER 190261800

PROJECT LOCATION Teston Road between Keele Street and Bathurst Street

DATE STARTED 1/19/23 COMPLETED 1/19/23

DRILLING CONTRACTOR MH

GROUNDWATER LEVELS:
▽ STATIC WATER LEVEL ---

DRILLING METHOD Hand Augur

LOGGED BY SS CHECKED BY AW

MEASUREMENT DATE _____

DEPTH (m)	GRAPHIC LOG	SOIL DESCRIPTION	SAMPLE NUMBER	Headspace Organic Vapour Concentrations	Headspace Combustible Vapour Concentrations	ANALYSES	WELL DIAGRAM
				▲ IBL (ppm)	⊠ HEX (ppm) 125 250 375		
0				500 1000 1500 2000	⊕ HEX (%LEL) 25 50 75		
0.8		Silty sand, brown, moist.	SS1			Metals, Inorganics, PHC, VOC, PAH	

Borehole Terminated at 0.76 mbgs



CLIENT The Regional Municipality of York

PROJECT NAME Teston Road IEA

PROJECT NUMBER 190261800

PROJECT LOCATION Teston Road between Keele Street and Bathurst Street

DATE STARTED 12/12/22 COMPLETED 12/12/22

DRILLING CONTRACTOR Landshark

GROUNDWATER LEVELS:

DRILLING METHOD Geoprobe-Direct Push

▽ STATIC WATER LEVEL ---

LOGGED BY SS CHECKED BY AW

MEASUREMENT DATE _____

DEPTH (m)	GRAPHIC LOG	SOIL DESCRIPTION	SAMPLE NUMBER	Headspace Organic Vapour Concentrations		Headspace Combustible Vapour Concentrations			ANALYSES	WELL DIAGRAM
				▲ IBL (ppm)	500 1000 1500 2000	✱ HEX (ppm)	125 250 375	● HEX (%LEL)		
0		Sand and Gravel , greyish-brown, moist.								
			SS1	▲ 0		✱ 0			Metals, Inorganics, PHC, VOC, PAH	
0.8		Sandy Silt , brown, trace gravel, moist.								
		Traces of asphalt present between 0.76 and 1.52 mbgs.	SS2	▲ 1		✱ 0				
1										
			SS3	▲ 1		✱ 0				
2										
			SS4	▲ 0		✱ 0				
3										
3.0										

Borehole Terminated at 3.1 mbgs



CLIENT The Regional Municipality of York

PROJECT NAME Teston Road IEA

PROJECT NUMBER 190261800

PROJECT LOCATION Teston Road between Keele Street and Bathurst Street

DATE STARTED 12/12/22 COMPLETED 12/12/22

DRILLING CONTRACTOR Landshark

GROUNDWATER LEVELS:

DRILLING METHOD Geoprobe-Direct Push

▽ **STATIC WATER LEVEL** 4.56 m

LOGGED BY SS CHECKED BY AW

MEASUREMENT DATE 4/4/2023

DEPTH (m)	GRAPHIC LOG	SOIL DESCRIPTION	SAMPLE NUMBER	Headspace Organic Vapour Concentrations		Headspace Combustible Vapour Concentrations			ANALYSES	WELL DIAGRAM
				▲ IBL (ppm)		✱ HEX (ppm)				
				500	1000 1500 2000	125	250	375		
0										
0.8		Fill: Sand and Gravel , brown, trace organics, moist.	SS1	1	0			Metals, Inorganics		
1		Sand , brown, trace gravel, moist.	SS2	1	0			PHC, VOC, PAH		
2			SS3	1	0					
3			SS4	0	0					
4			SS5	0	0					
4.6			SS6	0	0					

bgsBorehole Terminated at 4.56 mbgs



CLIENT The Regional Municipality of York

PROJECT NAME Teston Road IEA

PROJECT NUMBER 190261800

PROJECT LOCATION Teston Road between Keele Street and Bathurst Street

DATE STARTED 12/12/22 COMPLETED 12/12/22

DRILLING CONTRACTOR Landshark

GROUNDWATER LEVELS:

DRILLING METHOD Geoprobe-Direct Push

▽ **STATIC WATER LEVEL** 4.56 m

LOGGED BY SS CHECKED BY AW

MEASUREMENT DATE 4/4/2023

DEPTH (m)	GRAPHIC LOG	SOIL DESCRIPTION	SAMPLE NUMBER	Headspace Organic Vapour Concentrations		Headspace Combustible Vapour Concentrations			ANALYSES	WELL DIAGRAM
				▲ IBL (ppm)		✱ HEX (ppm)				
				500	1000	125	250	375		
0										
0.8		Fill: Sand and Silt, brown, trace organics, moist.	SS1	0	0	0	0	0	Metals, Inorganics	
1		Sand, brown, moist.	SS2	0	0	0	0	0	PHC, VOC, PAH	
2			SS3	1	10	10	10	10		
3			SS4	1	0	0	0	0		
4			SS5	0	15	15	15	15		
4.6			SS6	0	0	0	0	0		

Borehole Terminated at 4.56 mbgs

ENVIRONMENTAL BH PLOTS - 200148008 BH.GPJ GINT STD CANADA LAB.GDT 4/11/23

**APPENDIX E - QUALITY MANAGEMENT,
CONTROL AND ASSURANCE**

QUALITY MANAGEMENT, CONTROL AND ASSURANCE

Project Quality Management

The field work documented in this report and the preparation of this report were overseen by a Qualified Person, as defined in Ontario Regulation 153/04, as amended (O. Reg. 153/04).

Sampling analysis was performed using generally accepted principles and with appropriate sampling equipment. Written field and laboratory sampling procedures for soil and ground water developed by Morrison Hershfield Limited (MH) were used to ensure consistency in sample collection and preparation of samples for submission to the laboratory.

The staff involved in the field sampling have participated in regular, ongoing training programs and were qualified and experienced in collecting, describing, and preparing environmental samples for laboratory analysis.

Laboratory analysis was performed using generally accepted principles in accordance with the *Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act*, March 9, 2004 amended as of July 1, 2011 (Protocol).

Data quality objectives for the parameters of concern were set to meet acceptable RDLs to achieve the goal of defining areas where such parameters are present at levels in excess of applicable generic standards, as defined in O. Reg. 153/04. Sampling programs included providing written instruction to the analytical laboratory describing the required analyses on the Chain of Custody prepared and delivered with the samples.

Field Quality Assurance/ Quality Control

The soil sampling plan was prepared and executed based on previous assessment conducted for the site, and on professional judgment at the time of the investigation.

Field observations were made and documented in a field book in accordance with generally accepted practices and with the procedures developed and utilized by MH.

MH field sampling Quality Assurance and Quality Control (QA/QC) protocols are tailored to the investigation and include:

- The collection of discrete samples directly into vials containing methanol for soil samples analysed for volatile organic compounds including BTEX

- The collection of discrete samples directly into jars for soil samples analysed for all other parameters
- The immediate placement, upon collection, of soil samples into a cooler with free ice to lower the temperature to less than 10°C
- For soil sampling, the thorough cleaning of soil sampling equipment using soap and water, followed by a distilled water rinse and a methanol rinse between sample locations
- Ensuring that the bare hand does not come into contact with the soil as it is being placed into the sample container
- All samples were shipped to the laboratory in custody sealed coolers, filled with ice at less than 10°C
- All sample shipments are accompanied by standard chain of custody forms
- For each analysis and matrix, the table below describes the type of sample container and preservation technique used

Parameter Group	Matrix	Container	Preservative
BTEX/PHC F1 or VOC	Soil	2 x 40 mL C/G TL septum cap vial	Less than 10 °C, Methanol
PHC F2-F4, PAH, OCP, PCB, or phenols	Soil	1 x 120 mL A/G TL	Less than 10 °C
Metals, inorganics, dioxins, or furans	Soil	1 x 120 mL A/G TL 1 x 240 mL A/G TL	Less than 10 °C
A/G means “amber glass”; C/G means “clear glass”; HDPE means “High Density Polyethylene” TL means “Teflon-lined lid”			

The results of the field duplicate samples are presented along with the tabulated data in this appendix. Tabulated data are presented to a maximum of two significant digits.

Laboratory Quality Assurance/Quality Control

All soil and groundwater samples were delivered to the Vaughan facility of Eurofins Eurofins Environment Testing Canada Inc. (Eurofins). Analysis was carried out at Eurofins’ Ottawa Laboratory or at sister laboratory depending on the parameter analyzed. Eurofins has been accredited by the Standards Council of Canada (SCC) for all of the parameters that were analysed in accordance with the latest version of the International Standard ISO/IEC 17025 – “General Requirement for the Competence of Testing and Calibration Laboratories”. Eurofins performed the work following formal written methods and procedures. These methods include all the minimum requirements as specified in the Protocol.

MH has accepted the data provided by Eurofins based on the assurance from Eurofins that, as a minimum, the following requirements have been met and documentation to demonstrate compliance can be produced on request:

- The method performance criteria identified in the Protocol were met
- Sample storage requirements, pre-analysis processing techniques, and holding times for all sample types as identified in the Protocol were met following receipt and sign-off of the samples from MH staff
- The results of all laboratory QC samples were within statistically determined control limits and if not, reasons were provided
- Surrogate recoveries for organic analyses were monitored and recorded
- Details on the precision and accuracy of the data have been recorded and retained and are available from the laboratories should they be required as a result of a Ministry of the Environment, Conservation and Parks (MECP) audit
- The analytical data were reported without blank correction (unless the correction was clearly identified on the Certificate of Analysis)
- All soil sampling results were reported on a dry weight basis

All Certificates of Analysis were reviewed by the Qualified Person to ensure that data quality objectives have been met and that any anomalies have been identified. All Certificates of Analysis meet the requirements under Section 47(3) of O. Reg. 153/04.

Quality Assurance/Quality Control Program

No laboratory QA/QC issues were identified that would have a material effect on the interpretation of results presented in this report.

The field QA/QC program consisted of submitting one set of field duplicate sample for laboratory analyses of volatile organic compounds (VOC), petroleum hydrocarbon (PHC) fractions F1 to F4, polycyclic aromatic hydrocarbons (PAH), metals and select inorganic parameters.

For the field duplicate samples, evaluation of the QA/QC results were determined by calculating the relative percent difference (RPD) between the field duplicate and original sample results, and comparison of the RPD to designated alert limits. Consistent with laboratory practices and to permit reliable calculations, an RPD is only calculated when the original and duplicate sample concentrations are at least five times the reportable detection limits.

$$RPD = \left| \frac{(x_1 - x_2)}{\left(\frac{(x_1 + x_2)}{2}\right)} \right| \times 100\%$$

The RPD for the soil field duplicate samples are provided in Tables E-1 to E-4, along with the designated field duplicate alert limits

All of the RPD were either within the alert limits or not calculable.

No field or laboratory QA/QC issues were identified that would affect the overall conclusions presented in this report. Overall, the results reported are considered to be reliable.

**Table E-1: Soil Field Duplicates - Relative Percent Differences
PHC/BTEX - Teston Road**

190261800

Teston Road			Drilling Investigation			
Sample ID:	Units	RDL	BHP 22	BHP Dup 22	RPD (%)	Alert Limit (%)
Sample Date:			2023-01-16	2023-01-16		
Sample Depth (mBGS)			0-0.5	0-0.5		
Certificate of Analysis			1671401	1671402		
Parameter						
Benzene	µg/g	0.02	nd	nd	nc	100
Ethylbenzene	µg/g	0.05	nd	nd	nc	100
Toluene	µg/g	0.05	nd	nd	nc	100
Xylene, Total	µg/g	0.05	nd	nd	nc	100
PHC F1 (C6-C10)	µg/g	10	nd	nd	nc	100
PHC F2 (>C10-C16)	µg/g	10	nd	nd	nc	100
PHC F3 (>C16-C34)	µg/g	50	83	nd	nc	100
PHC F4 (>C34-C50)	µg/g	50	nd	nd	nc	100

Notes:

Analyses by SGS Canada Inc.

nd- not detected at reported detection limit RDL

nc - not calculable - one (or both) of the results are <5x RDL

mBGS - meters below ground surface

Exceedances of alert limits are shown in bold



**Table E-2: Soil Field Duplicates - Relative Percent Differences
VOC - Teston Road**

190261800

Teston Road			Drilling Investigation			
Sample ID:	Units	RDL	BHP 22	BHP Dup 22	RPD (%)	Alert Limit (%)
Sample Date:			2023-01-16	2023-01-16		
Sample Depth (mBGS)			0-0.5	0-0.5		
Certificate of Analysis			1671401	1671402		
Parameter						
Acetone	µg/g	0.5	nd	nd	nc	100
Benzene	µg/g	0.02	nd	nd	nc	100
Bromodichloromethane	µg/g	0.05	nd	nd	nc	100
Bromoform	µg/g	0.05	nd	nd	nc	100
Bromomethane	µg/g	0.05	nd	nd	nc	100
Carbon Tetrachloride	µg/g	0.05	nd	nd	nc	100
Chlorobenzene	µg/g	0.05	nd	nd	nc	100
Chloroform	µg/g	0.05	nd	nd	nc	100
Dibromochloromethane	µg/g	0.05	nd	nd	nc	100
Dichlorobenzene, 1,2-	µg/g	0.05	nd	nd	nc	100
Dichlorobenzene, 1,3-	µg/g	0.05	nd	nd	nc	100
Dichlorobenzene, 1,4-	µg/g	0.05	nd	nd	nc	100
Dichlorodifluoromethane	µg/g	0.05	nd	nd	nc	100
Dichloroethane, 1,1-	µg/g	0.05	nd	nd	nc	100
Dichloroethane, 1,2-	µg/g	0.05	nd	nd	nc	100
Dichloroethylene, 1,1-	µg/g	0.05	nd	nd	nc	100
Dichloroethylene, cis-1,2-	µg/g	0.05	nd	nd	nc	100
Dichloroethylene, trans-1,2-	µg/g	0.05	nd	nd	nc	100
Dichloropropane, 1,2-	µg/g	0.05	nd	nd	nc	100
Dichloropropene 1,3- cis+trans	µg/g	0.05	nd	nd	nc	100
Ethylbenzene	µg/g	0.05	nd	nd	nc	100
Ethylene Dibromide	µg/g	0.05	nd	nd	nc	100
Hexane	µg/g	0.05	nd	nd	nc	100
Methyl Ethyl Ketone	µg/g	0.5	nd	nd	nc	100
Methyl Isobutyl Ketone	µg/g	0.5	nd	nd	nc	100
Methyl-t-butyl Ether (MTBE)	µg/g	0.05	nd	nd	nc	100
Methylene Chloride	µg/g	0.05	nd	nd	nc	100
Styrene	µg/g	0.05	nd	nd	nc	100
Tetrachloroethane, 1,1,1,2-	µg/g	0.05	nd	nd	nc	100
Tetrachloroethane, 1,1,2,2-	µg/g	0.05	nd	nd	nc	100
Tetrachloroethylene	µg/g	0.05	nd	nd	nc	100
Toluene	µg/g	0.05	nd	nd	nc	100
Trichloroethane, 1,1,1-	µg/g	0.05	nd	nd	nc	100
Trichloroethane, 1,1,2-	µg/g	0.05	nd	nd	nc	100
Trichloroethylene	µg/g	0.05	nd	nd	nc	100
Trichlorofluoromethane	µg/g	0.05	nd	nd	nc	100
Vinyl Chloride	µg/g	0.02	nd	nd	nc	100
Xylene, m,p,o-	µg/g	0.05	nd	nd	nc	100

Notes:

Analyses by SGS Canda Inc.

nd- not detected at reported detection limit RDL

nc - not calculable - one (or both) of the results are <5x RDL

mBGS - meters below ground surface

Exceedances of alert limits are shown in bold



**Table E-3: Soil Field Duplicates - Relative Percent Differences
PAH - Teston Road**

190261800

Teston Road			Drilling Investigation			
Sample ID:	Units	RDL	BHP 22	BHP Dup 22	RPD (%)	Alert Limit (%)
Sample Date:			2023-01-16	2023-01-16		
Sample Depth (mBGS)			0-0.5	0-0.5		
Certificate of Analysis			1671401	1671402		
Parameter						
Acenaphthene	µg/g	0.05	nd	nd	nc	100
Acenaphthylene	µg/g	0.05	nd	nd	nc	100
Anthracene	µg/g	0.05	nd	nd	nc	100
Benzo(a)anthracene	µg/g	0.05	nd	nd	nc	100
Benzo(a)pyrene	µg/g	0.05	nd	nd	nc	100
Benzo(b)fluoranthene	µg/g	0.05	nd	nd	nc	100
Benzo(g,h,i)perylene	µg/g	0.1	nd	nd	nc	100
Benzo(k)fluoranthene	µg/g	0.05	nd	nd	nc	100
Chrysene	µg/g	0.05	nd	nd	nc	100
Dibenz(a,h)anthracene	µg/g	0.06	nd	nd	nc	100
Fluoranthene	µg/g	0.05	nd	nd	nc	100
Fluorene	µg/g	0.05	nd	nd	nc	100
Indeno(1,2,3,-cd)pyrene	µg/g	0.05	nd	nd	nc	100
Methylnaphthalene 2-(1-)	µg/g	0.1	nd	nd	nc	100
Naphthalene	µg/g	0.05	nd	nd	nc	100
Phenanthrene	µg/g	0.05	nd	nd	nc	100
Pyrene	µg/g	0.05	nd	nd	nc	100

Notes:

Analyses by SGS Canda Inc.

nd- not detected at reported detection limit RDL

nc - not calculable - one (or both) of the results are <5x RDL

mBGS - meters below ground surface

Exceedances of alert limits are shown in bold



**Table E-4: Soil Field Duplicates - Relative Percent Differences
Metals inorganics - Teston Road**

190261800

Teston Road			Drilling Investigation			
Sample ID:	Units	RDL	BHP 10	BHP Dup 10	RPD (%)	Alert Limit (%)
Sample Date:			2023-01-16	2023-01-16		
Sample Depth (mBGS)			0-0.5	0-0.5		
Certificate of Analysis			1671398	1671399		
Parameter						
pH	units	0.5	8.2	8.2	0	100
Cyanide (free)	mS/cm	0.5	nd	nd	nc	100
Conductivity @25°C	µg/g	1	0.12	0.09	nc	100
Sodium Adsorption Ratio	units	0.2	0.31	0.15	70	100
Antimony	µg/g	0.5	nd	nd	nc	100
Arsenic	µg/g	1	nd	nd	nc	100
Barium	µg/g	0.2	10	10	0	100
Beryllium	µg/g	0.5	nd	nd	nc	100
Boron Total	µg/g	0.5	nd	nd	nc	100
Boron (Hot Water Soluble)	µg/g	0.5	nd	nd	nc	100
Cadmium	µg/g	0.5	nd	nd	nc	100
Chromium Total	µg/g	0.5	5	4	22	100
Chromium VI	µg/g	0.5	nd	nd	nc	100
Cobalt	µg/g	0.5	2	1	67	100
Copper	µg/g	1	4	5	22	100
Lead	µg/g	0.2	2	2	0	100
Mercury	µg/g	0.5	nd	nd	nc	100
Molybdenum	µg/g	0.5	nd	nd	nc	100
Nickel	µg/g	0.5	3	3	0	100
Selenium	µg/g	1	nd	nd	nc	100
Silver	µg/g	1	nd	nd	nc	100
Thallium	µg/g	1	nd	nd	nc	100
Uranium	µg/g	0.1	nd	nd	nc	100
Vanadium	µg/g	1	13	11	17	100
Zinc	µg/g	3	9	8	12	100

Notes:

Analyses by SGS Canda Inc.

nd- not detected at reported detection limit RDL

nc - not calculable - one (or both) of the results are <5x RDL

mBGS - meters below ground surface

Exceedances of alert limits are shown in bold



**APPENDIX F - LABORATORY CERTIFICATES
OF ANALYSIS**

Client: Morrison Hershfield Limited
2440 Don Reid Drive, Suite 200
Ottawa, ON
K1H 1E1
Attention: Mr. Sarth Sheth
Invoice to: Morrison Hershfield Limited
PO#:

Report Number: 1992836
Date Submitted: 2023-01-20
Date Reported: 2023-01-27
Project: 190261800 Teston Rd
COC #: 220704
Temperature (C): 10
Custody Seal:

Page 1 of 19

Dear Sarth Sheth:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Sample Comment Summary

Sample ID: 1671865 MHBH1-SS1 The result for F4 (C34-C50) gravimetric must be substituted if it is greater than the result for F4 (C34-C50). Sample was cleaned with silica gel.

Report Comments:

Raheleh Zafari, Environmental Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <https://directory.cala.ca/>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

O.Reg 153-T3-Ind/Com-Coarse

Exceedence Summary

Sample I.D.	Analyte	Result	Units	Criteria
Metals				
MHBH1-SS1	Cobalt	137	ug/g	STD 80
MHBH1-SS1	Nickel	328	ug/g	STD 270
PAH				
MHBH1-SS1	Acenaphthylene	0.16	ug/g	STD 0.15

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Hydrocarbons

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline	
PHC's F1	436689	10	ug/g	STD 55	<10
PHC's F1-BTEX	436689	10	ug/g		<10
PHC's F2	436721	2	ug/g	STD 230	<2
PHC's F2-Naphth	436848	2	ug/g		<2
PHC's F3	436721	20	ug/g	STD 1700	110
PHC's F3-PAH	436849	20	ug/g		110
PHC's F4	436721	20	ug/g	STD 3300	150
PHC's F4g	436810	100	ug/g	STD 3300	300

Metals

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline	
Antimony	436722	1	ug/g	STD 40	<1
Arsenic	436722	1	ug/g	STD 18	5
Barium	436722	1	ug/g	STD 670	31
Beryllium	436722	1	ug/g	STD 8	<1
Boron (Hot Water Soluble)	436874	0.5	ug/g	STD 2	<0.5
Boron (total)	436722	5	ug/g	STD 120	<5
Cadmium	436722	0.4	ug/g	STD 1.9	<0.4
Chromium Total	436722	1	ug/g	STD 160	59
Chromium VI	436872	0.20	ug/g	STD 8	<0.20
Cobalt	436722	1	ug/g	STD 80	137*
Copper	436722	1	ug/g	STD 230	228

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Metals

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline	
Lead	436722	1	ug/g	STD 120	24
Mercury	436722	0.1	ug/g	STD 3.9	<0.1
Molybdenum	436722	1	ug/g	STD 40	3
Nickel	436722	1	ug/g	STD 270	328*
Selenium	436722	0.5	ug/g	STD 5.5	0.8
Silver	436722	0.2	ug/g	STD 40	<0.2
Thallium	436722	1	ug/g	STD 3.3	<1
Uranium	436722	0.5	ug/g	STD 33	<0.5
Vanadium	436722	2	ug/g	STD 86	23
Zinc	436722	2	ug/g	STD 340	117

PAH

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline	
1+2-methylnaphthalene	436736	0.05	ug/g		<0.05
Acenaphthene	436398	0.05	ug/g	STD 96	<0.05
Acenaphthylene	436398	0.05	ug/g	STD 0.15	0.16*
Anthracene	436398	0.05	ug/g	STD 0.67	0.26
Benz[a]anthracene	436398	0.05	ug/g	STD 0.96	0.16
Benzo[a]pyrene	436398	0.05	ug/g	STD 0.3	0.30
Benzo[b]fluoranthene	436398	0.05	ug/g	STD 0.96	0.34
Benzo[ghi]perylene	436398	0.05	ug/g	STD 9.6	0.90
Benzo[k]fluoranthene	436398	0.05	ug/g	STD 0.96	0.18

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PAH

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline	
Chrysene	436398	0.05	ug/g	STD 9.6	0.20
Dibenz[a h]anthracene	436398	0.05	ug/g	STD 0.1	0.06
Fluoranthene	436398	0.05	ug/g	STD 9.6	0.29
Fluorene	436398	0.05	ug/g	STD 62	<0.05
Indeno[1 2 3-cd]pyrene	436398	0.05	ug/g	STD 0.76	0.38
Methlynaphthalene, 1-	436398	0.05	ug/g	STD 76	<0.05
Methlynaphthalene, 2-	436398	0.05	ug/g	STD 76	<0.05
Naphthalene	436398	0.013	ug/g	STD 9.6	0.024
Phenanthrene	436398	0.05	ug/g	STD 12	0.08
Pyrene	436398	0.05	ug/g	STD 96	0.29

Volatiles

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline	
Acetone	436689	0.50	ug/g	STD 16	<0.50
Benzene	436689	0.0068	ug/g	STD 0.32	<0.0068
Bromodichloromethane	436689	0.05	ug/g	STD 18	<0.05
Bromoform	436689	0.05	ug/g	STD 0.61	<0.05
Bromomethane	436689	0.05	ug/g	STD 0.05	<0.05
Carbon Tetrachloride	436689	0.05	ug/g	STD 0.21	<0.05
Chlorobenzene	436689	0.05	ug/g	STD 2.4	<0.05
Chloroform	436689	0.05	ug/g	STD 0.47	<0.05
Dibromochloromethane	436689	0.05	ug/g	STD 13	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline	
Dichlorobenzene, 1,2-	436689	0.05	ug/g	STD 6.8	<0.05
Dichlorobenzene, 1,3-	436689	0.05	ug/g	STD 9.6	<0.05
Dichlorobenzene, 1,4-	436689	0.05	ug/g	STD 0.2	<0.05
Dichlorodifluoromethane	436689	0.05	ug/g	STD 16	<0.05
Dichloroethane, 1,1-	436689	0.05	ug/g	STD 17	<0.05
Dichloroethane, 1,2-	436689	0.05	ug/g	STD 0.05	<0.05
Dichloroethylene, 1,1-	436689	0.05	ug/g	STD 0.064	<0.05
Dichloroethylene, 1,2-cis-	436689	0.05	ug/g	STD 55	<0.05
Dichloroethylene, 1,2-trans-	436689	0.05	ug/g	STD 1.3	<0.05
Dichloropropane, 1,2-	436689	0.05	ug/g	STD 0.16	<0.05
Dichloropropene, 1,3-	436689	0.05	ug/g	STD 0.18	<0.05
Dichloropropene, 1,3-cis-	436689	0.05	ug/g		<0.05
Dichloropropene, 1,3-trans-	436689	0.05	ug/g		<0.05
Ethylbenzene	436689	0.018	ug/g	STD 9.5	<0.018
Ethylene dibromide	436689	0.05	ug/g	STD 0.05	<0.05
Hexane (n)	436689	0.05	ug/g	STD 46	<0.05
Methyl Ethyl Ketone	436689	0.50	ug/g	STD 70	<0.50
Methyl Isobutyl Ketone	436689	0.50	ug/g	STD 31	<0.50
Methyl tert-Butyl Ether (MTBE)	436689	0.05	ug/g	STD 11	<0.05
Methylene Chloride	436689	0.05	ug/g	STD 1.6	<0.05
Styrene	436689	0.05	ug/g	STD 34	<0.05
Tetrachloroethane, 1,1,1,2-	436689	0.05	ug/g	STD 0.087	<0.05
Tetrachloroethane, 1,1,2,2-	436689	0.05	ug/g	STD 0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline	
Tetrachloroethylene	436689	0.05	ug/g	STD 4.5	<0.05
Toluene	436689	0.08	ug/g	STD 68	<0.08
Trichloroethane, 1,1,1,-	436689	0.05	ug/g	STD 6.1	<0.05
Trichloroethane, 1,1,2,-	436689	0.05	ug/g	STD 0.05	<0.05
Trichloroethylene	436689	0.01	ug/g	STD 0.91	<0.01
Trichlorofluoromethane	436689	0.05	ug/g	STD 4	<0.05
Vinyl Chloride	436689	0.02	ug/g	STD 0.032	<0.02
Xylene Mixture	436689	0.05	ug/g	STD 26	<0.05
Xylene, m/p-	436689	0.05	ug/g		<0.05
Xylene, o-	436689	0.05	ug/g		<0.05

Inorganics

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline	
Cyanide (CN-)	436804	0.005	ug/g	STD 0.051	<0.005
Electrical Conductivity	436864	0.05	mS/cm	STD 1.4	0.20
pH - CaCl2	436777	2.00			7.62
Sodium Adsorption Ratio	436868	0.01		STD 12	1.20

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Moisture

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline
Moisture-Humidite	436721	0.1	%	1.4

PCBs

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline
Aroclor 1242	436724	0.02	ug/g	<0.02
Aroclor 1248	436724	0.02	ug/g	<0.02
Aroclor 1254	436724	0.02	ug/g	<0.02
Aroclor 1260	436724	0.02	ug/g	<0.02
Polychlorinated Biphenyls	436724	0.02	ug/g	STD 1.1 <0.02

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PCB Surrogate

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline
Decachlorobiphenyl	436725	0	%	65

PHC Surrogate

Lab I.D. 1671865
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-19
 Sampling Time
 Sample I.D. MHBH1-S
 S1

Analyte	Batch No	MRL	Units	Guideline
Alpha-androstrane	436721	0	%	80

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Guideline = O.Reg 153-T3-Ind/Com-Coarse

VOCs Surrogates

Lab I.D.	1671865
Sample Matrix	Soil153
Sample Type	
Sample Date	2023-01-19
Sampling Time	
Sample I.D.	MHBH1-S
Guideline	S1

Analyte	Batch No	MRL	Units	Guideline
1,2-dichloroethane-d4	436689	0	%	103
4-bromofluorobenzene	436689	0	%	101
Toluene-d8	436689	0	%	96

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436398	Methlynaphthalene, 1-	<0.05 ug/g	81	50-140	56	50-140	0	0-40
436398	Methlynaphthalene, 2-	<0.05 ug/g	78	50-140	52	50-140	0	0-40
436398	Acenaphthene	<0.05 ug/g	90	50-140	69	50-140	0	0-40
436398	Acenaphthylene	0.05 ug/g	86	50-140	65	50-140	0	0-40
436398	Anthracene	<0.05 ug/g	90	50-140	72	50-140	0	0-40
436398	Benz[a]anthracene	<0.05 ug/g	83	50-140	77	50-140	0	0-40
436398	Benzo[a]pyrene	<0.05 ug/g	74	50-140	51	50-140	0	0-40
436398	Benzo[b]fluoranthene	<0.05 ug/g	82	50-140	68	50-140	0	0-40
436398	Benzo[ghi]perylene	<0.05 ug/g	92	50-140	52	50-140	0	0-40
436398	Benzo[k]fluoranthene	<0.05 ug/g	92	50-140	73		0	0-40
436398	Chrysene	<0.05 ug/g	89	50-140	79	50-140	0	0-40
436398	Dibenz[a h]anthracene	<0.05 ug/g	89	50-140	52	50-140	0	0-40
436398	Fluoranthene	<0.05 ug/g	84	50-140	76	50-140	0	0-40
436398	Fluorene	<0.05 ug/g	88	50-140	69	50-140	0	0-40
436398	Indeno[1 2 3-cd]pyrene	<0.05 ug/g	89	50-140	54	50-140	0	0-40
436398	Naphthalene	<0.013 ug/g	85	50-140	81	50-140	0	0-40
436398	Phenanthrene	<0.05 ug/g	86	50-140	80	50-140	0	0-40
436398	Pyrene	<0.05 ug/g	84	50-140	76	50-140	0	0-40
436689	Tetrachloroethane, 1,1,1,2-	<0.05 ug/g	98	60-130	94	50-140	0	0-50
436689	Trichloroethane, 1,1,1-	<0.05 ug/g	91	60-130	98	50-140	0	0-50
436689	Tetrachloroethane, 1,1,2,2-	<0.05 ug/g	99	60-130	97	50-140	0	0-30
436689	Trichloroethane, 1,1,2-	<0.05 ug/g	97	60-130	96	50-140	0	0-50
436689	Dichloroethane, 1,1-	<0.05 ug/g	92	60-130	95	50-140	0	0-50
436689	Dichloroethylene, 1,1-	<0.05 ug/g	81	60-130	109	50-140	0	0-50
436689	Dichlorobenzene, 1,2-	<0.05 ug/g	94	60-130	99	50-140	0	0-50
436689	Dichloroethane, 1,2-	<0.05 ug/g	92	60-130	105	50-140	0	0-50
436689	Dichloropropane, 1,2-	<0.05 ug/g	92	60-130	97	50-140	0	0-50
436689	Dichlorobenzene, 1,3-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
436689	Dichloropropene,1,3-							
436689	Dichlorobenzene, 1,4-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
436689	Acetone	<0.50 ug/g	94	60-130	105	50-140	0	0-50
436689	Benzene	<0.0068	94	60-130	81	50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436689	Bromodichloromethane	<0.05 ug/g	92	60-130	84	50-140	0	0-50
436689	Bromoform	<0.05 ug/g	94	60-130	100	50-140	0	0-50
436689	Bromomethane	<0.05 ug/g	81	60-130	97	50-140	0	0-50
436689	Dichloroethylene, 1,2-cis-	<0.05 ug/g	90	60-130	103	50-140	0	0-50
436689	Dichloropropene, 1,3-cis-	<0.05 ug/g	82	60-130	99	50-140	0	0-50
436689	Carbon Tetrachloride	<0.05 ug/g	93	60-130	84	50-140	0	0-50
436689	Chloroform	<0.05 ug/g	93	60-130	84	50-140	0	0-50
436689	Dibromochloromethane	<0.05 ug/g	93	60-130	93	50-140	0	0-50
436689	Dichlorodifluoromethane	<0.05 ug/g	92	60-130	95	50-140	0	0-50
436689	Methylene Chloride	<0.05 ug/g	97	60-130	100	50-140	0	0-50
436689	Ethylbenzene	<0.018 ug/g	90	60-130	100	50-140	0	0-50
436689	Ethylene dibromide	<0.05 ug/g	99	60-130	95	50-140	0	0-50
436689	PHC's F1	<10 ug/g	101	80-120	111	60-140	0	0-30
436689	PHC's F1-BTEX							
436689	Hexane (n)	<0.05 ug/g	104	60-130	97	50-140	0	0-50
436689	Xylene, m/p-	<0.05 ug/g	97	60-130	109	50-140	0	0-50
436689	Methyl Ethyl Ketone	<0.50 ug/g	106	60-130	110	50-140	0	0-50
436689	Methyl Isobutyl Ketone	<0.50 ug/g	86	60-130	91	50-140	0	0-50
436689	Methyl tert-Butyl Ether (MTBE)	<0.05 ug/g	94	60-130	96	50-140	0	0-50
436689	Chlorobenzene	<0.05 ug/g	93	60-130	94	50-140	0	0-50
436689	Xylene, o-	<0.05 ug/g	92	60-130	93	50-140	0	0-50
436689	Styrene	<0.05 ug/g	89	60-130	96	50-140	0	0-50
436689	Dichloroethylene, 1,2-trans-	<0.05 ug/g	93	60-130	100	50-140	0	0-50
436689	Dichloropropene, 1,3-trans-	<0.05 ug/g	86	60-130	99	50-140	0	0-50
436689	Tetrachloroethylene	<0.05 ug/g	90	60-130	98	50-140	0	0-50
436689	Toluene	<0.08 ug/g	89	60-130	99	50-140	0	0-50
436689	Trichloroethylene	<0.01 ug/g	89	60-130	85	50-140	0	0-50
436689	Trichlorofluoromethane	<0.05 ug/g	90	60-130	100	50-140	0	0-50
436689	Vinyl Chloride	<0.02 ug/g	99	60-130	99	50-140	0	0-50
436689	Xylene Mixture							
436721	PHC's F2	<2 ug/g	96	80-120	87	60-140	0	0-30
436721	PHC's F3	<20 ug/g	96	80-120	87	60-140	0	0-30
436721	PHC's F4	<20 ug/g	96	80-120	87	60-140	0	0-30

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436721	Moisture-Humidite	<0.1 %	100	80-120			22	
436722	Silver	<0.2 ug/g	124	70-130	109	70-130	0	0-20
436722	Arsenic	<1 ug/g	92	70-130	97	70-130	0	0-20
436722	Boron (total)	<5 ug/g	98	70-130	140	70-130	0	0-20
436722	Barium	<1 ug/g	97	70-130	272	70-130	10	0-20
436722	Beryllium	<1 ug/g	96	70-130	87	70-130	0	0-20
436722	Cadmium	<0.4 ug/g	98	70-130	103	70-130	0	0-20
436722	Cobalt	<1 ug/g	98	70-130	95	70-130	1	0-20
436722	Chromium Total	<1 ug/g	102	70-130	132	70-130	2	0-20
436722	Copper	<1 ug/g	102	70-130	98	70-130	6	0-20
436722	Mercury	<0.1 ug/g	90	70-130	92	70-130	0	0-20
436722	Molybdenum	<1 ug/g	96	70-130	92	70-130	0	0-20
436722	Nickel	<1 ug/g	101	70-130	93	70-130	3	0-20
436722	Lead	<1 ug/g	91	70-130	82	70-130	7	0-20
436722	Antimony	<1 ug/g	89	70-130	79	70-130	0	0-20
436722	Selenium	<0.5 ug/g	101	70-130	99	70-130	0	0-20
436722	Thallium	<1 ug/g	93	70-130	90	70-130	0	0-20
436722	Uranium	<0.5 ug/g	90	70-130	92	70-130	0	0-20
436722	Vanadium	<2 ug/g	101	70-130	164	70-130	1	0-20
436722	Zinc	<2 ug/g	100	70-130	106	70-130	1	0-20
436724	Aroclor 1242	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436724	Aroclor 1248	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436724	Aroclor 1254	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436724	Aroclor 1260	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436724	Polychlorinated Biphenyls	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436736	1+2-methylnaphthalene							
436777	pH - CaCl2	5.25	100	90-110			0	
436804	Cyanide (CN-)	<0.005 ug/g	87	75-125	93	70-130	0	0-20
436810	PHC's F4g	<100 ug/g	112	80-120		60-140		0-30
436848	PHC's F2-Naph							
436849	PHC's F3-PAH							
436864	Electrical Conductivity	<0.05	97	90-110			1	0-10
436868	Sodium Adsorption Ratio	<0.01					1	

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436872	Chromium VI	<0.20 ug/g	106	70-130	83	70-130	0	0-35
436874	Boron (Hot Water Soluble)	<0.5 ug/g	103	70-130	104	75-125	0	0-30

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436398	Methylnaphthalene, 1-	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Methylnaphthalene, 2-	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Acenaphthene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Acenaphthylene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Anthracene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benz[a]anthracene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benzo[a]pyrene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benzo[b]fluoranthene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benzo[ghi]perylene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benzo[k]fluoranthene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Chrysene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Dibenz[a h]anthracene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Fluoranthene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Fluorene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Indeno[1 2 3-cd]pyrene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Naphthalene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Phenanthrene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Pyrene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436689	Tetrachloroethane, 1,1,1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Trichloroethane, 1,1,1-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Tetrachloroethane, 1,1,2,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Trichloroethane, 1,1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethane, 1,1-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethylene, 1,1-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichlorobenzene, 1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethane, 1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloropropane, 1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichlorobenzene, 1,3-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloropropene, 1,3-	GC-MS	2023-01-23	2023-01-23	PJ	V 8260B
436689	Dichlorobenzene, 1,4-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Acetone	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Benzene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436689	Bromodichloromethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Bromoform	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Bromomethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethylene, 1,2-cis-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloropropene, 1,3-cis-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Carbon Tetrachloride	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Chloroform	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dibromochloromethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichlorodifluoromethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Methylene Chloride	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Ethylbenzene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Ethylene dibromide	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	PHC's F1	GC/FID	2023-01-23	2023-01-23	PJ	CCME
436689	PHC's F1-BTEX	GC/FID	2023-01-23	2023-01-23	PJ	CCME
436689	Hexane (n)	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Xylene, m/p-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Methyl Ethyl Ketone	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Methyl Isobutyl Ketone	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Methyl tert-Butyl Ether (MTBE)	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Chlorobenzene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Xylene, o-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Styrene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethylene, 1,2-trans-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloropropene, 1,3-trans-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Tetrachloroethylene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Toluene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Trichloroethylene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Trichlorofluoromethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Vinyl Chloride	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Xylene Mixture	GC-MS	2023-01-24	2023-01-24	PJ	V 8260B
436721	PHC's F2	GC/FID	2023-01-25	2023-01-25	SS	CCME
436721	PHC's F3	GC/FID	2023-01-25	2023-01-25	SS	CCME
436721	PHC's F4	GC/FID	2023-01-25	2023-01-25	SS	CCME

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436721	Moisture-Humidite	Oven	2023-01-25	2023-01-25	SS	ASTM 2216
436722	Silver	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Arsenic	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Boron (total)	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Barium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Beryllium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Cadmium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Cobalt	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Chromium Total	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Copper	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Mercury	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Molybdenum	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Nickel	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Lead	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Antimony	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Selenium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Thallium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Uranium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Vanadium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Zinc	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436724	Aroclor 1242	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436724	Aroclor 1248	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436724	Aroclor 1254	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436724	Aroclor 1260	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436724	Polychlorinated Biphenyls	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436736	1+2-methylnaphthalene	GC-MS	2023-01-25	2023-01-25	C_M	P 8270
436777	pH - CaCl2	pH Meter	2023-01-26	2023-01-26	IP	Ag Soil
436804	Cyanide (CN-)	Skalar CN Analyzer	2023-01-26	2023-01-26	Z_S	MOECC E3015
436810	PHC's F4g	Gravimetric	2023-01-26	2023-01-26	SS	CCME
436848	PHC's F2-Naph	GC/FID	2023-01-27	2023-01-27	SS	CCME
436849	PHC's F3-PAH	GC/FID	2023-01-27	2023-01-27	SS	CCME
436864	Electrical Conductivity	Electrical Conductivity Mete	2023-01-27	2023-01-27	Z_S	Cond-Soil
436868	Sodium Adsorption Ratio	iCAP OES	2023-01-27	2023-01-27	Z_S	Ag Soil

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992836
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220704

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436872	Chromium VI	FAA	2023-01-27	2023-01-27	Z_S	M US EPA 3060A
436874	Boron (Hot Water Soluble)	iCAP OES	2023-01-27	2023-01-27	Z_S	MOECC E3470

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
2440 Don Reid Drive, Suite 200
Ottawa, ON
K1H 1E1
Attention: Mr. Sarth Sheth
PO#:
Invoice to: Morrison Hershfield Limited

Report Number: 1992836
Date Submitted: 2023-01-20
Date Reported: 2023-01-27
Project: 190261800 Teston Rd
COC #: 220704

CWS for Petroleum Hydrocarbons in Soil - Tier 1**Notes:**

1. The laboratory method complies with CCME Tier 1 reference method for PHC in soil. It is validated for laboratory use.
2. Where the F1 fraction (C6 to C10) and BTEX are both measured, F1-BTEX is reported.
3. Where the F2 fraction (C10 to C16) and naphthalene are both measured, F2-naphthalene is reported.
4. Where the F3 fraction (C16 to C34) and PAHs* are both measured, F3-PAH is reported.
5. F4G is analyzed if the chromatogram does not descend to baseline before C50. Where F4 (C34 to C50) and F4G are both reported, the higher result is compared to the standard.
6. Unless otherwise stated in the sample comments, the following criteria have been met where applicable:
 - nC6 and nC10 response factors within 30% of response factor for toluene;
 - nC10, nC16, and nC34 response factors within 10% of each other;
 - C50 response factors within 70% of nC10 + nC16 + nC34 average; and,
 - Linearity is within 15%.
7. Unless otherwise stated in the sample comments, sampling requirements and analytical holding times have been met.
8. Gravimetric heavy hydrocarbons (F4G) cannot be added to the C6 and C50 hydrocarbons.
9. *PAHs = phenanthrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, fluoranthene, dibenz(a,h)anthracene, indeno(1,2,3-c,d)pyrene and pyrene.

Client: Morrison Hershfield
125 Commerce Valley Drive West
Thornhill, Ontario
L3T 7W4
Attention: Mr. Sarth Sheth
Invoice to: Morrison Hershfield
PO#:

Report Number: 1991480
Date Submitted: 2022-12-13
Date Reported: 2022-12-21
Project: 190261800
COC #: 220499
Temperature (C): 1
Custody Seal:

Page 1 of 31

Dear Sarth Sheth:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Report Comments:

Emma-Dawn Ferguson, Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <https://directory.cala.ca/>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Exceedence Summary

Sample I.D.	Analyte	Result	Units	Criteria

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Hydrocarbons

Lab I.D.	1667981	1667983
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2022-12-12	2022-12-12
Sampling Time	11:00	14:30
Sample I.D.	MH BH2 - SS2	MH BH3 - SS2

Analyte	Batch No	MRL	Units	Guideline		
PHC's F1	435373	10	ug/g	STD 55	<10	<10
PHC's F1-BTEX	435376	10	ug/g		<10	<10
PHC's F2	435406	2	ug/g	STD 230	<2	<2
PHC's F2-Naph	435409	2	ug/g		<2	<2
PHC's F3	435406	20	ug/g	STD 1700	<20	<20
PHC's F3-PAH	435410	20	ug/g		<20	<20
PHC's F4	435406	20	ug/g	STD 3300	<20	<20

Hydrocarbons

Lab I.D.	1667985
Sample Matrix	Soil153
Sample Type	
Sample Date	2022-12-12
Sampling Time	18:00
Sample I.D.	MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline	
PHC's F1	435373	10	ug/g	STD 55	<10
PHC's F1-BTEX	435376	10	ug/g		<10
PHC's F2	435406	2	ug/g	STD 230	<2
PHC's F2-Naph	435409	2	ug/g		<2
PHC's F3	435406	20	ug/g	STD 1700	<20
PHC's F3-PAH	435410	20	ug/g		<20
PHC's F4	435406	20	ug/g	STD 3300	<20

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Metals

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1667980	1667982	1667984
					Sample Matrix	Soil153	Soil153	Soil153
					Sample Type			
					Sample Date	2022-12-12	2022-12-12	2022-12-12
					Sampling Time	11:00	14:30	18:00
					Sample I.D.	MH BH2 - SS1	MH BH3 - SS1	MH BH4 - SS1
Antimony	435382	1	ug/g	STD 40		<1	<1	<1
Arsenic	435382	1	ug/g	STD 18		4	2	2
Barium	435382	1	ug/g	STD 670		12	40	72
Beryllium	435382	1	ug/g	STD 8		<1	<1	<1
Boron (Hot Water Soluble)	435364	0.5	ug/g	STD 2		<0.5	<0.5	<0.5
Boron (total)	435382	5	ug/g	STD 120		9	<5	5
Cadmium	435382	0.4	ug/g	STD 1.9		<0.4	<0.4	<0.4
Chromium Total	435382	1	ug/g	STD 160		9	14	25
Chromium VI	435358	0.20	ug/g	STD 8		<0.20	<0.20	<0.20
Cobalt	435382	1	ug/g	STD 80		2	4	7
Copper	435382	1	ug/g	STD 230		8	14	15
Lead	435382	1	ug/g	STD 120		12	16	11
Mercury	435382	0.1	ug/g	STD 3.9		<0.1	<0.1	<0.1
Molybdenum	435382	1	ug/g	STD 40		<1	<1	<1
Nickel	435382	1	ug/g	STD 270		6	10	17
Selenium	435382	0.5	ug/g	STD 5.5		<0.5	<0.5	<0.5
Silver	435382	0.2	ug/g	STD 40		<0.2	<0.2	<0.2
Thallium	435382	1	ug/g	STD 3.3		<1	<1	<1
Uranium	435382	0.5	ug/g	STD 33		<0.5	<0.5	<0.5
Vanadium	435382	2	ug/g	STD 86		9	21	31
Zinc	435382	2	ug/g	STD 340		52	34	42

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

OCP/PCB

Lab I.D.	1667981	1667983
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2022-12-12	2022-12-12
Sampling Time	11:00	14:30
Sample I.D.	MH BH2 - SS2	MH BH3 - SS2

Analyte	Batch No	MRL	Units	Guideline		
Aldrin	435416	0.002	ug/g	STD 0.088	<0.002	<0.002
Chlordane	435416	0.006	ug/g	STD 0.05	<0.006	<0.006
Chlordane, alpha-	435416	0.002	ug/g		<0.002	<0.002
Chlordane, gamma-	435416	0.002	ug/g		<0.002	<0.002
DDD	435416	0.002	ug/g	STD 4.6	<0.002	<0.002
DDE	435416	0.002	ug/g	STD 0.52	<0.002	<0.002
DDT	435416	0.002	ug/g	STD 1.4	<0.002	<0.002
Dieldrin	435416	0.002	ug/g	STD 0.088	<0.002	<0.002
Endosulfan	435416	0.004	ug/g	STD 0.3	<0.004	<0.004
Endosulfan I	435416	0.002	ug/g		<0.002	<0.002
Endosulfan II	435416	0.002	ug/g		<0.002	<0.002
Endrin	435416	0.002	ug/g	STD 0.04	<0.002	<0.002
Heptachlor	435416	0.002	ug/g	STD 0.19	<0.002	<0.002
Heptachlor Epoxide	435416	0.002	ug/g	STD 0.05	<0.002	<0.002
Hexachlorocyclohexane Gamma-	435416	0.002	ug/g	STD 0.056	<0.002	<0.002
Methoxychlor	435416	0.002	ug/g	STD 1.6	<0.002	<0.002

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

OCP/PCB

Lab I.D.	1667985
Sample Matrix	Soil153
Sample Type	
Sample Date	2022-12-12
Sampling Time	18:00
Sample I.D.	MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline	
Aldrin	435416	0.002	ug/g	STD 0.088	<0.002
Chlordane	435416	0.006	ug/g	STD 0.05	<0.006
Chlordane, alpha-	435416	0.002	ug/g		<0.002
Chlordane, gamma-	435416	0.002	ug/g		<0.002
DDD	435416	0.002	ug/g	STD 4.6	<0.002
DDE	435416	0.002	ug/g	STD 0.52	<0.002
DDT	435416	0.002	ug/g	STD 1.4	<0.002
Dieldrin	435416	0.002	ug/g	STD 0.088	<0.002
Endosulfan	435416	0.004	ug/g	STD 0.3	<0.004
Endosulfan I	435416	0.002	ug/g		<0.002
Endosulfan II	435416	0.002	ug/g		<0.002
Endrin	435416	0.002	ug/g	STD 0.04	<0.002
Heptachlor	435416	0.002	ug/g	STD 0.19	<0.002
Heptachlor Epoxide	435416	0.002	ug/g	STD 0.05	<0.002
Hexachlorocyclohexane Gamma-	435416	0.002	ug/g	STD 0.056	<0.002
Methoxychlor	435416	0.002	ug/g	STD 1.6	<0.002

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PAH

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1667981 Soil153	1667983 Soil153
2022-12-12 11:00	2022-12-12 14:30
MH BH2 - SS2	MH BH3 - SS2

Analyte	Batch No	MRL	Units	Guideline	1667981 Soil153	1667983 Soil153
1+2-methylnaphthalene	435388	0.05	ug/g		<0.05	<0.05
Acenaphthene	435387	0.05	ug/g	STD 96	<0.05	<0.05
Acenaphthylene	435387	0.05	ug/g	STD 0.15	<0.05	<0.05
Anthracene	435387	0.05	ug/g	STD 0.67	<0.05	<0.05
Benz[a]anthracene	435387	0.05	ug/g	STD 0.96	<0.05	<0.05
Benzo[a]pyrene	435387	0.05	ug/g	STD 0.3	<0.05	<0.05
Benzo[b]fluoranthene	435387	0.05	ug/g	STD 0.96	<0.05	<0.05
Benzo[ghi]perylene	435387	0.05	ug/g	STD 9.6	<0.05	<0.05
Benzo[k]fluoranthene	435387	0.05	ug/g	STD 0.96	<0.05	<0.05
Biphenyl 1,1'-	435387	0.05	ug/g	STD 52	<0.05	<0.05
Chrysene	435387	0.05	ug/g	STD 9.6	<0.05	<0.05
Dibenz[a h]anthracene	435387	0.05	ug/g	STD 0.1	<0.05	<0.05
Fluoranthene	435387	0.05	ug/g	STD 9.6	<0.05	<0.05
Fluorene	435387	0.05	ug/g	STD 62	<0.05	<0.05
Indeno[1 2 3-cd]pyrene	435387	0.05	ug/g	STD 0.76	<0.05	<0.05
Methylnaphthalene, 1-	435387	0.05	ug/g	STD 76	<0.05	<0.05
Methylnaphthalene, 2-	435387	0.05	ug/g	STD 76	<0.05	<0.05
Naphthalene	435387	0.013	ug/g	STD 9.6	<0.013	<0.013
Phenanthrene	435387	0.05	ug/g	STD 12	<0.05	<0.05
Pyrene	435387	0.05	ug/g	STD 96	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PAH

Lab I.D. 1667985
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-12-12
 Sampling Time 18:00
 Sample I.D. MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline	
1+2-methylnaphthalene	435388	0.05	ug/g		<0.05
Acenaphthene	435387	0.05	ug/g	STD 96	<0.05
Acenaphthylene	435387	0.05	ug/g	STD 0.15	<0.05
Anthracene	435387	0.05	ug/g	STD 0.67	<0.05
Benz[a]anthracene	435387	0.05	ug/g	STD 0.96	<0.05
Benzo[a]pyrene	435387	0.05	ug/g	STD 0.3	<0.05
Benzo[b]fluoranthene	435387	0.05	ug/g	STD 0.96	<0.05
Benzo[ghi]perylene	435387	0.05	ug/g	STD 9.6	<0.05
Benzo[k]fluoranthene	435387	0.05	ug/g	STD 0.96	<0.05
Biphenyl 1,1'-	435387	0.05	ug/g	STD 52	<0.05
Chrysene	435387	0.05	ug/g	STD 9.6	<0.05
Dibenz[a h]anthracene	435387	0.05	ug/g	STD 0.1	<0.05
Fluoranthene	435387	0.05	ug/g	STD 9.6	<0.05
Fluorene	435387	0.05	ug/g	STD 62	<0.05
Indeno[1 2 3-cd]pyrene	435387	0.05	ug/g	STD 0.76	<0.05
Methylnaphthalene, 1-	435387	0.05	ug/g	STD 76	<0.05
Methylnaphthalene, 2-	435387	0.05	ug/g	STD 76	<0.05
Naphthalene	435387	0.013	ug/g	STD 9.6	<0.013
Phenanthrene	435387	0.05	ug/g	STD 12	<0.05
Pyrene	435387	0.05	ug/g	STD 96	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1667981 Soil153	1667983 Soil153
2022-12-12 11:00 MH BH2 - SS2	2022-12-12 14:30 MH BH3 - SS2

Analyte	Batch No	MRL	Units	Guideline		
Acetone	435373	0.50	ug/g	STD 16	<0.50	<0.50
Benzene	435373	0.0068	ug/g	STD 0.32	<0.0068	<0.0068
Bromodichloromethane	435373	0.05	ug/g	STD 18	<0.05	<0.05
Bromoform	435373	0.05	ug/g	STD 0.61	<0.05	<0.05
Bromomethane	435373	0.05	ug/g	STD 0.05	<0.05	<0.05
Carbon Tetrachloride	435373	0.05	ug/g	STD 0.21	<0.05	<0.05
Chlorobenzene	435373	0.05	ug/g	STD 2.4	<0.05	<0.05
Chloroform	435373	0.05	ug/g	STD 0.47	<0.05	<0.05
Dibromochloromethane	435373	0.05	ug/g	STD 13	<0.05	<0.05
Dichlorobenzene, 1,2-	435373	0.05	ug/g	STD 6.8	<0.05	<0.05
Dichlorobenzene, 1,3-	435373	0.05	ug/g	STD 9.6	<0.05	<0.05
Dichlorobenzene, 1,4-	435373	0.05	ug/g	STD 0.2	<0.05	<0.05
Dichlorodifluoromethane	435373	0.05	ug/g	STD 16	<0.05	<0.05
Dichloroethane, 1,1-	435373	0.05	ug/g	STD 17	<0.05	<0.05
Dichloroethane, 1,2-	435373	0.05	ug/g	STD 0.05	<0.05	<0.05
Dichloroethylene, 1,1-	435373	0.05	ug/g	STD 0.064	<0.05	<0.05
Dichloroethylene, 1,2-cis-	435373	0.05	ug/g	STD 55	<0.05	<0.05
Dichloroethylene, 1,2-trans-	435373	0.05	ug/g	STD 1.3	<0.05	<0.05
Dichloropropane, 1,2-	435373	0.05	ug/g	STD 0.16	<0.05	<0.05
Dichloropropene, 1,3-	435373	0.05	ug/g	STD 0.18	<0.05	<0.05
Dichloropropene, 1,3-cis-	435373	0.05	ug/g		<0.05	<0.05
Dichloropropene, 1,3-trans-	435373	0.05	ug/g		<0.05	<0.05
Ethylbenzene	435373	0.018	ug/g	STD 9.5	<0.018	<0.018

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D.	1667981	1667983
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2022-12-12	2022-12-12
Sampling Time	11:00	14:30
Sample I.D.	MH BH2 - SS2	MH BH3 - SS2

Analyte	Batch No	MRL	Units	Guideline		
Ethylene dibromide	435373	0.05	ug/g	STD 0.05	<0.05	<0.05
Hexane (n)	435373	0.05	ug/g	STD 46	<0.05	<0.05
Methyl Ethyl Ketone	435373	0.50	ug/g	STD 70	<0.50	<0.50
Methyl Isobutyl Ketone	435373	0.50	ug/g	STD 31	<0.50	<0.50
Methyl tert-Butyl Ether (MTBE)	435373	0.05	ug/g	STD 11	<0.05	<0.05
Methylene Chloride	435373	0.05	ug/g	STD 1.6	<0.05	<0.05
Styrene	435373	0.05	ug/g	STD 34	<0.05	<0.05
Tetrachloroethane, 1,1,1,2-	435373	0.05	ug/g	STD 0.087	<0.05	<0.05
Tetrachloroethane, 1,1,2,2-	435373	0.05	ug/g	STD 0.05	<0.05	<0.05
Tetrachloroethylene	435373	0.05	ug/g	STD 4.5	<0.05	<0.05
Toluene	435373	0.08	ug/g	STD 68	<0.08	<0.08
Trichlorobenzene, 1,2,4-	435373	0.05	ug/g	STD 3.2	<0.05	<0.05
Trichloroethane, 1,1,1,-	435373	0.05	ug/g	STD 6.1	<0.05	<0.05
Trichloroethane, 1,1,2,-	435373	0.05	ug/g	STD 0.05	<0.05	<0.05
Trichloroethylene	435373	0.01	ug/g	STD 0.91	<0.01	<0.01
Trichlorofluoromethane	435373	0.05	ug/g	STD 4	<0.05	<0.05
Vinyl Chloride	435373	0.02	ug/g	STD 0.032	<0.02	<0.02
Xylene Mixture	435375	0.05	ug/g	STD 26	<0.05	<0.05
Xylene, m/p-	435373	0.05	ug/g		<0.05	<0.05
Xylene, o-	435373	0.05	ug/g		<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D. 1667985
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-12-12
 Sampling Time 18:00
 Sample I.D. MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline	
Acetone	435373	0.50	ug/g	STD 16	<0.50
Benzene	435373	0.0068	ug/g	STD 0.32	<0.0068
Bromodichloromethane	435373	0.05	ug/g	STD 18	<0.05
Bromoform	435373	0.05	ug/g	STD 0.61	<0.05
Bromomethane	435373	0.05	ug/g	STD 0.05	<0.05
Carbon Tetrachloride	435373	0.05	ug/g	STD 0.21	<0.05
Chlorobenzene	435373	0.05	ug/g	STD 2.4	<0.05
Chloroform	435373	0.05	ug/g	STD 0.47	<0.05
Dibromochloromethane	435373	0.05	ug/g	STD 13	<0.05
Dichlorobenzene, 1,2-	435373	0.05	ug/g	STD 6.8	<0.05
Dichlorobenzene, 1,3-	435373	0.05	ug/g	STD 9.6	<0.05
Dichlorobenzene, 1,4-	435373	0.05	ug/g	STD 0.2	<0.05
Dichlorodifluoromethane	435373	0.05	ug/g	STD 16	<0.05
Dichloroethane, 1,1-	435373	0.05	ug/g	STD 17	<0.05
Dichloroethane, 1,2-	435373	0.05	ug/g	STD 0.05	<0.05
Dichloroethylene, 1,1-	435373	0.05	ug/g	STD 0.064	<0.05
Dichloroethylene, 1,2-cis-	435373	0.05	ug/g	STD 55	<0.05
Dichloroethylene, 1,2-trans-	435373	0.05	ug/g	STD 1.3	<0.05
Dichloropropane, 1,2-	435373	0.05	ug/g	STD 0.16	<0.05
Dichloropropene, 1,3-	435373	0.05	ug/g	STD 0.18	<0.05
Dichloropropene, 1,3-cis-	435373	0.05	ug/g		<0.05
Dichloropropene, 1,3-trans-	435373	0.05	ug/g		<0.05
Ethylbenzene	435373	0.018	ug/g	STD 9.5	<0.018

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D.	1667985
Sample Matrix	Soil153
Sample Type	
Sample Date	2022-12-12
Sampling Time	18:00
Sample I.D.	MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline	
Ethylene dibromide	435373	0.05	ug/g	STD 0.05	<0.05
Hexane (n)	435373	0.05	ug/g	STD 46	<0.05
Methyl Ethyl Ketone	435373	0.50	ug/g	STD 70	<0.50
Methyl Isobutyl Ketone	435373	0.50	ug/g	STD 31	<0.50
Methyl tert-Butyl Ether (MTBE)	435373	0.05	ug/g	STD 11	<0.05
Methylene Chloride	435373	0.05	ug/g	STD 1.6	<0.05
Styrene	435373	0.05	ug/g	STD 34	<0.05
Tetrachloroethane, 1,1,1,2-	435373	0.05	ug/g	STD 0.087	<0.05
Tetrachloroethane, 1,1,2,2-	435373	0.05	ug/g	STD 0.05	<0.05
Tetrachloroethylene	435373	0.05	ug/g	STD 4.5	<0.05
Toluene	435373	0.08	ug/g	STD 68	<0.08
Trichlorobenzene, 1,2,4-	435373	0.05	ug/g	STD 3.2	<0.05
Trichloroethane, 1,1,1,-	435373	0.05	ug/g	STD 6.1	<0.05
Trichloroethane, 1,1,2,-	435373	0.05	ug/g	STD 0.05	<0.05
Trichloroethylene	435373	0.01	ug/g	STD 0.91	<0.01
Trichlorofluoromethane	435373	0.05	ug/g	STD 4	<0.05
Vinyl Chloride	435373	0.02	ug/g	STD 0.032	<0.02
Xylene Mixture	435375	0.05	ug/g	STD 26	<0.05
Xylene, m/p-	435373	0.05	ug/g		<0.05
Xylene, o-	435373	0.05	ug/g		<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Inorganics

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1667980	1667982	1667984
					Sample Matrix	Soil153	Soil153	Soil153
					Sample Type			
					Sample Date	2022-12-12	2022-12-12	2022-12-12
					Sampling Time	11:00	14:30	18:00
					Sample I.D.	MH BH2 - SS1	MH BH3 - SS1	MH BH4 - SS1
Cyanide (CN-)	435453	0.005	ug/g	STD 0.051		<0.005	<0.005	<0.005
Electrical Conductivity	435432	0.05	mS/cm	STD 1.4		0.64	0.17	0.15
pH - CaCl2	435343	2.00				8.17	8.12	8.01
Sodium Adsorption Ratio	435449	0.01		STD 12		8.88	0.61	0.14

Moisture

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1667981	1667983
					Sample Matrix	Soil153	Soil153
					Sample Type		
					Sample Date	2022-12-12	2022-12-12
					Sampling Time	11:00	14:30
					Sample I.D.	MH BH2 - SS2	MH BH3 - SS2
Moisture-Humidite	435406	0.1	%			11.9	2.0

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Moisture

Lab I.D. 1667985
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-12-12
 Sampling Time 18:00
 Sample I.D. MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline
Moisture-Humidite	435406	0.1	%	2.6

PCBs

Lab I.D. 1667981 1667983
 Sample Matrix Soil153 Soil153
 Sample Type
 Sample Date 2022-12-12 2022-12-12
 Sampling Time 11:00 14:30
 Sample I.D. MH BH2 - MH BH3 -
 SS2 SS2

Analyte	Batch No	MRL	Units	Guideline	1667981	1667983
Aroclor 1242	435411	0.02	ug/g		<0.02	<0.02
Aroclor 1248	435411	0.02	ug/g		<0.02	<0.02
Aroclor 1254	435411	0.02	ug/g		<0.02	<0.02
Aroclor 1260	435411	0.02	ug/g		<0.02	<0.02
Polychlorinated Biphenyls	435411	0.02	ug/g	STD 1.1	<0.02	<0.02

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PCBs

Lab I.D. 1667985
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-12-12
 Sampling Time 18:00
 Sample I.D. MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline	
Aroclor 1242	435411	0.02	ug/g		<0.02
Aroclor 1248	435411	0.02	ug/g		<0.02
Aroclor 1254	435411	0.02	ug/g		<0.02
Aroclor 1260	435411	0.02	ug/g		<0.02
Polychlorinated Biphenyls	435411	0.02	ug/g	STD 1.1	<0.02

Semi-Volatiles

Lab I.D. 1667981
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-12-12
 Sampling Time 11:00
 Sample I.D. MH BH2 - SS2

1667983
 Soil153
 2022-12-12
 14:30
 MH BH3 - SS2

Analyte	Batch No	MRL	Units	Guideline		
Bis(2-chloroethyl)ether	434199	0.3	ug/g	STD 0.5	<0.3	<0.3
Bis(2-chloroisopropyl)ether	434199	0.2	ug/g	STD 11	<0.2	<0.2
Bis(2-ethylhexyl)phthalate	434199	0.4	ug/g	STD 28	<0.4	<0.4
Chloroaniline p-	434199	0.2	ug/g	STD 0.5	<0.2	<0.2
Chlorophenol, 2-	434194	0.1	ug/g	STD 3.1	<0.1	<0.1
Dichlorobenzidine, 3,3'-	434199	0.6	ug/g	STD 1	<0.6	<0.6
Dichlorophenol, 2,4-	434194	0.1	ug/g	STD 3.4	<0.1	<0.1
Diethyl Phthalate	434199	0.2	ug/g	STD 0.5	<0.2	<0.2
Dimethylphenol, 2,4-	434194	0.2	ug/g	STD 390	<0.2	<0.2
Dimethylphthalate	434199	0.2	ug/g	STD 0.5	<0.2	<0.2
Dinitrophenol, 2,4-	434194	0.2	ug/g	STD 59	<0.2	<0.2
Dinitrotoluene, 2,4-	434199	0.2	ug/g		<0.2	<0.2
Dinitrotoluene, 2,4&2,6-	208523	0.5	ug/g	STD 1.2	<0.5	<0.5

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Semi-Volatiles

Lab I.D.	1667981	1667983
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2022-12-12	2022-12-12
Sampling Time	11:00	14:30
Sample I.D.	MH BH2 - SS2	MH BH3 - SS2

Analyte	Batch No	MRL	Units	Guideline		
Dinitrotoluene, 2,6-	434199	0.02	ug/g		<0.02	<0.02
Hexachlorobenzene	434199	0.01	ug/g	STD 0.66	<0.01	<0.01
Hexachlorobutadiene	434199	0.01	ug/g	STD 0.031	<0.01	<0.01
Hexachloroethane	434199	0.01	ug/g	STD 0.21	<0.01	<0.01
Pentachlorophenol	434194	0.1	ug/g	STD 2.9	<0.1	<0.1
Phenol	434194	0.1	ug/g	STD 9.4	<0.1	<0.1
Trichlorophenol, 2,4,5-	434194	0.1	ug/g	STD 10	<0.1	<0.1
Trichlorophenol, 2,4,6-	434194	0.1	ug/g	STD 3.8	<0.1	<0.1

Semi-Volatiles

Lab I.D.	1667985
Sample Matrix	Soil153
Sample Type	
Sample Date	2022-12-12
Sampling Time	18:00
Sample I.D.	MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline	
Bis(2-chloroethyl)ether	434199	0.3	ug/g	STD 0.5	<0.3
Bis(2-chloroisopropyl)ether	434199	0.2	ug/g	STD 11	<0.2
Bis(2-ethylhexyl)phthalate	434199	0.4	ug/g	STD 28	<0.4
Chloroaniline p-	434199	0.2	ug/g	STD 0.5	<0.2
Chlorophenol, 2-	434194	0.1	ug/g	STD 3.1	<0.1
Dichlorobenzidine, 3,3'-	434199	0.6	ug/g	STD 1	<0.6
Dichlorophenol, 2,4-	434194	0.1	ug/g	STD 3.4	<0.1
Diethyl Phthalate	434199	0.2	ug/g	STD 0.5	<0.2
Dimethylphenol, 2,4-	434194	0.2	ug/g	STD 390	<0.2
Dimethylphthalate	434199	0.2	ug/g	STD 0.5	<0.2
Dinitrophenol, 2,4-	434194	0.2	ug/g	STD 59	<0.2

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Semi-Volatiles

Lab I.D. 1667985
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-12-12
 Sampling Time 18:00
 Sample I.D. MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline	
Dinitrotoluene, 2,4-	434199	0.2	ug/g		<0.2
Dinitrotoluene, 2,4&2,6-	208523	0.5	ug/g	STD 1.2	<0.5
Dinitrotoluene, 2,6-	434199	0.02	ug/g		<0.02
Hexachlorobenzene	434199	0.01	ug/g	STD 0.66	<0.01
Hexachlorobutadiene	434199	0.01	ug/g	STD 0.031	<0.01
Hexachloroethane	434199	0.01	ug/g	STD 0.21	<0.01
Pentachlorophenol	434194	0.1	ug/g	STD 2.9	<0.1
Phenol	434194	0.1	ug/g	STD 9.4	<0.1
Trichlorophenol, 2,4,5-	434194	0.1	ug/g	STD 10	<0.1
Trichlorophenol, 2,4,6-	434194	0.1	ug/g	STD 3.8	<0.1

PCB Surrogate

Lab I.D. 1667981
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-12-12
 Sampling Time 11:00
 Sample I.D. MH BH2 - SS2

1667983
 Soil153
 2022-12-12
 14:30
 MH BH3 - SS2

Analyte	Batch No	MRL	Units	Guideline		
Decachlorobiphenyl	435417	0	%		79	85

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PCB Surrogate

Lab I.D. 1667985
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-12-12
 Sampling Time 18:00
 Sample I.D. MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline
Decachlorobiphenyl	435417	0	%	73

PHC Surrogate

Lab I.D. 1667981 1667983
 Sample Matrix Soil153 Soil153
 Sample Type
 Sample Date 2022-12-12 2022-12-12
 Sampling Time 11:00 14:30
 Sample I.D. MH BH2 - MH BH3 -
 SS2 SS2

Analyte	Batch No	MRL	Units	Guideline
Alpha-androstrane	435406	0	%	96 107

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PHC Surrogate

Lab I.D. 1667985
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-12-12
 Sampling Time 18:00
 Sample I.D. MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline
Alpha-androstrane	435406	0	%	95

VOCs Surrogates

Lab I.D. 1667981 1667983
 Sample Matrix Soil153 Soil153
 Sample Type
 Sample Date 2022-12-12 2022-12-12
 Sampling Time 11:00 14:30
 Sample I.D. MH BH2 - MH BH3 -
 SS2 SS2

Analyte	Batch No	MRL	Units	Guideline
1,2-dichloroethane-d4	435373	0	%	100 105
4-bromofluorobenzene	435373	0	%	87 87
Toluene-d8	435373	0	%	95 95

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Guideline = O.Reg 153-T3-Ind/Com-Coarse

VOCs Surrogates

Lab I.D.	1667985
Sample Matrix	Soil153
Sample Type	
Sample Date	2022-12-12
Sampling Time	18:00
Sample I.D.	MH BH4 - SS2

Analyte	Batch No	MRL	Units	Guideline
1,2-dichloroethane-d4	435373	0	%	107
4-bromofluorobenzene	435373	0	%	84
Toluene-d8	435373	0	%	96

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
208523	Dinitrotoluene, 2,4&2,6-							
434194	Trichlorophenol, 2,4,5-	<0.1 ug/g	53	20-150	53	50-140	0	0-40
434194	Trichlorophenol, 2,4,6-	<0.1 ug/g	51	20-150	54	50-140	0	0-40
434194	Dichlorophenol, 2,4-	<0.1 ug/g	58	20-150	59	50-140	0	0-40
434194	Dimethylphenol, 2,4-	0.4 ug/g	35	20-150	53	30-130	0	0-40
434194	Dinitrophenol, 2,4-	<0.2 ug/g	35	10-150	54	30-130	0	0-40
434194	Chlorophenol, 2-	<0.1 ug/g	77	20-150	71	50-140	0	0-40
434194	Pentachlorophenol	<0.1 ug/g	26	20-150	55	50-140	0	0-40
434194	Phenol	<0.1 ug/g	86	10-150	73	30-130	0	0-40
434199	Dinitrotoluene, 2,4-	<0.2 ug/g	104	20-150		50-140	0	0-40
434199	Dinitrotoluene, 2,6-	<0.02 ug/g	113	20-150		50-140	0	0-40
434199	Dichlorobenzidine, 3,3'-	<0.6 ug/g	102	20-150		30-130	0	0-40
434199	Bis(2-chloroisopropyl)ether	<0.2 ug/g	106	20-150		50-140	0	0-40
434199	Bis(2-chloroethyl)ether	<0.3 ug/g	96	20-150		50-140	0	0-40
434199	Bis(2-ethylhexyl)phthalate	<0.4 ug/g	106	20-150		50-140	0	0-40
434199	Diethyl Phthalate	<0.2 ug/g	128	20-150		50-140	0	0-40
434199	Dimethylphthalate	<0.2 ug/g	118	20-150		50-140	0	0-40
434199	Hexachlorobenzene	<0.01 ug/g	108	20-150			0	
434199	Hexachlorobutadiene	<0.01 ug/g	134	20-150			0	
434199	Hexachloroethane	<0.01 ug/g	108	20-150			0	
434199	Chloroaniline p-	<0.2 ug/g	56	20-150		30-130	0	0-40
435343	pH - CaCl2	6.28	102	90-110			0	
435358	Chromium VI	<0.20 ug/g	99	70-130	94	70-130	0	0-35
435364	Boron (Hot Water Soluble)	<0.5 ug/g	99	70-130	92	75-125	0	0-30
435373	Tetrachloroethane, 1,1,1,2-	<0.05 ug/g	98	60-130	94	50-140	0	0-50
435373	Trichloroethane, 1,1,1-	<0.05 ug/g	91	60-130	98	50-140	0	0-50
435373	Tetrachloroethane, 1,1,2,2-	<0.05 ug/g	99	60-130	97	50-140	0	0-30
435373	Trichloroethane, 1,1,2-	<0.05 ug/g	97	60-130	96	50-140	0	0-50
435373	Dichloroethane, 1,1-	<0.05 ug/g	92	60-130	95	50-140	0	0-50
435373	Dichloroethylene, 1,1-	<0.05 ug/g	81	60-130	109	50-140	0	0-50
435373	Trichlorobenzene, 1,2,4-	<0.05 ug/g	97		93		0	
435373	Dichlorobenzene, 1,2-	<0.05 ug/g	94	60-130	99	50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
435373	Dichloroethane, 1,2-	<0.05 ug/g	92	60-130	105	50-140	0	0-50
435373	Dichloropropane, 1,2-	<0.05 ug/g	92	60-130	97	50-140	0	0-50
435373	Dichlorobenzene, 1,3-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
435373	Dichloropropene, 1,3-	<0.05 ug/g						
435373	Dichlorobenzene, 1,4-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
435373	Acetone	<0.50 ug/g	94	60-130	105	50-140	0	0-50
435373	Benzene	<0.0068	94	60-130	81	50-140	0	0-50
435373	Bromodichloromethane	<0.05 ug/g	92	60-130	84	50-140	0	0-50
435373	Bromoform	<0.05 ug/g	94	60-130	100	50-140	0	0-50
435373	Bromomethane	<0.05 ug/g	81	60-130	97	50-140	0	0-50
435373	Dichloroethylene, 1,2-cis-	<0.05 ug/g	90	60-130	103	50-140	0	0-50
435373	Dichloropropene, 1,3-cis-	<0.05 ug/g	82	60-130	99	50-140	0	0-50
435373	Carbon Tetrachloride	<0.05 ug/g	93	60-130	84	50-140	0	0-50
435373	Chloroform	<0.05 ug/g	93	60-130	84	50-140	0	0-50
435373	Dibromochloromethane	<0.05 ug/g	93	60-130	93	50-140	0	0-50
435373	Dichlorodifluoromethane	<0.05 ug/g	92	60-130	95	50-140	0	0-50
435373	Methylene Chloride	<0.05 ug/g	97	60-130	100	50-140	0	0-50
435373	Ethylbenzene	<0.018 ug/g	90	60-130	100	50-140	0	0-50
435373	Ethylene dibromide	<0.05 ug/g	99	60-130	95	50-140	0	0-50
435373	PHC's F1	<10 ug/g	106	80-120	101	60-140	0	0-30
435373	Hexane (n)	<0.05 ug/g	104	60-130	97	50-140	0	0-50
435373	Xylene, m/p-	<0.05 ug/g	97	60-130	109	50-140	0	0-50
435373	Methyl Ethyl Ketone	<0.50 ug/g	106	60-130	110	50-140	0	0-50
435373	Methyl Isobutyl Ketone	<0.50 ug/g	86	60-130	91	50-140	0	0-50
435373	Methyl tert-Butyl Ether (MTBE)	<0.05 ug/g	94	60-130	96	50-140	0	0-50
435373	Chlorobenzene	<0.05 ug/g	93	60-130	94	50-140	0	0-50
435373	Xylene, o-	<0.05 ug/g	92	60-130	93	50-140	0	0-50
435373	Styrene	<0.05 ug/g	89	60-130	96	50-140	0	0-50
435373	Dichloroethylene, 1,2-trans-	<0.05 ug/g	93	60-130	100	50-140	0	0-50
435373	Dichloropropene, 1,3-trans-	<0.05 ug/g	86	60-130	99	50-140	0	0-50
435373	Tetrachloroethylene	<0.05 ug/g	90	60-130	98	50-140	0	0-50
435373	Toluene	<0.08 ug/g	89	60-130	99	50-140	0	0-50
435373	Trichloroethylene	<0.01 ug/g	89	60-130	85	50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
435373	Trichlorofluoromethane	<0.05 ug/g	90	60-130	100	50-140	0	0-50
435373	Vinyl Chloride	<0.02 ug/g	99	60-130	99	50-140	0	0-50
435375	Xylene Mixture							
435376	PHC's F1-BTEX							
435382	Silver	<0.2 ug/g	103	70-130	101	70-130	0	0-20
435382	Arsenic	<1 ug/g	91	70-130	100	70-130	0	0-20
435382	Boron (total)	<5 ug/g	97	70-130	114	70-130	0	0-20
435382	Barium	<1 ug/g	94	70-130	117	70-130	5	0-20
435382	Beryllium	<1 ug/g	94	70-130	96	70-130	0	0-20
435382	Cadmium	<0.4 ug/g	92	70-130	97	70-130	0	0-20
435382	Cobalt	<1 ug/g	94	70-130	97	70-130	0	0-20
435382	Chromium Total	<1 ug/g	101	70-130	116	70-130	20	0-20
435382	Copper	<1 ug/g	99	70-130	95	70-130	1	0-20
435382	Mercury	<0.1 ug/g	100	70-130	101	70-130	0	0-20
435382	Molybdenum	<1 ug/g	91	70-130	99	70-130	0	0-20
435382	Nickel	<1 ug/g	96	70-130	94	70-130	13	0-20
435382	Lead	<1 ug/g	88	70-130	87	70-130	1	0-20
435382	Antimony	<1 ug/g	75	70-130	100	70-130	0	0-20
435382	Selenium	<0.5 ug/g	98	70-130	98	70-130	0	0-20
435382	Thallium	<1 ug/g	89	70-130	89	70-130	0	0-20
435382	Uranium	<0.5 ug/g	83	70-130	88	70-130	0	0-20
435382	Vanadium	<2 ug/g	97	70-130	119	70-130	0	0-20
435382	Zinc	<2 ug/g	100	70-130	90	70-130	1	0-20
435387	Methylnaphthalene, 1-	<0.05 ug/g	83	50-140	81	50-140	0	0-40
435387	Methylnaphthalene, 2-	<0.05 ug/g	67	50-140	69	50-140	0	0-40
435387	Acenaphthene	<0.05 ug/g	72	50-140	73	50-140	0	0-40
435387	Acenaphthylene	0.05 ug/g	69	50-140	70	50-140	0	0-40
435387	Anthracene	<0.05 ug/g	84	50-140	85	50-140	0	0-40
435387	Benz[a]anthracene	<0.05 ug/g	74	50-140	77	50-140	0	0-40
435387	Benzo[a]pyrene	<0.05 ug/g	69	50-140	78	50-140	0	0-40
435387	Benzo[b]fluoranthene	<0.05 ug/g	72	50-140	67	50-140	0	0-40
435387	Benzo[ghi]perylene	<0.05 ug/g	52	50-140	51	50-140	0	0-40
435387	Benzo[k]fluoranthene	<0.05 ug/g	93	50-140	74	50-140	0	0-40

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
435387	Biphenyl 1,1'-	<0.05 ug/g	68		68		0	
435387	Chrysene	<0.05 ug/g	92	50-140	89	50-140	0	0-40
435387	Dibenz[a h]anthracene	<0.05 ug/g	56	50-140	52	50-140	0	0-40
435387	Fluoranthene	<0.05 ug/g	77	50-140	75	50-140	0	0-40
435387	Fluorene	<0.05 ug/g	70	50-140	73	50-140	0	0-40
435387	Indeno[1 2 3-cd]pyrene	0.06 ug/g	55	50-140	56	50-140	0	0-40
435387	Naphthalene	<0.013 ug/g	61	50-140	66	50-140	0	0-40
435387	Phenanthrene	<0.05 ug/g	66	50-140	67	50-140	0	0-40
435387	Pyrene	<0.05 ug/g	76	50-140	75	50-140	0	0-40
435388	1+2-methylnaphthalene							
435406	PHC's F2	<2 ug/g	91	80-120	100	60-140		0-30
435406	PHC's F3	<20 ug/g	92	80-120	100	60-140		0-30
435406	PHC's F4	<20 ug/g	92	80-120	100	60-140		0-30
435406	Moisture-Humidite	<0.1 %	100	80-120				
435409	PHC's F2-Naph							
435410	PHC's F3-PAH							
435411	Aroclor 1242	<0.02 ug/g	75	60-140	85	60-140	0	0-40
435411	Aroclor 1248	<0.02 ug/g	75	60-140	85	60-140	0	0-40
435411	Aroclor 1254	<0.02 ug/g	75	60-140	85	60-140	0	0-40
435411	Aroclor 1260	<0.02 ug/g	75	60-140	85	60-140	0	0-40
435411	Polychlorinated Biphenyls	<0.02 ug/g	75	60-140	85	60-140	0	0-40
435416	Chlordane, alpha-	<0.002 ug/g	68	50-140	87	50-140	0	0-40
435416	Aldrin	<0.002 ug/g	69	50-140	85	50-140	0	0-40
435416	Chlordane	<0.006 ug/g					0	
435416	Dieldrin	<0.002 ug/g	73	50-140	87	50-140	0	0-40
435416	Endosulfan	<0.004 ug/g					0	
435416	Endosulfan I	<0.002 ug/g	67	50-140	90	50-140	0	0-40
435416	Endosulfan II	<0.002 ug/g	75	50-140	91	50-140	0	0-40
435416	Endrin	<0.002 ug/g	73	50-140	87	50-140	0	0-40
435416	Hexachlorocyclohexane Gamma-	<0.002 ug/g	72	50-140	91	50-140	0	0-40
435416	Chlordane, gamma-	<0.002 ug/g	65	50-140	89	50-140	0	0-40
435416	Heptachlor	<0.002 ug/g	73	50-140	88	50-140	0	0-40
435416	Heptachlor Epoxide	<0.002 ug/g	69	50-140	89	50-140	0	0-40

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
435416	Methoxychlor	<0.002 ug/g	78	50-140	86	50-140	0	0-40
435416	DDD	<0.002 ug/g	75	50-140	84	50-140	0	0-40
435416	DDE	<0.002 ug/g	75	50-140	92	50-140	0	0-40
435416	DDT	<0.002 ug/g	85	50-140	83	50-140	0	0-40
435432	Electrical Conductivity	<0.05	101	90-110			5	0-10
435449	Sodium Adsorption Ratio	<0.01					2	
435453	Cyanide (CN-)	<0.005 ug/g	92	75-125	99	70-130	0	0-20

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
208523	Dinitrotoluene, 2,4&2,6-	GC/MS	2022-12-20	2022-12-20	C_M	B 625/P 8270
434194	Trichlorophenol, 2,4,5-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434194	Trichlorophenol, 2,4,6-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434194	Dichlorophenol, 2,4-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434194	Dimethylphenol, 2,4-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434194	Dinitrophenol, 2,4-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434194	Chlorophenol, 2-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434194	Pentachlorophenol	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434194	Phenol	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Dinitrotoluene, 2,4-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Dinitrotoluene, 2,6-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Dichlorobenzidine, 3,3'-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Bis(2-chloroisopropyl)ether	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Bis(2-chloroethyl)ether	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Bis(2-ethylhexyl)phthalate	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Diethyl Phthalate	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Dimethylphthalate	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Hexachlorobenzene	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Hexachlorobutadiene	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Hexachloroethane	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
434199	Chloroaniline p-	GC/MS	2022-12-19	2022-12-19	C_M	B 625/P 8270
435343	pH - CaCl2	pH Meter	2022-12-19	2022-12-19	IP	Ag Soil
435358	Chromium VI	FAA	2022-12-19	2022-12-19	MW	M US EPA 3060A
435364	Boron (Hot Water Soluble)	iCAP OES	2022-12-19	2022-12-19	Z_S	MOECC E3470
435373	Tetrachloroethane, 1,1,1,2-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Trichloroethane, 1,1,1-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Tetrachloroethane, 1,1,2,2-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Trichloroethane, 1,1,2-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichloroethane, 1,1-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichloroethylene, 1,1-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Trichlorobenzene, 1,2,4-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichlorobenzene, 1,2-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
435373	Dichloroethane, 1,2-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichloropropane, 1,2-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichlorobenzene, 1,3-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichloropropene, 1,3-	GC-MS	2022-12-19	2022-12-19	PJ	V 8260B
435373	Dichlorobenzene, 1,4-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Acetone	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Benzene	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Bromodichloromethane	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Bromoform	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Bromomethane	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichloroethylene, 1,2-cis-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichloropropene, 1,3-cis-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Carbon Tetrachloride	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Chloroform	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dibromochloromethane	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichlorodifluoromethane	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Methylene Chloride	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Ethylbenzene	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Ethylene dibromide	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	PHC's F1	GC/FID	2022-12-19	2022-12-19	PJ	CCME
435373	Hexane (n)	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Xylene, m/p-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Methyl Ethyl Ketone	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Methyl Isobutyl Ketone	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Methyl tert-Butyl Ether (MTBE)	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Chlorobenzene	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Xylene, o-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Styrene	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichloroethylene, 1,2-trans-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Dichloropropene, 1,3-trans-	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Tetrachloroethylene	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Toluene	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Trichloroethylene	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
435373	Trichlorofluoromethane	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435373	Vinyl Chloride	GC-MS	2022-12-15	2022-12-16	PJ	V 8260B
435375	Xylene Mixture	GC-MS	2022-12-19	2022-12-19	PJ	V 8260B
435376	PHC's F1-BTEX	GC/FID	2022-12-19	2022-12-19	PJ	CCME
435382	Silver	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Arsenic	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Boron (total)	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Barium	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Beryllium	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Cadmium	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Cobalt	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Chromium Total	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Copper	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Mercury	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Molybdenum	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Nickel	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Lead	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Antimony	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Selenium	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Thallium	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Uranium	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Vanadium	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435382	Zinc	ICAPQ-MS	2022-12-19	2022-12-19	SKH	EPA 200.8/6020
435387	Methylnaphthalene, 1-	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Methylnaphthalene, 2-	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Acenaphthene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Acenaphthylene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Anthracene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Benz[a]anthracene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Benzo[a]pyrene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Benzo[b]fluoranthene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Benzo[ghi]perylene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Benzo[k]fluoranthene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
435387	Biphenyl 1,1'-	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Chrysene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Dibenz[a h]anthracene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Fluoranthene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Fluorene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Indeno[1 2 3-cd]pyrene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Naphthalene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Phenanthrene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435387	Pyrene	GC-MS	2022-12-19	2022-12-19	C_M	P 8270
435388	1+2-methylnaphthalene	GC-MS	2022-12-20	2022-12-20	C_M	P 8270
435406	PHC's F2	GC/FID	2022-12-20	2022-12-20	SP	CCME
435406	PHC's F3	GC/FID	2022-12-20	2022-12-20	SP	CCME
435406	PHC's F4	GC/FID	2022-12-20	2022-12-20	SP	CCME
435406	Moisture-Humidite	Oven	2022-12-20	2022-12-20	SP	ASTM 2216
435409	PHC's F2-Naph	GC/FID	2022-12-20	2022-12-20	SP	CCME
435410	PHC's F3-PAH	GC/FID	2022-12-20	2022-12-20	SP	CCME
435411	Aroclor 1242	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435411	Aroclor 1248	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435411	Aroclor 1254	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435411	Aroclor 1260	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435411	Polychlorinated Biphenyls	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Chlordane, alpha-	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Aldrin	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Chlordane	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Dieldrin	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Endosulfan	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Endosulfan I	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Endosulfan II	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Endrin	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Hexachlorocyclohexane Gamma-	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Chlordane, gamma-	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Heptachlor	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	Heptachlor Epoxide	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1991480
 Date Submitted: 2022-12-13
 Date Reported: 2022-12-21
 Project: 190261800
 COC #: 220499

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
435416	Methoxychlor	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	DDD	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	DDE	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435416	DDT	GC/ECD	2022-12-20	2022-12-20	R_G	EPA 8081B/8082A
435432	Electrical Conductivity	Electrical Conductivity Mete	2022-12-20	2022-12-20	Z_S	Cond-Soil
435449	Sodium Adsorption Ratio	iCAP OES	2022-12-20	2022-12-20	Z_S	Ag Soil
435453	Cyanide (CN-)	Skalar CN Analyzer	2022-12-20	2022-12-20	Z_S	MOECC E3015

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
125 Commerce Valley Drive West
Thornhill, Ontario
L3T 7W4
Attention: Mr. Sarth Sheth
PO#:
Invoice to: Morrison Hershfield

Report Number: 1991480
Date Submitted: 2022-12-13
Date Reported: 2022-12-21
Project: 190261800
COC #: 220499

CWS for Petroleum Hydrocarbons in Soil - Tier 1**Notes:**

1. The laboratory method complies with CCME Tier 1 reference method for PHC in soil. It is validated for laboratory use.
2. Where the F1 fraction (C6 to C10) and BTEX are both measured, F1-BTEX is reported.
3. Where the F2 fraction (C10 to C16) and naphthalene are both measured, F2-naphthalene is reported.
4. Where the F3 fraction (C16 to C34) and PAHs* are both measured, F3-PAH is reported.
5. F4G is analyzed if the chromatogram does not descend to baseline before C50. Where F4 (C34 to C50) and F4G are both reported, the higher result is compared to the standard.
6. Unless otherwise stated in the sample comments, the following criteria have been met where applicable:
 - nC6 and nC10 response factors within 30% of response factor for toluene;
 - nC10, nC16, and nC34 response factors within 10% of each other;
 - C50 response factors within 70% of nC10 + nC16 + nC34 average; and,
 - Linearity is within 15%.
7. Unless otherwise stated in the sample comments, sampling requirements and analytical holding times have been met.
8. Gravimetric heavy hydrocarbons (F4G) cannot be added to the C6 and C50 hydrocarbons.
9. *PAHs = phenanthrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, fluoranthene, dibenz(a,h)anthracene, indeno(1,2,3-c,d)pyrene and pyrene.

CLIENT INFORMATION		INVOICE INFORMATION (SAME AS CLIENT INFORMATION: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Company: Morrison Hershfield		Company:	Fax:
Contact: Ssheth Senth Sheth		Contact:	Email: #1:
Address: 125 Commerce Valley Dr w Suite # 300 Thornhill, Ont.		Address:	Email: #2:
Telephone: 416-499-3110 Ext 101119	Cell: 639-317-8111	Telephone:	PO #:
Email: #1: Ssheth@morrisonhershfield.com		REGULATION/GUIDELINE REQUIRED	
Email: #2: Nmoore@morrisonhershfield.com		<input type="checkbox"/> Sanitary Sewer, City: _____	<input checked="" type="checkbox"/> O. Reg 153
Project: 190261800	Quote #:	<input type="checkbox"/> Storm Sewer, City: _____	The sample results from this submission will form part of a formal Record of Site Condition (RSC) under O. Reg. 153/04. Analysis of full parameter list only Yes <input type="checkbox"/> No <input type="checkbox"/>
TURN-AROUND TIME (Business Days)		<input type="checkbox"/> ODWSOG (Use DW CoC if analyzing drinking water)	<input checked="" type="checkbox"/> O. Reg 406 Excess Soils
<input type="checkbox"/> 1 Day* (100%)	<input type="checkbox"/> 2 Day** (50%)	<input type="checkbox"/> PWQO	Table # 3, Coarse / Fine, Surface / subsurface Type: Com-Ind / Res-Park / Agri / GW / All Other / Sediment
Please contact Lab in advance to determine rush availability. *For results reported after rush due date, surcharges will apply: before 12:00 - 100%, after 12:00 - 50%. **For results reported after rush due date, surcharges will apply: before 12:00 - 50%, after 12:00 - 25%.		<input type="checkbox"/> O.Reg 347	Table # 1,2,3 Full depth/Strat/Ceiling/mSPL Leachate Type: Com-Ind /Res-Park /Agri/All Other Category: Surface /Subsurface
		<input type="checkbox"/> Other: _____	

The optimal temperature conditions during transport should be less than 10°C. Sample(s) cannot be frozen, unless otherwise indicated or agreed upon with the Laboratory. **Note that this COC is not to be used for drinking water samples.** The COC must be complete upon submission of the samples, there will be a \$25 surcharge if required information is missing (required fields are shaded in grey).

Sample ID		Date/Time Collected		Sample Matrix		# of Containers		Sample Details										RN# (Lab Use Only)							
								Field Filtered -->																	
								O.Reg.153 parameters																	
				PHC F1 - F4	BTEX	VOCs	PAHs	PCBs	Metals + Inorganic	Metals only	OCPs	ABN	CPs	Dioxin & Furans											
MHBH 2 -SS1		12/12/2022	11:00am	S	1																				1667980
" -SS2		"	"	S	5																				81
MHBH 3 -SS1		12/12/2022	2:30pm	S	1																				82
" -SS2		"	"	S	5																				83
MHBH 4 -SS1		12/12/2022	4:00pm	S	1																				84
" -SS2		"	"	S	5																				85

PRINT	SIGN	DATE/TIME	TEMP (°C)	COMMENTS:
Sampled By: Nicholas Moore	<i>Nicholas Moore</i>	12/12/2022 4:30pm		
Relinquished By: Nicholas Moore	<i>Nicholas Moore</i>	12/12/2022 4:30pm		
Received By: Victor Gallant	<i>Victor Gallant</i>	12/13/22 5:23pm	1.2°C	

Client: Morrison Hershfield
125 Commerce Valley Drive West
Thornhill, Ontario
L3T 7W4
Attention: Mr. Sarth Sheth
Invoice to: Morrison Hershfield
PO#:

Report Number: 1987936
Date Submitted: 2022-10-11
Date Reported: 2022-10-18
Project: 190261800
COC #: 218968
Temperature (C): 7.1
Custody Seal:

Page 1 of 23

Dear Sarth Sheth:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Sample Comment Summary

Sample ID: 1655946 A22-2 SS5 Semi Volatiles MRL elevated due to matrix interference (dilution was done).
--

Report Comments:

Emma-Dawn Ferguson, Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <https://directory.cala.ca/>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

O.Reg 153-T3-Ind/Com-Coarse

Exceedence Summary

Sample I.D.	Analyte	Result	Units	Criteria
Semi-Volatiles				
A22-2 SS5	Dichlorobenzene, 1,4-	<1	ug/g	STD 0.2

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Hydrocarbons

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1655944 Soil153	1655946 Soil153
2022-10-05	2022-10-11
BHCI - SS5	A22-2 SS5

Analyte	Batch No	MRL	Units	Guideline
---------	----------	-----	-------	-----------

PHC's F1	431507	10	ug/g	STD 55	<10	<10
PHC's F1-BTEX	431509	10	ug/g		<10	<10
PHC's F2	431446	2	ug/g	STD 230	<2	<2
PHC's F2-Naph	431468	2	ug/g		<2	<2
PHC's F3	431446	20	ug/g	STD 1700	170	20
PHC's F3-PAH	431469	20	ug/g		170	20
PHC's F4	431446	20	ug/g	STD 3300	20	<20

Metals

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1655943 Soil153	1655945 Soil153
2022-10-05	2022-10-11
BHCI - SS2	A22-2 SS3

Analyte	Batch No	MRL	Units	Guideline
---------	----------	-----	-------	-----------

Antimony	431479	1	ug/g	STD 40	<1	<1
Arsenic	431479	1	ug/g	STD 18	2	3
Barium	431479	1	ug/g	STD 670	26	18
Beryllium	431479	1	ug/g	STD 8	<1	<1
Boron (Hot Water Soluble)	431478	0.5	ug/g	STD 2	<0.5	<0.5
Boron (total)	431479	5	ug/g	STD 120	<5	<5
Cadmium	431479	0.4	ug/g	STD 1.9	<0.4	<0.4
Chromium Total	431479	1	ug/g	STD 160	18	12
Chromium VI	431456	0.20	ug/g	STD 8	<0.20	<0.20
Cobalt	431479	1	ug/g	STD 80	2	3
Copper	431479	1	ug/g	STD 230	11	10
Lead	431479	1	ug/g	STD 120	4	3

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Metals

Lab I.D.	1655943	1655945
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2022-10-05	2022-10-11
Sampling Time		
Sample I.D.	BHCl - SS2	A22-2 SS3

Analyte	Batch No	MRL	Units	Guideline		
Mercury	431479	0.1	ug/g	STD 3.9	<0.1	<0.1
Molybdenum	431479	1	ug/g	STD 40	<1	<1
Nickel	431479	1	ug/g	STD 270	7	8
Selenium	431479	0.5	ug/g	STD 5.5	<0.5	<0.5
Silver	431479	0.2	ug/g	STD 40	<0.2	<0.2
Thallium	431479	1	ug/g	STD 3.3	<1	<1
Uranium	431479	0.5	ug/g	STD 33	<0.5	<0.5
Vanadium	431479	2	ug/g	STD 86	15	20
Zinc	431479	2	ug/g	STD 340	19	20

OCP/PCB

Lab I.D.	1655947
Sample Matrix	Soil153
Sample Type	
Sample Date	2022-10-11
Sampling Time	
Sample I.D.	A22-2 SS6

Analyte	Batch No	MRL	Units	Guideline	
Aldrin	431435	0.002	ug/g	STD 0.088	<0.002
Chlordane	431435	0.006	ug/g	STD 0.05	<0.006
Chlordane, alpha-	431435	0.002	ug/g		<0.002
Chlordane, gamma-	431435	0.002	ug/g		<0.002
DDD	431435	0.002	ug/g	STD 4.6	<0.002
DDE	431435	0.002	ug/g	STD 0.52	<0.002
DDT	431435	0.002	ug/g	STD 1.4	<0.002
Dieldrin	431435	0.002	ug/g	STD 0.088	<0.002
Endosulfan	431435	0.004	ug/g	STD 0.3	<0.004
Endosulfan I	431435	0.002	ug/g		<0.002

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

OCP/PCB

Lab I.D. 1655947
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-11
 Sampling Time
 Sample I.D. A22-2 SS6

Analyte	Batch No	MRL	Units	Guideline	
Endosulfan II	431435	0.002	ug/g		<0.002
Endrin	431435	0.002	ug/g	STD 0.04	<0.002
Heptachlor	431435	0.002	ug/g	STD 0.19	<0.002
Heptachlor Epoxide	431435	0.002	ug/g	STD 0.05	<0.002
Hexachlorobenzene	431435	0.002	ug/g	STD 0.66	<0.002
Hexachlorobutadiene	431435	0.002	ug/g	STD 0.031	<0.002
Hexachlorocyclohexane Gamma-	431435	0.002	ug/g	STD 0.056	<0.002
Hexachloroethane	431435	0.002	ug/g	STD 0.21	<0.002
Methoxychlor	431435	0.002	ug/g	STD 1.6	<0.002

PAH

Lab I.D. 1655944
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-05
 Sampling Time
 Sample I.D. BHCI - SS5

Analyte	Batch No	MRL	Units	Guideline	1655946 Soil153	2022-10-11
1+2-methylnaphthalene	431432	0.05	ug/g		<0.05	<0.05
Acenaphthene	431080	0.05	ug/g	STD 96	<0.05	<0.05
Acenaphthylene	431080	0.05	ug/g	STD 0.15	<0.05	<0.05
Anthracene	431080	0.05	ug/g	STD 0.67	<0.05	<0.05
Benz[a]anthracene	431080	0.05	ug/g	STD 0.96	<0.05	<0.05
Benzo[a]pyrene	431080	0.05	ug/g	STD 0.3	<0.05	<0.05
Benzo[b]fluoranthene	431080	0.05	ug/g	STD 0.96	<0.05	<0.05
Benzo[ghi]perylene	431080	0.05	ug/g	STD 9.6	<0.05	<0.05
Benzo[k]fluoranthene	431080	0.05	ug/g	STD 0.96	<0.05	<0.05
Biphenyl 1,1'-	431080	0.05	ug/g	STD 52		<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PAH

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1655944 Soil153	1655946 Soil153
2022-10-05	2022-10-11
BHCl - SS5	A22-2 SS5

Analyte	Batch No	MRL	Units	Guideline
---------	----------	-----	-------	-----------

Chrysene	431080	0.05	ug/g	STD 9.6	<0.05	<0.05
Dibenz[a h]anthracene	431080	0.05	ug/g	STD 0.1	<0.05	<0.05
Fluoranthene	431080	0.05	ug/g	STD 9.6	<0.05	<0.05
Fluorene	431080	0.05	ug/g	STD 62	<0.05	<0.05
Indeno[1 2 3-cd]pyrene	431080	0.05	ug/g	STD 0.76	<0.05	<0.05
Methylnaphthalene, 1-	431080	0.05	ug/g	STD 76	<0.05	<0.05
Methylnaphthalene, 2-	431080	0.05	ug/g	STD 76	<0.05	<0.05
Naphthalene	431080	0.013	ug/g	STD 9.6	<0.013	<0.013
Phenanthrene	431080	0.05	ug/g	STD 12	<0.05	<0.05
Pyrene	431080	0.05	ug/g	STD 96	<0.05	<0.05

Volatiles

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1655944 Soil153	1655946 Soil153
2022-10-05	2022-10-11
BHCl - SS5	A22-2 SS5

Analyte	Batch No	MRL	Units	Guideline
---------	----------	-----	-------	-----------

Acetone	431507	0.50	ug/g	STD 16	<0.50	<0.50
Benzene	431507	0.0068	ug/g	STD 0.32	<0.0068	<0.0068
Bromodichloromethane	431507	0.05	ug/g	STD 18	<0.05	<0.05
Bromoform	431507	0.05	ug/g	STD 0.61	<0.05	<0.05
Bromomethane	431507	0.05	ug/g	STD 0.05	<0.05	<0.05
Carbon Tetrachloride	431507	0.05	ug/g	STD 0.21	<0.05	<0.05
Chlorobenzene	431507	0.05	ug/g	STD 2.4	<0.05	<0.05
Chloroform	431507	0.05	ug/g	STD 0.47	<0.05	<0.05
Dibromochloromethane	431507	0.05	ug/g	STD 13	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1655944 Soil153	1655946 Soil153
2022-10-05	2022-10-11
BHCl - SS5	A22-2 SS5

Analyte	Batch No	MRL	Units	Guideline		
Dichlorobenzene, 1,2-	431507	0.05	ug/g	STD 6.8	<0.05	
Dichlorobenzene, 1,3-	431507	0.05	ug/g	STD 9.6	<0.05	
Dichlorobenzene, 1,4-	431507	0.05	ug/g	STD 0.2	<0.05	
Dichlorodifluoromethane	431507	0.05	ug/g	STD 16	<0.05	<0.05
Dichloroethane, 1,1-	431507	0.05	ug/g	STD 17	<0.05	<0.05
Dichloroethane, 1,2-	431507	0.05	ug/g	STD 0.05	<0.05	<0.05
Dichloroethylene, 1,1-	431507	0.05	ug/g	STD 0.064	<0.05	<0.05
Dichloroethylene, 1,2-cis-	431507	0.05	ug/g	STD 55	<0.05	<0.05
Dichloroethylene, 1,2-trans-	431507	0.05	ug/g	STD 1.3	<0.05	<0.05
Dichloropropane, 1,2-	431507	0.05	ug/g	STD 0.16	<0.05	<0.05
Dichloropropene, 1,3-	431507	0.05	ug/g	STD 0.18	<0.05	<0.05
Dichloropropene, 1,3-cis-	431507	0.05	ug/g		<0.05	<0.05
Dichloropropene, 1,3-trans-	431507	0.05	ug/g		<0.05	<0.05
Ethylbenzene	431507	0.018	ug/g	STD 9.5	<0.018	<0.018
Ethylene dibromide	431507	0.05	ug/g	STD 0.05	<0.05	<0.05
Hexane (n)	431507	0.05	ug/g	STD 46	<0.05	<0.05
Methyl Ethyl Ketone	431507	0.50	ug/g	STD 70	<0.50	<0.50
Methyl Isobutyl Ketone	431507	0.50	ug/g	STD 31	<0.50	<0.50
Methyl tert-Butyl Ether (MTBE)	431507	0.05	ug/g	STD 11	<0.05	<0.05
Methylene Chloride	431507	0.05	ug/g	STD 1.6	<0.05	<0.05
Styrene	431507	0.05	ug/g	STD 34	<0.05	<0.05
Tetrachloroethane, 1,1,1,2-	431507	0.05	ug/g	STD 0.087	<0.05	<0.05
Tetrachloroethane, 1,1,2,2-	431507	0.05	ug/g	STD 0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D.	1655944	1655946
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2022-10-05	2022-10-11
Sampling Time		
Sample I.D.	BHCl - SS5	A22-2 SS5

Analyte	Batch No	MRL	Units	Guideline		
Tetrachloroethylene	431507	0.05	ug/g	STD 4.5	<0.05	<0.05
Toluene	431507	0.08	ug/g	STD 68	<0.08	<0.08
Trichloroethane, 1,1,1,-	431507	0.05	ug/g	STD 6.1	<0.05	<0.05
Trichloroethane, 1,1,2,-	431507	0.05	ug/g	STD 0.05	<0.05	<0.05
Trichloroethylene	431507	0.01	ug/g	STD 0.91	<0.01	<0.01
Trichlorofluoromethane	431507	0.05	ug/g	STD 4	<0.05	<0.05
Vinyl Chloride	431507	0.02	ug/g	STD 0.032	<0.02	<0.02
Xylene Mixture	431508	0.05	ug/g	STD 26	<0.05	<0.05
Xylene, m/p-	431507	0.05	ug/g		<0.05	<0.05
Xylene, o-	431507	0.05	ug/g		<0.05	<0.05

Inorganics

Lab I.D.	1655943	1655945
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2022-10-05	2022-10-11
Sampling Time		
Sample I.D.	BHCl - SS2	A22-2 SS3

Analyte	Batch No	MRL	Units	Guideline		
Cyanide (CN-)	431390	0.005	ug/g	STD 0.051	<0.005	<0.005
Electrical Conductivity	431471	0.05	mS/cm	STD 1.4	0.21	0.11
pH - CaCl2	431448	2.00			7.76	7.74
Sodium Adsorption Ratio	431473	0.01		STD 12	0.81	0.23

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Moisture

Lab I.D.	1655944	1655946
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2022-10-05	2022-10-11
Sampling Time		
Sample I.D.	BHCI - SS5	A22-2 SS5

Analyte	Batch No	MRL	Units	Guideline
Moisture-Humidite	431446	0.1	%	

PCBs

Lab I.D.	1655947
Sample Matrix	Soil153
Sample Type	
Sample Date	2022-10-11
Sampling Time	
Sample I.D.	A22-2 SS6

Analyte	Batch No	MRL	Units	Guideline
Aroclor 1242	431436	0.02	ug/g	<0.02
Aroclor 1248	431436	0.02	ug/g	<0.02
Aroclor 1254	431436	0.02	ug/g	<0.02
Aroclor 1260	431436	0.02	ug/g	<0.02
Polychlorinated Biphenyls	431436	0.02	ug/g	STD 1.1 <0.02

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Semi-Volatiles

Lab I.D. 1655946
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-11
 Sampling Time
 Sample I.D. A22-2 SS5

Analyte	Batch No	MRL	Units	Guideline	
Bis(2-chloroethyl)ether	431500	0.3	ug/g	STD 0.5	<0.3
Bis(2-chloroisopropyl)ether	431500	0.2	ug/g	STD 11	<0.2
Bis(2-ethylhexyl)phthalate	431500	0.4	ug/g	STD 28	<0.4
Chloroaniline p-	431500	0.2	ug/g	STD 0.5	<0.2
Chlorophenol, 2-	427676	0.1	ug/g	STD 3.1	<0.1
Dichlorobenzene, 1,2-	431500	1	ug/g	STD 6.8	<1
Dichlorobenzene, 1,3-	431500	1	ug/g	STD 9.6	<1
Dichlorobenzene, 1,4-	431500	1	ug/g	STD 0.2	<1*
Dichlorobenzidine, 3,3'-	431500	0.6	ug/g	STD 1	<0.6
Dichlorophenol, 2,4-	427676	0.1	ug/g	STD 3.4	<0.1
Diethyl Phthalate	431500	0.2	ug/g	STD 0.5	<0.2
Dimethylphenol, 2,4-	427676	0.2	ug/g	STD 390	<0.2
Dimethylphthalate	431500	0.2	ug/g	STD 0.5	<0.2
Dinitrophenol, 2,4-	427676	0.2	ug/g	STD 59	<0.2
Dinitrotoluene, 2,4-	431500	0.2	ug/g		<0.2
Dinitrotoluene, 2,4&2,6-	208523	0.5	ug/g	STD 1.2	<0.5
Dinitrotoluene, 2,6-	431500	0.02	ug/g		<0.02
Pentachlorophenol	427676	0.1	ug/g	STD 2.9	<0.1
Phenol	427676	0.1	ug/g	STD 9.4	<0.1
Trichlorobenzene, 1,2,4-	431500	0.04	ug/g	STD 3.2	<0.04
Trichlorophenol, 2,4,5-	427676	0.1	ug/g	STD 10	<0.1
Trichlorophenol, 2,4,6-	427676	0.1	ug/g	STD 3.8	<0.1

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PCB Surrogate

Lab I.D. 1655947
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-11
 Sampling Time
 Sample I.D. A22-2 SS6

Analyte	Batch No	MRL	Units	Guideline
Decachlorobiphenyl	431437	0	%	66

PHC Surrogate

Lab I.D. 1655944 1655946
 Sample Matrix Soil153 Soil153
 Sample Type
 Sample Date 2022-10-05 2022-10-11
 Sampling Time
 Sample I.D. BHCl - A22-2 SS5
 SS5

Analyte	Batch No	MRL	Units	Guideline
Alpha-androstrane	431446	0	%	85 86

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Guideline = O.Reg 153-T3-Ind/Com-Coarse

VOCs Surrogates

Lab I.D.	1655944	1655946
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2022-10-05	2022-10-11
Sampling Time		
Sample I.D.	BHCI - SS5	A22-2 SS5

Analyte	Batch No	MRL	Units	Guideline		
1,2-dichloroethane-d4	431507	0	%		72	76
4-bromofluorobenzene	431507	0	%		74	73
Toluene-d8	431507	0	%		121	127

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
208523	Dinitrotoluene, 2,4&2,6-							
427676	Trichlorophenol, 2,4,5-	<0.1 ug/g	53	20-150	53	50-140	0	0-40
427676	Trichlorophenol, 2,4,6-	<0.1 ug/g	51	20-150	54	50-140	0	0-40
427676	Dichlorophenol, 2,4-	<0.1 ug/g	58	20-150	59	50-140	0	0-40
427676	Dimethylphenol, 2,4-	0.4 ug/g	35	20-150	53	30-130	0	0-40
427676	Dinitrophenol, 2,4-	<0.2 ug/g	35	10-150	54	30-130	0	0-40
427676	Chlorophenol, 2-	<0.1 ug/g	77	20-150	71	50-140	0	0-40
427676	Pentachlorophenol	<0.1 ug/g	26	20-150	55	50-140	0	0-40
427676	Phenol	<0.1 ug/g	86	10-150	73	30-130	0	0-40
431080	Methylnaphthalene, 1-	<0.05 ug/g	88	50-140	70	50-140	0	0-40
431080	Methylnaphthalene, 2-	<0.05 ug/g	75	50-140	59	50-140	0	0-40
431080	Acenaphthene	<0.05 ug/g	72	50-140	58	50-140	0	0-40
431080	Acenaphthylene	<0.05 ug/g	82	50-140	66	50-140	0	0-40
431080	Anthracene	<0.05 ug/g	101	50-140	81	50-140	0	0-40
431080	Benz[a]anthracene	0.38 ug/g	86	50-140	75	50-140	0	0-40
431080	Benzo[a]pyrene	<0.05 ug/g	97	50-140	86	50-140	0	0-40
431080	Benzo[b]fluoranthene	<0.05 ug/g	100	50-140	95	50-140	0	0-40
431080	Benzo[ghi]perylene	<0.05 ug/g	61	50-140	58	50-140	0	0-40
431080	Benzo[k]fluoranthene	<0.05 ug/g	117	50-140	92		0	0-40
431080	Biphenyl 1,1'-	<0.05 ug/g	77		63		0	
431080	Chrysene	<0.05 ug/g	92	50-140	81	50-140	0	0-40
431080	Dibenz[a h]anthracene	<0.05 ug/g	74	50-140	74	50-140	0	0-40
431080	Fluoranthene	<0.05 ug/g	83	50-140	66	50-140	0	0-40
431080	Fluorene	<0.05 ug/g	71	50-140	56	50-140	0	0-40
431080	Indeno[1 2 3-cd]pyrene	<0.05 ug/g	61	50-140	57	50-140	0	0-40
431080	Naphthalene	<0.013 ug/g	79	50-140	70	50-140	0	0-40
431080	Phenanthrene	<0.05 ug/g	86	50-140	72	50-140	0	0-40
431080	Pyrene	<0.05 ug/g	80	50-140	65	50-140	0	0-40
431390	Cyanide (CN-)	<0.005 ug/g	97	75-125	99	70-130	0	0-20
431432	1+2-methylnaphthalene							
431435	Chlordane, alpha-	<0.002 ug/g	68	50-140	87	50-140	0	0-40
431435	Aldrin	<0.002 ug/g	69	50-140	85	50-140	0	0-40

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
431435	Chlordane	<0.006 ug/g					0	
431435	Dieldrin	<0.002 ug/g	73	50-140	87	50-140	0	0-40
431435	Endosulfan	<0.004 ug/g					0	
431435	Endosulfan I	<0.002 ug/g	67	50-140	90	50-140	0	0-40
431435	Endosulfan II	<0.002 ug/g	75	50-140	91	50-140	0	0-40
431435	Endrin	<0.002 ug/g	73	50-140	87	50-140	0	0-40
431435	Hexachlorocyclohexane Gamma-	<0.002 ug/g	72	50-140	91	50-140	0	0-40
431435	Chlordane, gamma-	<0.002 ug/g	65	50-140	89	50-140	0	0-40
431435	Heptachlor	<0.002 ug/g	73	50-140	88	50-140	0	0-40
431435	Heptachlor Epoxide	<0.002 ug/g	69	50-140	89	50-140	0	0-40
431435	Hexachlorobenzene	<0.002 ug/g	102	50-140		50-140	0	0-40
431435	Hexachlorobutadiene	<0.002 ug/g	95				0	
431435	Hexachloroethane	<0.002 ug/g	93				0	
431435	Methoxychlor	<0.002 ug/g	78	50-140	86	50-140	0	0-40
431435	DDD	<0.002 ug/g	75	50-140	84	50-140	0	0-40
431435	DDE	<0.002 ug/g	75	50-140	92	50-140	0	0-40
431435	DDT	<0.002 ug/g	85	50-140	83	50-140	0	0-40
431436	Aroclor 1242	<0.02 ug/g	88	60-140	107	60-140	0	0-40
431436	Aroclor 1248	<0.02 ug/g	88	60-140	107	60-140	0	0-40
431436	Aroclor 1254	<0.02 ug/g	88	60-140	107	60-140	0	0-40
431436	Aroclor 1260	<0.02 ug/g	88	60-140	107	60-140	0	0-40
431436	Polychlorinated Biphenyls	<0.02 ug/g	88	60-140	107	60-140	0	0-40
431446	PHC's F2	<2 ug/g	80	80-120	80	60-140	0	0-30
431446	PHC's F3	<20 ug/g	80	80-120	80	60-140	0	0-30
431446	PHC's F4	<20 ug/g	80	80-120	80	60-140	0	0-30
431446	Moisture-Humidite	<0.1 %	100	80-120			4	
431448	pH - CaCl2	6.39	98	90-110			0	
431456	Chromium VI	<0.20 ug/g	95	70-130	90	70-130	0	0-35
431468	PHC's F2-Napth							
431469	PHC's F3-PAH							
431471	Electrical Conductivity	<0.05	102	90-110			4	0-10
431473	Sodium Adsorption Ratio	<0.01					2	
431478	Boron (Hot Water Soluble)	<0.5 ug/g	95	70-130	109	75-125	0	0-30

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
431479	Silver	<0.2 ug/g	105	70-130	116	70-130	0	0-20
431479	Arsenic	<1 ug/g	95	70-130	113	70-130	0	0-20
431479	Boron (total)	<5 ug/g	105	70-130	128	70-130	0	0-20
431479	Barium	<1 ug/g	98	70-130	159	70-130	13	0-20
431479	Beryllium	<1 ug/g	104	70-130	117	70-130	0	0-20
431479	Cadmium	<0.4 ug/g	102	70-130	117	70-130	0	0-20
431479	Cobalt	<1 ug/g	98	70-130	112	70-130	0	0-20
431479	Chromium Total	<1 ug/g	108	70-130	194	70-130	13	0-20
431479	Copper	<1 ug/g	104	70-130	121	70-130	12	0-20
431479	Mercury	<0.1 ug/g	90	70-130	103	70-130	0	0-20
431479	Molybdenum	<1 ug/g	96	70-130	112	70-130	0	0-20
431479	Nickel	<1 ug/g	104	70-130	141	70-130	17	0-20
431479	Lead	<1 ug/g	94	70-130	105	70-130	0	0-20
431479	Antimony	<1 ug/g	83	70-130	117	70-130	0	0-20
431479	Selenium	<0.5 ug/g	103	70-130	114	70-130	0	0-20
431479	Thallium	<1 ug/g	95	70-130	104	70-130	0	0-20
431479	Uranium	<0.5 ug/g	88	70-130	107	70-130	0	0-20
431479	Vanadium	<2 ug/g	103	70-130	157	70-130	12	0-20
431479	Zinc	<2 ug/g	106	70-130	130	70-130	13	0-20
431500	Trichlorobenzene, 1,2,4-	<0.04 ug/g	107	20-150		50-140	0	0-40
431500	Dichlorobenzene, 1,2-	<1 ug/g	100	20-150			0	
431500	Dichlorobenzene, 1,3-	<1 ug/g	120	20-150			0	
431500	Dichlorobenzene, 1,4-	<1 ug/g	100	20-150			0	
431500	Dinitrotoluene, 2,4-	<0.2 ug/g	104	20-150		50-140	0	0-40
431500	Dinitrotoluene, 2,6-	<0.02 ug/g	113	20-150		50-140	0	0-40
431500	Dichlorobenzidine, 3,3'-	<0.6 ug/g	102	20-150		30-130	0	0-40
431500	Bis(2-chloroisopropyl)ether	<0.2 ug/g	106	20-150		50-140	0	0-40
431500	Bis(2-chloroethyl)ether	<0.3 ug/g	96	20-150		50-140	0	0-40
431500	Bis(2-ethylhexyl)phthalate	<0.4 ug/g	106	20-150		50-140	0	0-40
431500	Diethyl Phthalate	<0.2 ug/g	128	20-150		50-140	0	0-40
431500	Dimethylphthalate	<0.2 ug/g	118	20-150		50-140	0	0-40
431500	Chloroaniline p-	<0.2 ug/g	56	20-150		30-130	0	0-40
431507	Tetrachloroethane, 1,1,1,2-	<0.05 ug/g	98	60-130		50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
431507	Trichloroethane, 1,1,1-	<0.05 ug/g	91	60-130		50-140	0	0-50
431507	Tetrachloroethane, 1,1,2,2-	<0.05 ug/g	99	60-130		50-140	0	0-30
431507	Trichloroethane, 1,1,2-	<0.05 ug/g	97	60-130		50-140	0	0-50
431507	Dichloroethane, 1,1-	<0.05 ug/g	92	60-130		50-140	0	0-50
431507	Dichloroethylene, 1,1-	<0.05 ug/g	81	60-130		50-140	0	0-50
431507	Dichlorobenzene, 1,2-	<0.05 ug/g	94	60-130		50-140	0	0-50
431507	Dichloroethane, 1,2-	<0.05 ug/g	92	60-130		50-140	0	0-50
431507	Dichloropropane, 1,2-	<0.05 ug/g	92	60-130		50-140	0	0-50
431507	Dichlorobenzene, 1,3-	<0.05 ug/g	91	60-130		50-140	0	0-50
431507	Dichloropropene,1,3-	<0.05 ug/g						
431507	Dichlorobenzene, 1,4-	<0.05 ug/g	91	60-130		50-140	0	0-50
431507	Acetone	<0.50 ug/g	94	60-130		50-140	0	0-50
431507	Benzene	<0.0068	94	60-130		50-140	0	0-50
431507	Bromodichloromethane	<0.05 ug/g	92	60-130		50-140	0	0-50
431507	Bromoform	<0.05 ug/g	94	60-130		50-140	0	0-50
431507	Bromomethane	<0.05 ug/g	81	60-130		50-140	0	0-50
431507	Dichloroethylene, 1,2-cis-	<0.05 ug/g	90	60-130		50-140	0	0-50
431507	Dichloropropene,1,3-cis-	<0.05 ug/g	82	60-130		50-140	0	0-50
431507	Carbon Tetrachloride	<0.05 ug/g	93	60-130		50-140	0	0-50
431507	Chloroform	<0.05 ug/g	93	60-130		50-140	0	0-50
431507	Dibromochloromethane	<0.05 ug/g	93	60-130		50-140	0	0-50
431507	Dichlorodifluoromethane	<0.05 ug/g	92	60-130		50-140	0	0-50
431507	Methylene Chloride	<0.05 ug/g	97	60-130		50-140	0	0-50
431507	Ethylbenzene	<0.018 ug/g	90	60-130		50-140	0	0-50
431507	Ethylene dibromide	<0.05 ug/g	99	60-130		50-140	0	0-50
431507	PHC's F1	<10 ug/g	90	80-120	105	60-140	0	0-30
431507	Hexane (n)	<0.05 ug/g	104	60-130		50-140	0	0-50
431507	Xylene, m/p-	<0.05 ug/g	97	60-130		50-140	0	0-50
431507	Methyl Ethyl Ketone	<0.50 ug/g	106	60-130		50-140	0	0-50
431507	Methyl Isobutyl Ketone	<0.50 ug/g	86	60-130		50-140	0	0-50
431507	Methyl tert-Butyl Ether (MTBE)	<0.05 ug/g	94	60-130		50-140	0	0-50
431507	Chlorobenzene	<0.05 ug/g	93	60-130		50-140	0	0-50
431507	Xylene, o-	<0.05 ug/g	92	60-130		50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
431507	Styrene	<0.05 ug/g	89	60-130		50-140	0	0-50
431507	Dichloroethylene, 1,2-trans-	<0.05 ug/g	93	60-130		50-140	0	0-50
431507	Dichloropropene, 1,3-trans-	<0.05 ug/g	86	60-130		50-140	0	0-50
431507	Tetrachloroethylene	<0.05 ug/g	90	60-130		50-140	0	0-50
431507	Toluene	<0.08 ug/g	89	60-130		50-140	0	0-50
431507	Trichloroethylene	<0.01 ug/g	89	60-130		50-140	0	0-50
431507	Trichlorofluoromethane	<0.05 ug/g	90	60-130		50-140	0	0-50
431507	Vinyl Chloride	<0.02 ug/g	99	60-130		50-140	0	0-50
431508	Xylene Mixture							
431509	PHC's F1-BTEX							

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
208523	Dinitrotoluene, 2,4&2,6-	GC/MS	2022-10-18	2022-10-18	C_M	B 625/P 8270
427676	Trichlorophenol, 2,4,5-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
427676	Trichlorophenol, 2,4,6-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
427676	Dichlorophenol, 2,4-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
427676	Dimethylphenol, 2,4-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
427676	Dinitrophenol, 2,4-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
427676	Chlorophenol, 2-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
427676	Pentachlorophenol	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
427676	Phenol	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431080	Methylnaphthalene, 1-	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Methylnaphthalene, 2-	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Acenaphthene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Acenaphthylene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Anthracene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Benz[a]anthracene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Benzo[a]pyrene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Benzo[b]fluoranthene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Benzo[ghi]perylene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Benzo[k]fluoranthene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Biphenyl 1,1'-	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Chrysene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Dibenz[a h]anthracene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Fluoranthene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Fluorene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Indeno[1 2 3-cd]pyrene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Naphthalene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Phenanthrene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431080	Pyrene	GC-MS	2022-10-13	2022-10-15	C_M	P 8270
431390	Cyanide (CN-)	Skalar CN Analyzer	2022-10-14	2022-10-14	Z_S	MOECC E3015
431432	1+2-methylnaphthalene	GC-MS	2022-10-17	2022-10-17	C_M	P 8270
431435	Chlordane, alpha-	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Aldrin	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
431435	Chlordane	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Dieldrin	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Endosulfan	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Endosulfan I	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Endosulfan II	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Endrin	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Hexachlorocyclohexane Gamma-	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Chlordane, gamma-	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Heptachlor	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Heptachlor Epoxide	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Hexachlorobenzene	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Hexachlorobutadiene	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Hexachloroethane	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	Methoxychlor	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	DDD	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	DDE	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431435	DDT	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431436	Aroclor 1242	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431436	Aroclor 1248	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431436	Aroclor 1254	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431436	Aroclor 1260	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431436	Polychlorinated Biphenyls	GC/ECD	2022-10-17	2022-10-17	R_G	EPA 8081B/8082A
431446	PHC's F2	GC/FID	2022-10-17	2022-10-17	SP	CCME
431446	PHC's F3	GC/FID	2022-10-17	2022-10-17	SP	CCME
431446	PHC's F4	GC/FID	2022-10-17	2022-10-17	SP	CCME
431446	Moisture-Humidite	Oven	2022-10-17	2022-10-17	SP	ASTM 2216
431448	pH - CaCl2	pH Meter	2022-10-17	2022-10-17	MW	Ag Soil
431456	Chromium VI	FAA	2022-10-17	2022-10-17	MW	M US EPA 3060A
431468	PHC's F2-Naph	GC/FID	2022-10-17	2022-10-17	SP	CCME
431469	PHC's F3-PAH	GC/FID	2022-10-17	2022-10-17	SP	CCME
431471	Electrical Conductivity	Electrical Conductivity Mete	2022-10-17	2022-10-17	Z_S	Cond-Soil
431473	Sodium Adsorption Ratio	iCAP OES	2022-10-17	2022-10-17	Z_S	Ag Soil
431478	Boron (Hot Water Soluble)	iCAP OES	2022-10-17	2022-10-17	Z_S	MOECC E3470

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
431479	Silver	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Arsenic	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Boron (total)	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Barium	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Beryllium	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Cadmium	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Cobalt	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Chromium Total	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Copper	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Mercury	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Molybdenum	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Nickel	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Lead	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Antimony	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Selenium	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Thallium	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Uranium	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Vanadium	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431479	Zinc	ICAPQ-MS	2022-10-17	2022-10-17	SD	EPA 200.8/6020
431500	Trichlorobenzene, 1,2,4-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Dichlorobenzene, 1,2-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Dichlorobenzene, 1,3-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Dichlorobenzene, 1,4-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Dinitrotoluene, 2,4-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Dinitrotoluene, 2,6-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Dichlorobenzidine, 3,3'-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Bis(2-chloroisopropyl)ether	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Bis(2-chloroethyl)ether	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Bis(2-ethylhexyl)phthalate	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Diethyl Phthalate	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Dimethylphthalate	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431500	Chloroaniline p-	GC/MS	2022-10-17	2022-10-18	C_M	B 625/P 8270
431507	Tetrachloroethane, 1,1,1,2-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
431507	Trichloroethane, 1,1,1-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Tetrachloroethane, 1,1,2,2-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Trichloroethane, 1,1,2-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichloroethane, 1,1-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichloroethylene, 1,1-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichlorobenzene, 1,2-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichloroethane, 1,2-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichloropropane, 1,2-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichlorobenzene, 1,3-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichloropropene, 1,3-	GC-MS	2022-10-18	2022-10-18	PJ	V 8260B
431507	Dichlorobenzene, 1,4-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Acetone	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Benzene	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Bromodichloromethane	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Bromoform	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Bromomethane	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichloroethylene, 1,2-cis-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichloropropene, 1,3-cis-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Carbon Tetrachloride	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Chloroform	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dibromochloromethane	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichlorodifluoromethane	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Methylene Chloride	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Ethylbenzene	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Ethylene dibromide	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	PHC's F1	GC/FID	2022-10-18	2022-10-18	PJ	CCME
431507	Hexane (n)	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Xylene, m/p-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Methyl Ethyl Ketone	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Methyl Isobutyl Ketone	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Methyl tert-Butyl Ether (MTBE)	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Chlorobenzene	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Xylene, o-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1987936
 Date Submitted: 2022-10-11
 Date Reported: 2022-10-18
 Project: 190261800
 COC #: 218968

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
431507	Styrene	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichloroethylene, 1,2-trans-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Dichloropropene, 1,3-trans-	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Tetrachloroethylene	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Toluene	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Trichloroethylene	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Trichlorofluoromethane	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431507	Vinyl Chloride	GC-MS	2022-10-14	2022-10-17	PJ	V 8260B
431508	Xylene Mixture	GC-MS	2022-10-18	2022-10-18	PJ	V 8260B
431509	PHC's F1-BTEX	GC/FID	2022-10-18	2022-10-18	PJ	CCME

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
125 Commerce Valley Drive West
Thornhill, Ontario
L3T 7W4
Attention: Mr. Sarth Sheth
PO#:
Invoice to: Morrison Hershfield

Report Number: 1987936
Date Submitted: 2022-10-11
Date Reported: 2022-10-18
Project: 190261800
COC #: 218968

CWS for Petroleum Hydrocarbons in Soil - Tier 1**Notes:**

1. The laboratory method complies with CCME Tier 1 reference method for PHC in soil. It is validated for laboratory use.
2. Where the F1 fraction (C6 to C10) and BTEX are both measured, F1-BTEX is reported.
3. Where the F2 fraction (C10 to C16) and naphthalene are both measured, F2-naphthalene is reported.
4. Where the F3 fraction (C16 to C34) and PAHs* are both measured, F3-PAH is reported.
5. F4G is analyzed if the chromatogram does not descend to baseline before C50. Where F4 (C34 to C50) and F4G are both reported, the higher result is compared to the standard.
6. Unless otherwise stated in the sample comments, the following criteria have been met where applicable:
 - nC6 and nC10 response factors within 30% of response factor for toluene;
 - nC10, nC16, and nC34 response factors within 10% of each other;
 - C50 response factors within 70% of nC10 + nC16 + nC34 average; and,
 - Linearity is within 15%.
7. Unless otherwise stated in the sample comments, sampling requirements and analytical holding times have been met.
8. Gravimetric heavy hydrocarbons (F4G) cannot be added to the C6 and C50 hydrocarbons.
9. *PAHs = phenanthrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, fluoranthene, dibenz(a,h)anthracene, indeno(1,2,3-c,d)pyrene and pyrene.

CLIENT INFORMATION		INVOICE INFORMATION (SAME AS CLIENT INFORMATION: YES <input type="checkbox"/> NO <input type="checkbox"/>	
Company: Morrison Hershfield (MH)	Company: MH	Fax:	
Contact: Sarth Sheth; Nicholas Moore	Contact: Accounts Payable	Email: #1:	
Address:	Address:	Email: #2:	
Telephone:	Cell: 6393178111	Telephone:	PO #:

Email: #1: ssheth@morrisonhershfield.com	REGULATION/GUIDELINE REQUIRED
Email: #2: nmoore@morrisonhershfield.com	
Project: 190261800 Quote #:	
TURN-AROUND TIME (Business Days)	
<input type="checkbox"/> 1 Day* (100%) <input type="checkbox"/> 2 Day** (50%) <input type="checkbox"/> 3-5 Days (25%) <input checked="" type="checkbox"/> 5-7 Days (Standard)	
Please contact Lab in advance to determine rush availability. *For results reported after rush due date, surcharges will apply: before 12:00 - 100%, after 12:00 - 50%. **For results reported after rush due date, surcharges will apply: before 12:00 - 50%, after 12:00 - 25%.	

<input type="checkbox"/> Sanitary Sewer, City: _____	<input checked="" type="checkbox"/> O. Reg 153 3 and ICC
<input type="checkbox"/> Storm Sewer, City: _____	The sample results from this submission will form part of a formal Record of Site Condition (RSC) under O.Reg. 153/04. Analysis of full parameter list only. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
<input type="checkbox"/> ODWSOG (Use DW CoC if analyzing drinking water)	Table # 3 ^{3 and ICC} Coarse / Fine, Surface subsurface Type: Com-Ind / Res-Park / Agri / GV All Other / Sediment
<input type="checkbox"/> PWQO	
<input type="checkbox"/> O.Reg 347	<input checked="" type="checkbox"/> O. Reg 406 Excess Soils Tab 1-3
<input type="checkbox"/> Other: _____	Table # 1-3 Full depth/Strat/Ceiling/mSPLP Leachate Type: Com-Ind / Res-Park / Agri / All Other Category: Surface / Subsurface

The optimal temperature conditions during transport should be less than 10°C. Sample(s) cannot be frozen, unless otherwise indicated or agreed upon with the Laboratory. Note that this COC is not to be used for drinking water samples. The COC must be complete upon submission of the samples, there will be a \$25 surcharge if required information is missing (required fields are shaded in grey).

Sample Details												RN# (Lab Use Only)					
Field Filtered ->																	
Sample Matrix	# of Containers	O.Reg.153 parameters								Phenols	Diocins		Furans	OCPS			
		PHC F1 - F4	BTEX	VOCs	PAHs	PCBs	Metals + Inorganics	Metals only									
BH C1 - SS2	1																1655943
BH C1 - SS5	3	X		X	X												44
A 27-2 SS3	1																45
A 27-2 SS5	3	X		X	X					X	X	X					46
A 22-2 SS-6	1							X						X			47
A 22-2 SS-7	1											X	X				on hold

PRINT	SIGN	DATE/TIME	TEMP (°C)	COMMENTS:
Sampled By: Sarth Sheth / Nicholas Moore	<i>Sarth Sheth</i>	Oct 11, 2022		
Relinquished By: Nicholas Moore	<i>N. Moore</i>	Oct 11, 2022	7.1°C	
Received By: Victor Gallant	<i>V. Gallant</i>	10/11/22 5:08 PM		

CUSTODY SEAL: YES NO Ice packs submit Yes No

Client: Morrison Hershfield Limited
2440 Don Reid Drive, Suite 200
Ottawa, ON
K1H 1E1
Attention: Mr. Sarth Sheth
Invoice to: Morrison Hershfield Limited
PO#:

Report Number: 1992714
Date Submitted: 2023-01-17
Date Reported: 2023-01-24
Project: 190261800
COC #: 904898
Temperature (C): 6
Custody Seal:

Page 1 of 26

Dear Sarth Sheth:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Report Comments:

Raheleh Zafari, Environmental Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <https://directory.cala.ca/>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

O.Reg 153-T1-All Other Soils

Exceedence Summary

Sample I.D.	Analyte	Result	Units	Criteria
Inorganics				
BHP 22	Electrical Conductivity	0.68	mS/cm	STD 0.57
BHP 22	Sodium Adsorption Ratio	9.54		STD 2.4
BHP4	Sodium Adsorption Ratio	3.92		STD 2.4
BHP5	Electrical Conductivity	2.96	mS/cm	STD 0.57
BHP5	Sodium Adsorption Ratio	84.1		STD 2.4
BHP7	Electrical Conductivity	4.18	mS/cm	STD 0.57
BHP7	Sodium Adsorption Ratio	52.6		STD 2.4
BHP9	Electrical Conductivity	1.10	mS/cm	STD 0.57
BHP9	Sodium Adsorption Ratio	12.9		STD 2.4
Volatiles				
BHP5	Xylene Mixture	0.06	ug/g	STD 0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

Hydrocarbons

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.		
					1671394	Soil153	Soil153	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16
PHC's F1	436571	10	ug/g	STD 25	<10	<10	<10	<10	<10	<10		
PHC's F1-BTEX	436576	10	ug/g		<10	<10	<10	<10	<10	<10		
PHC's F2	436614	2	ug/g	STD 10	<2	<2	<2	<2	<2	<2		
PHC's F2-Naphth	436683	2	ug/g		<2	<2	<2	<2	<2	<2		
PHC's F3	436614	20	ug/g	STD 240	40	<20	<20	<20	<20	<20		
PHC's F3-PAH	436684	20	ug/g		40	<20	<20	<20	<20	<20		
PHC's F4	436614	20	ug/g	STD 120	30	<20	<20	100	<20	<20		

Hydrocarbons

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.
					1671400	Soil153	Soil153	2023-01-16	2023-01-16	2023-01-16
PHC's F1	436571	10	ug/g	STD 25	<10	<10	<10			
PHC's F1-BTEX	436576	10	ug/g		<10	<10	<10			
PHC's F2	436614	2	ug/g	STD 10	<2	<2	<2			
PHC's F2-Naphth	436683	2	ug/g		<2	<2	<2			
PHC's F3	436614	20	ug/g	STD 240	<20	<20	<20			
PHC's F3-PAH	436684	20	ug/g		<20	<20	<20			
PHC's F4	436614	20	ug/g	STD 120	<20	<20	<20			

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

Metals

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1671394 Soil153	1671395 Soil153	1671396 Soil153	1671397 Soil153	1671398 Soil153
2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16
BHP4	BHP5	BHP7	BHP9	BHP 10

Analyte	Batch No	MRL	Units	Guideline	BHP4	BHP5	BHP7	BHP9	BHP 10
Antimony	436514	1	ug/g	STD 1.3	<1	<1	<1	<1	<1
Arsenic	436514	1	ug/g	STD 18	3	2	2	1	<1
Barium	436514	1	ug/g	STD 220	56	43	46	18	10
Beryllium	436514	1	ug/g	STD 2.5	<1	<1	<1	<1	<1
Boron (Hot Water Soluble)	436589	0.5	ug/g		<0.5	<0.5	<0.5	<0.5	<0.5
Boron (total)	436514	5	ug/g	STD 36	6	5	<5	<5	<5
Cadmium	436514	0.4	ug/g	STD 1.2	<0.4	<0.4	<0.4	<0.4	<0.4
Chromium Total	436514	1	ug/g	STD 70	24	16	17	10	5
Chromium VI	436507	0.20	ug/g	STD 0.66	<0.20	<0.20	<0.20	0.29	<0.20
Cobalt	436514	1	ug/g	STD 21	7	6	5	3	2
Copper	436514	1	ug/g	STD 92	22	16	10	9	4
Lead	436514	1	ug/g	STD 120	16	6	8	10	2
Mercury	436514	0.1	ug/g	STD 0.27	<0.1	<0.1	<0.1	<0.1	<0.1
Molybdenum	436514	1	ug/g	STD 2	<1	<1	<1	<1	<1
Nickel	436514	1	ug/g	STD 82	18	14	11	6	3
Selenium	436514	0.5	ug/g	STD 1.5	<0.5	<0.5	<0.5	<0.5	<0.5
Silver	436514	0.2	ug/g	STD 0.5	<0.2	<0.2	<0.2	<0.2	<0.2
Thallium	436514	1	ug/g	STD 1	<1	<1	<1	<1	<1
Uranium	436514	0.5	ug/g	STD 2.5	<0.5	<0.5	<0.5	<0.5	<0.5
Vanadium	436514	2	ug/g	STD 86	28	22	21	15	13
Zinc	436514	2	ug/g	STD 290	52	30	35	25	9

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

Metals

Lab I.D.	1671399	1671400	1671401
Sample Matrix	Soil153	Soil153	Soil153
Sample Type			
Sample Date	2023-01-16	2023-01-16	2023-01-16
Sampling Time			
Sample I.D.	BHP Dup 10	BHP11	BHP 22

Analyte	Batch No	MRL	Units	Guideline	BHP Dup 10	BHP11	BHP 22
Antimony	436514	1	ug/g	STD 1.3	<1	<1	<1
Arsenic	436514	1	ug/g	STD 18	<1	2	<1
Barium	436514	1	ug/g	STD 220	10	18	11
Beryllium	436514	1	ug/g	STD 2.5	<1	<1	<1
Boron (Hot Water Soluble)	436589	0.5	ug/g		<0.5	<0.5	<0.5
Boron (total)	436514	5	ug/g	STD 36	<5	<5	<5
Cadmium	436514	0.4	ug/g	STD 1.2	<0.4	<0.4	<0.4
Chromium Total	436514	1	ug/g	STD 70	4	6	5
Chromium VI	436507	0.20	ug/g	STD 0.66	<0.20	<0.20	<0.20
Cobalt	436514	1	ug/g	STD 21	1	3	2
Copper	436514	1	ug/g	STD 92	5	11	5
Lead	436514	1	ug/g	STD 120	2	4	2
Mercury	436514	0.1	ug/g	STD 0.27	<0.1	<0.1	<0.1
Molybdenum	436514	1	ug/g	STD 2	<1	<1	<1
Nickel	436514	1	ug/g	STD 82	3	7	3
Selenium	436514	0.5	ug/g	STD 1.5	<0.5	<0.5	<0.5
Silver	436514	0.2	ug/g	STD 0.5	<0.2	<0.2	<0.2
Thallium	436514	1	ug/g	STD 1	<1	<1	<1
Uranium	436514	0.5	ug/g	STD 2.5	<0.5	<0.5	<0.5
Vanadium	436514	2	ug/g	STD 86	11	11	11
Zinc	436514	2	ug/g	STD 290	8	26	10

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

OCP/PCB

Lab I.D.	1671396	1671397
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2023-01-16	2023-01-16
Sampling Time		
Sample I.D.	BHP7	BHP9

Analyte	Batch No	MRL	Units	Guideline		
Aldrin	436664	0.002	ug/g	STD 0.05	<0.002	<0.002
Chlordane	436664	0.006	ug/g	STD 0.05	<0.006	<0.006
Chlordane, alpha-	436664	0.002	ug/g		<0.002	<0.002
Chlordane, gamma-	436664	0.002	ug/g		<0.002	<0.002
DDD	436664	0.002	ug/g	STD 0.05	<0.002	<0.002
DDE	436664	0.002	ug/g	STD 0.05	<0.002	<0.002
DDT	436664	0.002	ug/g	STD 1.4	<0.002	<0.002
Dieldrin	436664	0.002	ug/g	STD 0.05	<0.002	<0.002
Endosulfan	436664	0.004	ug/g	STD 0.04	<0.004	<0.004
Endosulfan I	436664	0.002	ug/g		<0.002	<0.002
Endosulfan II	436664	0.002	ug/g		<0.002	<0.002
Endrin	436664	0.002	ug/g	STD 0.04	<0.002	<0.002
Heptachlor	436664	0.002	ug/g	STD 0.05	<0.002	<0.002
Heptachlor Epoxide	436664	0.002	ug/g	STD 0.05	<0.002	<0.002
Hexachlorobenzene	436664	0.002	ug/g	STD 0.01	<0.002	<0.002
Hexachlorobutadiene	436664	0.002	ug/g	STD 0.01	<0.002	<0.002
Hexachlorocyclohexane Gamma-	436664	0.002	ug/g	STD 0.01	<0.002	<0.002
Hexachloroethane	436664	0.002	ug/g	STD 0.01	<0.002	<0.002
Methoxychlor	436664	0.002	ug/g	STD 0.05	<0.002	<0.002

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

PAH

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671394	1671395	1671396	1671397	1671398
					Sample Matrix	Soil153	Soil153	Soil153	Soil153	Soil153
					Sample Date	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16
					Sampling Time					
					Sample I.D.	BHP4	BHP5	BHP7	BHP9	BHP 10
1+2-methylnaphthalene	436667	0.05	ug/g			<0.05	<0.05	<0.05	<0.05	
	436681	0.05	ug/g							<0.05
Acenaphthene	436398	0.05	ug/g	STD 0.072		<0.05	<0.05	<0.05	<0.05	<0.05
Acenaphthylene	436398	0.05	ug/g	STD 0.093		<0.05	<0.05	<0.05	<0.05	<0.05
Anthracene	436398	0.05	ug/g	STD 0.16		0.06	<0.05	<0.05	<0.05	<0.05
Benz[a]anthracene	436398	0.05	ug/g	STD 0.36		<0.05	<0.05	<0.05	<0.05	<0.05
Benzo[a]pyrene	436398	0.05	ug/g	STD 0.3		<0.05	<0.05	<0.05	<0.05	<0.05
Benzo[b]fluoranthene	436398	0.05	ug/g	STD 0.47		<0.05	<0.05	<0.05	<0.05	<0.05
Benzo[ghi]perylene	436398	0.05	ug/g	STD 0.68		<0.05	<0.05	<0.05	<0.05	<0.05
Benzo[k]fluoranthene	436398	0.05	ug/g	STD 0.48		<0.05	<0.05	<0.05	<0.05	<0.05
Chrysene	436398	0.05	ug/g	STD 2.8		<0.05	<0.05	<0.05	<0.05	<0.05
Dibenz[a h]anthracene	436398	0.05	ug/g	STD 0.1		<0.05	<0.05	<0.05	<0.05	<0.05
Fluoranthene	436398	0.05	ug/g	STD 0.56		0.09	<0.05	<0.05	<0.05	<0.05
Fluorene	436398	0.05	ug/g	STD 0.12		<0.05	<0.05	<0.05	<0.05	<0.05
Indeno[1 2 3-cd]pyrene	436398	0.05	ug/g	STD 0.23		<0.05	<0.05	<0.05	<0.05	<0.05
Methylnaphthalene, 1-	436398	0.05	ug/g	STD 0.59		<0.05	<0.05	<0.05	<0.05	<0.05
Methylnaphthalene, 2-	436398	0.05	ug/g	STD 0.59		<0.05	<0.05	<0.05	<0.05	<0.05
Naphthalene	436398	0.013	ug/g	STD 0.09		<0.013	<0.013	<0.013	<0.013	<0.013
Phenanthrene	436398	0.05	ug/g	STD 0.69		<0.05	<0.05	<0.05	<0.05	<0.05
Pyrene	436398	0.05	ug/g	STD 1		0.08	<0.05	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

PAH

Lab I.D.	1671400	1671401	1671402
Sample Matrix	Soil153	Soil153	Soil153
Sample Type			
Sample Date	2023-01-16	2023-01-16	2023-01-16
Sampling Time			
Sample I.D.	BHP11	BHP 22	BHP Dup 22

Analyte	Batch No	MRL	Units	Guideline	1671400	1671401	1671402
1+2-methylnaphthalene	436681	0.05	ug/g		<0.05	<0.05	<0.05
Acenaphthene	436398	0.05	ug/g	STD 0.072	<0.05	<0.05	<0.05
Acenaphthylene	436398	0.05	ug/g	STD 0.093	<0.05	<0.05	<0.05
Anthracene	436398	0.05	ug/g	STD 0.16	<0.05	<0.05	<0.05
Benz[a]anthracene	436398	0.05	ug/g	STD 0.36	<0.05	<0.05	<0.05
Benzo[a]pyrene	436398	0.05	ug/g	STD 0.3	<0.05	<0.05	<0.05
Benzo[b]fluoranthene	436398	0.05	ug/g	STD 0.47	<0.05	<0.05	<0.05
Benzo[ghi]perylene	436398	0.05	ug/g	STD 0.68	<0.05	<0.05	<0.05
Benzo[k]fluoranthene	436398	0.05	ug/g	STD 0.48	<0.05	<0.05	<0.05
Chrysene	436398	0.05	ug/g	STD 2.8	<0.05	<0.05	<0.05
Dibenz[a h]anthracene	436398	0.05	ug/g	STD 0.1	<0.05	<0.05	<0.05
Fluoranthene	436398	0.05	ug/g	STD 0.56	<0.05	<0.05	<0.05
Fluorene	436398	0.05	ug/g	STD 0.12	<0.05	<0.05	<0.05
Indeno[1 2 3-cd]pyrene	436398	0.05	ug/g	STD 0.23	<0.05	<0.05	<0.05
Methylnaphthalene, 1-	436398	0.05	ug/g	STD 0.59	<0.05	<0.05	<0.05
Methylnaphthalene, 2-	436398	0.05	ug/g	STD 0.59	<0.05	<0.05	<0.05
Naphthalene	436398	0.013	ug/g	STD 0.09	<0.013	<0.013	<0.013
Phenanthrene	436398	0.05	ug/g	STD 0.69	<0.05	<0.05	<0.05
Pyrene	436398	0.05	ug/g	STD 1	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

Volatiles

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671394	1671395	1671396	1671397	1671398
					Soil153	Soil153	Soil153	Soil153	Soil153	
					Sample Matrix	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16
					Sample Type	BHP4	BHP5	BHP7	BHP9	BHP 10
					Sample Date					
					Sampling Time					
					Sample I.D.					
Acetone	436571	0.50	ug/g	STD 0.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Benzene	436571	0.0068	ug/g	STD 0.02	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068	<0.0068
Bromodichloromethane	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Bromoform	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Bromomethane	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Carbon Tetrachloride	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Chlorobenzene	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Chloroform	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dibromochloromethane	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,3-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,4-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichlorodifluoromethane	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,1-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,1-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,2-cis-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,2-trans-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropane, 1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropene, 1,3-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropene, 1,3-cis-	436571	0.05	ug/g		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Dichloropropene, 1,3-trans-	436571	0.05	ug/g		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Ethylbenzene	436571	0.018	ug/g	STD 0.05	<0.018	<0.018	<0.018	<0.018	<0.018	<0.018

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

Volatiles

Lab I.D. 1671394
 Sample Matrix Soil153
 Sample Type
 Sample Date 2023-01-16
 Sampling Time
 Sample I.D. BHP4

1671395 Soil153	1671396 Soil153	1671397 Soil153	1671398 Soil153
2023-01-16	2023-01-16	2023-01-16	2023-01-16
BHP5	BHP7	BHP9	BHP 10

Analyte	Batch No	MRL	Units	Guideline	BHP4	BHP5	BHP7	BHP9	BHP 10
Ethylene dibromide	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Hexane (n)	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Methyl Ethyl Ketone	436571	0.50	ug/g	STD 0.5	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	436571	0.50	ug/g	STD 0.5	<0.50	<0.50	<0.50	<0.50	<0.50
Methyl tert-Butyl Ether (MTBE)	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Methylene Chloride	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Styrene	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,2,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethylene	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Toluene	436571	0.08	ug/g	STD 0.2	<0.08	<0.08	<0.08	<0.08	<0.08
Trichloroethane, 1,1,1-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Trichloroethane, 1,1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Trichloroethylene	436571	0.01	ug/g	STD 0.05	<0.01	<0.01	<0.01	<0.01	<0.01
Trichlorofluoromethane	436571	0.05	ug/g	STD 0.25	<0.05	<0.05	<0.05	<0.05	<0.05
Vinyl Chloride	436571	0.02	ug/g	STD 0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Xylene Mixture	436575	0.05	ug/g	STD 0.05	<0.05	0.06*	<0.05	<0.05	<0.05
Xylene, m/p-	436571	0.05	ug/g		<0.05	0.06	<0.05	<0.05	<0.05
Xylene, o-	436571	0.05	ug/g		<0.05	<0.05	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

Volatiles

Lab I.D.	1671400	1671401	1671402
Sample Matrix	Soil153	Soil153	Soil153
Sample Type			
Sample Date	2023-01-16	2023-01-16	2023-01-16
Sampling Time			
Sample I.D.	BHP11	BHP 22	BHP Dup 22

Analyte	Batch No	MRL	Units	Guideline	1671400	1671401	1671402
Acetone	436571	0.50	ug/g	STD 0.5	<0.50	<0.50	<0.50
Benzene	436571	0.0068	ug/g	STD 0.02	<0.0068	<0.0068	<0.0068
Bromodichloromethane	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Bromoform	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Bromomethane	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Carbon Tetrachloride	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Chlorobenzene	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Chloroform	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dibromochloromethane	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,3-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,4-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichlorodifluoromethane	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,1-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,1-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,2-cis-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,2-trans-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloropropane, 1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloropropene, 1,3-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Dichloropropene, 1,3-cis-	436571	0.05	ug/g		<0.05	<0.05	<0.05
Dichloropropene, 1,3-trans-	436571	0.05	ug/g		<0.05	<0.05	<0.05
Ethylbenzene	436571	0.018	ug/g	STD 0.05	<0.018	<0.018	<0.018

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

Volatiles

Lab I.D.	1671400	1671401	1671402
Sample Matrix	Soil153	Soil153	Soil153
Sample Type			
Sample Date	2023-01-16	2023-01-16	2023-01-16
Sampling Time			
Sample I.D.	BHP11	BHP 22	BHP Dup 22

Analyte	Batch No	MRL	Units	Guideline	1671400	1671401	1671402
Ethylene dibromide	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Hexane (n)	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Methyl Ethyl Ketone	436571	0.50	ug/g	STD 0.5	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	436571	0.50	ug/g	STD 0.5	<0.50	<0.50	<0.50
Methyl tert-Butyl Ether (MTBE)	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Methylene Chloride	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Styrene	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,2,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Tetrachloroethylene	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Toluene	436571	0.08	ug/g	STD 0.2	<0.08	<0.08	<0.08
Trichloroethane, 1,1,1-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Trichloroethane, 1,1,2-	436571	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Trichloroethylene	436571	0.01	ug/g	STD 0.05	<0.01	<0.01	<0.01
Trichlorofluoromethane	436571	0.05	ug/g	STD 0.25	<0.05	<0.05	<0.05
Vinyl Chloride	436571	0.02	ug/g	STD 0.02	<0.02	<0.02	<0.02
Xylene Mixture	436575	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05
Xylene, m/p-	436571	0.05	ug/g		<0.05	<0.05	<0.05
Xylene, o-	436571	0.05	ug/g		<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

Inorganics

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671394	1671395	1671396	1671397	1671398
					Sample Matrix	Soil153	Soil153	Soil153	Soil153	Soil153
					Sample Type					
					Sample Date	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16
					Sampling Time					
					Sample I.D.	BHP4	BHP5	BHP7	BHP9	BHP 10
Cyanide (CN-)	436515	0.005	ug/g	STD 0.051		<0.005	<0.005	<0.005	<0.005	<0.005
Electrical Conductivity	436508	0.05	mS/cm	STD 0.57		0.40	2.96*	4.18*	1.10*	0.12
pH - CaCl2	436499	2.00				8.05	8.14	8.10	8.25	8.20
Sodium Adsorption Ratio	436522	0.01		STD 2.4		3.92*	84.1*	52.6*	12.9*	0.31

Inorganics

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671399	1671400	1671401
					Sample Matrix	Soil153	Soil153	Soil153
					Sample Type			
					Sample Date	2023-01-16	2023-01-16	2023-01-16
					Sampling Time			
					Sample I.D.	BHP Dup 10	BHP11	BHP 22
Cyanide (CN-)	436515	0.005	ug/g	STD 0.051		<0.005	<0.005	<0.005
Electrical Conductivity	436508	0.05	mS/cm	STD 0.57		0.09	0.10	0.68*
pH - CaCl2	436499	2.00				8.20	8.22	8.23
Sodium Adsorption Ratio	436522	0.01		STD 2.4		0.15	0.14	9.54*

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

Moisture

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.		
					1671394	Soil153	Soil153	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16
Moisture-Humidite	436614	0.1	%		11.2	11.0	18.1	2.9	10.6			

Moisture

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.
					1671400	Soil153	Soil153	Soil153	2023-01-16	2023-01-16
Moisture-Humidite	436614	0.1	%		8.2	9.1	14.1			

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

PCBs

Lab I.D.	1671396	1671397
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2023-01-16	2023-01-16
Sampling Time		
Sample I.D.	BHP7	BHP9

Analyte	Batch No	MRL	Units	Guideline
---------	----------	-----	-------	-----------

Analyte	Batch No	MRL	Units	Guideline	1671396	1671397
Aroclor 1242	436662	0.02	ug/g		<0.02	<0.02
Aroclor 1248	436662	0.02	ug/g		<0.02	<0.02
Aroclor 1254	436662	0.02	ug/g		<0.02	<0.02
Aroclor 1260	436662	0.02	ug/g		<0.02	<0.02
Polychlorinated Biphenyls	436662	0.02	ug/g	STD 0.3	<0.02	<0.02

PCB Surrogate

Lab I.D.	1671396	1671397
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2023-01-16	2023-01-16
Sampling Time		
Sample I.D.	BHP7	BHP9

Analyte	Batch No	MRL	Units	Guideline
---------	----------	-----	-------	-----------

Analyte	Batch No	MRL	Units	Guideline	1671396	1671397
Decachlorobiphenyl	436663	0	%		87	75

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

PHC Surrogate

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

Analyte	Batch No	MRL	Units	Guideline	1671394 Soil153	1671395 Soil153	1671396 Soil153	1671397 Soil153	1671398 Soil153
Alpha-androstrane	436614	0	%		65	69	61	66	71

PHC Surrogate

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

Analyte	Batch No	MRL	Units	Guideline	1671400 Soil153	1671401 Soil153	1671402 Soil153
Alpha-androstrane	436614	0	%		72	71	65

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Guideline = O.Reg 153-T1-All Other Soils - Res/Par/Ins/Ind/Com/Prop

VOCs Surrogates

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671394	1671395	1671396	1671397	1671398
					Sample Matrix	Soil153	Soil153	Soil153	Soil153	Soil153
					Sample Type	2023-01-16	2023-01-16	2023-01-16	2023-01-16	2023-01-16
					Sample Date					
					Sampling Time					
					Sample I.D.	BHP4	BHP5	BHP7	BHP9	BHP 10
1,2-dichloroethane-d4	436571	0	%			94	97	100	106	108
4-bromofluorobenzene	436571	0	%			106	107	104	92	89
Toluene-d8	436571	0	%			94	94	94	99	99

VOCs Surrogates

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671400	1671401	1671402
					Sample Matrix	Soil153	Soil153	Soil153
					Sample Type	2023-01-16	2023-01-16	2023-01-16
					Sample Date			
					Sampling Time			
					Sample I.D.	BHP11	BHP 22	BHP Dup 22
1,2-dichloroethane-d4	436571	0	%			109	110	106
4-bromofluorobenzene	436571	0	%			89	89	87
Toluene-d8	436571	0	%			99	100	98

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436398	Methlynaphthalene, 1-	<0.05 ug/g	81	50-140	56	50-140	0	0-40
436398	Methlynaphthalene, 2-	<0.05 ug/g	78	50-140	52	50-140	0	0-40
436398	Acenaphthene	<0.05 ug/g	90	50-140	69	50-140	0	0-40
436398	Acenaphthylene	0.05 ug/g	86	50-140	65	50-140	0	0-40
436398	Anthracene	<0.05 ug/g	90	50-140	72	50-140	0	0-40
436398	Benz[a]anthracene	<0.05 ug/g	83	50-140	77	50-140	0	0-40
436398	Benzo[a]pyrene	<0.05 ug/g	74	50-140	51	50-140	0	0-40
436398	Benzo[b]fluoranthene	<0.05 ug/g	82	50-140	68	50-140	0	0-40
436398	Benzo[ghi]perylene	<0.05 ug/g	92	50-140	52	50-140	0	0-40
436398	Benzo[k]fluoranthene	<0.05 ug/g	92	50-140	73	50-140	0	0-40
436398	Chrysene	<0.05 ug/g	89	50-140	79	50-140	0	0-40
436398	Dibenz[a h]anthracene	<0.05 ug/g	89	50-140	52	50-140	0	0-40
436398	Fluoranthene	<0.05 ug/g	84	50-140	76	50-140	0	0-40
436398	Fluorene	<0.05 ug/g	88	50-140	69	50-140	0	0-40
436398	Indeno[1 2 3-cd]pyrene	<0.05 ug/g	89	50-140	54	50-140	0	0-40
436398	Naphthalene	<0.013 ug/g	85	50-140	81	50-140	0	0-40
436398	Phenanthrene	<0.05 ug/g	86	50-140	80	50-140	0	0-40
436398	Pyrene	<0.05 ug/g	84	50-140	76	50-140	0	0-40
436499	pH - CaCl2	6.25	102	90-110			0	
436507	Chromium VI	<0.20 ug/g	105	70-130	87	70-130	0	0-35
436508	Electrical Conductivity	<0.05	102	90-110			1	0-10
436514	Silver	<0.2 ug/g	109	70-130	106	70-130	0	0-20
436514	Arsenic	<1 ug/g	90	70-130	100	70-130	0	0-20
436514	Boron (total)	<5 ug/g	100	70-130	118	70-130	0	0-20
436514	Barium	<1 ug/g	95	70-130	142	70-130	3	0-20
436514	Beryllium	<1 ug/g	97	70-130	97	70-130	0	0-20
436514	Cadmium	<0.4 ug/g	97	70-130	104	70-130	0	0-20
436514	Cobalt	<1 ug/g	97	70-130	98	70-130	1	0-20
436514	Chromium Total	<1 ug/g	101	70-130	148	70-130	8	0-20
436514	Copper	<1 ug/g	101	70-130	105	70-130	3	0-20
436514	Mercury	<0.1 ug/g	90	70-130	93	70-130	0	0-20
436514	Molybdenum	<1 ug/g	95	70-130	102	70-130	0	0-20

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436514	Nickel	<1 ug/g	99	70-130	110	70-130	4	0-20
436514	Lead	<1 ug/g	92	70-130	93	70-130	4	0-20
436514	Antimony	<1 ug/g	82	70-130	93	70-130	0	0-20
436514	Selenium	<0.5 ug/g	98	70-130	101	70-130	0	0-20
436514	Thallium	<1 ug/g	93	70-130	93	70-130	0	0-20
436514	Uranium	<0.5 ug/g	97	70-130	102	70-130	0	0-20
436514	Vanadium	<2 ug/g	95	70-130	140	70-130	6	0-20
436514	Zinc	<2 ug/g	99	70-130	147	70-130	13	0-20
436515	Cyanide (CN-)	<0.005 ug/g	98	75-125	99	70-130	0	0-20
436522	Sodium Adsorption Ratio	<0.01					6	
436571	Tetrachloroethane, 1,1,1,2-	<0.05 ug/g	98	60-130	94	50-140	0	0-50
436571	Trichloroethane, 1,1,1-	<0.05 ug/g	91	60-130	98	50-140	0	0-50
436571	Tetrachloroethane, 1,1,2,2-	<0.05 ug/g	99	60-130	97	50-140	0	0-30
436571	Trichloroethane, 1,1,2-	<0.05 ug/g	97	60-130	96	50-140	0	0-50
436571	Dichloroethane, 1,1-	<0.05 ug/g	92	60-130	95	50-140	0	0-50
436571	Dichloroethylene, 1,1-	<0.05 ug/g	81	60-130	109	50-140	0	0-50
436571	Dichlorobenzene, 1,2-	<0.05 ug/g	94	60-130	99	50-140	0	0-50
436571	Dichloroethane, 1,2-	<0.05 ug/g	92	60-130	105	50-140	0	0-50
436571	Dichloropropane, 1,2-	<0.05 ug/g	92	60-130	97	50-140	0	0-50
436571	Dichlorobenzene, 1,3-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
436571	Dichloropropene, 1,3-							
436571	Dichlorobenzene, 1,4-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
436571	Acetone	<0.50 ug/g	94	60-130	105	50-140	0	0-50
436571	Benzene	<0.0068	94	60-130	81	50-140	0	0-50
436571	Bromodichloromethane	<0.05 ug/g	92	60-130	84	50-140	0	0-50
436571	Bromoform	<0.05 ug/g	94	60-130	100	50-140	0	0-50
436571	Bromomethane	<0.05 ug/g	81	60-130	97	50-140	0	0-50
436571	Dichloroethylene, 1,2-cis-	<0.05 ug/g	90	60-130	103	50-140	0	0-50
436571	Dichloropropene, 1,3-cis-	<0.05 ug/g	82	60-130	99	50-140	0	0-50
436571	Carbon Tetrachloride	<0.05 ug/g	93	60-130	84	50-140	0	0-50
436571	Chloroform	<0.05 ug/g	93	60-130	84	50-140	0	0-50
436571	Dibromochloromethane	<0.05 ug/g	93	60-130	93	50-140	0	0-50
436571	Dichlorodifluoromethane	<0.05 ug/g	92	60-130	95	50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436571	Methylene Chloride	<0.05 ug/g	97	60-130	100	50-140	0	0-50
436571	Ethylbenzene	<0.018 ug/g	90	60-130	100	50-140	0	0-50
436571	Ethylene dibromide	<0.05 ug/g	99	60-130	95	50-140	0	0-50
436571	PHC's F1	<10 ug/g	111	80-120	113	60-140	0	0-30
436571	Hexane (n)	<0.05 ug/g	104	60-130	97	50-140	0	0-50
436571	Xylene, m/p-	<0.05 ug/g	97	60-130	109	50-140	0	0-50
436571	Methyl Ethyl Ketone	<0.50 ug/g	106	60-130	110	50-140	0	0-50
436571	Methyl Isobutyl Ketone	<0.50 ug/g	86	60-130	91	50-140	0	0-50
436571	Methyl tert-Butyl Ether (MTBE)	<0.05 ug/g	94	60-130	96	50-140	0	0-50
436571	Chlorobenzene	<0.05 ug/g	93	60-130	94	50-140	0	0-50
436571	Xylene, o-	<0.05 ug/g	92	60-130	93	50-140	0	0-50
436571	Styrene	<0.05 ug/g	89	60-130	96	50-140	0	0-50
436571	Dichloroethylene, 1,2-trans-	<0.05 ug/g	93	60-130	100	50-140	0	0-50
436571	Dichloropropene, 1,3-trans-	<0.05 ug/g	86	60-130	99	50-140	0	0-50
436571	Tetrachloroethylene	<0.05 ug/g	90	60-130	98	50-140	0	0-50
436571	Toluene	<0.08 ug/g	89	60-130	99	50-140	0	0-50
436571	Trichloroethylene	<0.01 ug/g	89	60-130	85	50-140	0	0-50
436571	Trichlorofluoromethane	<0.05 ug/g	90	60-130	100	50-140	0	0-50
436571	Vinyl Chloride	<0.02 ug/g	99	60-130	99	50-140	0	0-50
436575	Xylene Mixture							
436576	PHC's F1-BTEX							
436589	Boron (Hot Water Soluble)	<0.5 ug/g	110	70-130	112	75-125	0	0-30
436614	PHC's F2	<2 ug/g	91	80-120	105	60-140	0	0-30
436614	PHC's F3	<20 ug/g	92	80-120	105	60-140	0	0-30
436614	PHC's F4	<20 ug/g	92	80-120	105	60-140	0	0-30
436614	Moisture-Humidity	<0.1 %	100	80-120			6	
436662	Aroclor 1242	<0.02 ug/g	75	60-140	85	60-140	0	0-40
436662	Aroclor 1248	<0.02 ug/g	75	60-140	85	60-140	0	0-40
436662	Aroclor 1254	<0.02 ug/g	75	60-140	85	60-140	0	0-40
436662	Aroclor 1260	<0.02 ug/g	75	60-140	85	60-140	0	0-40
436662	Polychlorinated Biphenyls	<0.02 ug/g	75	60-140	85	60-140	0	0-40
436664	Chlordane, alpha-	<0.002 ug/g	68	50-140	87	50-140	0	0-40
436664	Aldrin	<0.002 ug/g	69	50-140	85	50-140	0	0-40

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436664	Chlordane	<0.006 ug/g					0	
436664	Dieldrin	<0.002 ug/g	73	50-140	87	50-140	0	0-40
436664	Endosulfan	<0.004 ug/g					0	
436664	Endosulfan I	<0.002 ug/g	67	50-140	90	50-140	0	0-40
436664	Endosulfan II	<0.002 ug/g	75	50-140	91	50-140	0	0-40
436664	Endrin	<0.002 ug/g	73	50-140	87	50-140	0	0-40
436664	Hexachlorocyclohexane Gamma-	<0.002 ug/g	72	50-140	79	50-140	0	0-40
436664	Chlordane, gamma-	<0.002 ug/g	65	50-140	89	50-140	0	0-40
436664	Heptachlor	<0.002 ug/g	73	50-140	88	50-140	0	0-40
436664	Heptachlor Epoxide	<0.002 ug/g	69	50-140	89	50-140	0	0-40
436664	Hexachlorobenzene	<0.002 ug/g	102	50-140		50-140	0	0-40
436664	Hexachlorobutadiene	<0.002 ug/g	95				0	
436664	Hexachloroethane	<0.002 ug/g	93				0	
436664	Methoxychlor	<0.002 ug/g	78	50-140	86	50-140	0	0-40
436664	DDD	<0.002 ug/g	75	50-140	84	50-140	0	0-40
436664	DDE	<0.002 ug/g	75	50-140	92	50-140	0	0-40
436664	DDT	<0.002 ug/g	85	50-140	83	50-140	0	0-40
436667	1+2-methylnaphthalene							
436681	1+2-methylnaphthalene							
436683	PHC's F2-Naph							
436684	PHC's F3-PAH							

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436398	Methylnaphthalene, 1-	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Methylnaphthalene, 2-	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Acenaphthene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Acenaphthylene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Anthracene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Benz[a]anthracene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Benzo[a]pyrene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Benzo[b]fluoranthene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Benzo[ghi]perylene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Benzo[k]fluoranthene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Chrysene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Dibenz[a h]anthracene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Fluoranthene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Fluorene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Indeno[1 2 3-cd]pyrene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Naphthalene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Phenanthrene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436398	Pyrene	GC-MS	2023-01-23	2023-01-24	C_M	P 8270
436499	pH - CaCl2	pH Meter	2023-01-19	2023-01-19	IP	Ag Soil
436507	Chromium VI	FAA	2023-01-19	2023-01-19	MW	M US EPA 3060A
436508	Electrical Conductivity	Electrical Conductivity Mete	2023-01-19	2023-01-19	Z_S	Cond-Soil
436514	Silver	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Arsenic	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Boron (total)	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Barium	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Beryllium	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Cadmium	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Cobalt	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Chromium Total	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Copper	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Mercury	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Molybdenum	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436514	Nickel	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Lead	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Antimony	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Selenium	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Thallium	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Uranium	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Vanadium	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436514	Zinc	ICAPQ-MS	2023-01-19	2023-01-19	SD	EPA 200.8/6020
436515	Cyanide (CN-)	Skalar CN Analyzer	2023-01-19	2023-01-19	Z_S	MOECC E3015
436522	Sodium Adsorption Ratio	iCAP OES	2023-01-19	2023-01-19	Z_S	Ag Soil
436571	Tetrachloroethane, 1,1,1,2-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Trichloroethane, 1,1,1-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Tetrachloroethane, 1,1,2,2-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Trichloroethane, 1,1,2-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichloroethane, 1,1-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichloroethylene, 1,1-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichlorobenzene, 1,2-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichloroethane, 1,2-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichloropropane, 1,2-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichlorobenzene, 1,3-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichloropropene, 1,3-	GC-MS	2023-01-20	2023-01-20	PJ	V 8260B
436571	Dichlorobenzene, 1,4-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Acetone	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Benzene	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Bromodichloromethane	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Bromoform	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Bromomethane	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichloroethylene, 1,2-cis-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichloropropene, 1,3-cis-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Carbon Tetrachloride	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Chloroform	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dibromochloromethane	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichlorodifluoromethane	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436571	Methylene Chloride	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Ethylbenzene	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Ethylene dibromide	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	PHC's F1	GC/FID	2023-01-20	2023-01-20	PJ	CCME
436571	Hexane (n)	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Xylene, m/p-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Methyl Ethyl Ketone	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Methyl Isobutyl Ketone	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Methyl tert-Butyl Ether (MTBE)	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Chlorobenzene	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Xylene, o-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Styrene	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichloroethylene, 1,2-trans-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Dichloropropene, 1,3-trans-	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Tetrachloroethylene	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Toluene	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Trichloroethylene	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Trichlorofluoromethane	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436571	Vinyl Chloride	GC-MS	2023-01-19	2023-01-20	PJ	V 8260B
436575	Xylene Mixture	GC-MS	2023-01-20	2023-01-20	PJ	V 8260B
436576	PHC's F1-BTEX	GC/FID	2023-01-20	2023-01-20	PJ	CCME
436589	Boron (Hot Water Soluble)	iCAP OES	2023-01-20	2023-01-20	Z_S	MOECC E3470
436614	PHC's F2	GC/FID	2023-01-23	2023-01-23	SS	CCME
436614	PHC's F3	GC/FID	2023-01-23	2023-01-23	SS	CCME
436614	PHC's F4	GC/FID	2023-01-23	2023-01-23	SS	CCME
436614	Moisture-Humidity	Oven	2023-01-23	2023-01-23	SS	ASTM 2216
436662	Aroclor 1242	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436662	Aroclor 1248	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436662	Aroclor 1254	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436662	Aroclor 1260	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436662	Polychlorinated Biphenyls	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Chlordane, alpha-	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Aldrin	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992714
 Date Submitted: 2023-01-17
 Date Reported: 2023-01-24
 Project: 190261800
 COC #: 904898

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436664	Chlordane	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Dieldrin	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Endosulfan	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Endosulfan I	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Endosulfan II	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Endrin	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Hexachlorocyclohexane Gamma-	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Chlordane, gamma-	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Heptachlor	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Heptachlor Epoxide	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Hexachlorobenzene	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Hexachlorobutadiene	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Hexachloroethane	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	Methoxychlor	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	DDD	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	DDE	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436664	DDT	GC/ECD	2023-01-24	2023-01-24	R_G	EPA 8081B/8082A
436667	1+2-methylnaphthalene	GC-MS	2023-01-24	2023-01-24	C_M	P 8270
436681	1+2-methylnaphthalene	GC-MS	2023-01-24	2023-01-24	C_M	P 8270
436683	PHC's F2-Naph	GC/FID	2023-01-24	2023-01-24	SS	CCME
436684	PHC's F3-PAH	GC/FID	2023-01-24	2023-01-24	SS	CCME

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
2440 Don Reid Drive, Suite 200
Ottawa, ON
K1H 1E1
Attention: Mr. Sarth Sheth
PO#:
Invoice to: Morrison Hershfield Limited

Report Number: 1992714
Date Submitted: 2023-01-17
Date Reported: 2023-01-24
Project: 190261800
COC #: 904898

CWS for Petroleum Hydrocarbons in Soil - Tier 1**Notes:**

1. The laboratory method complies with CCME Tier 1 reference method for PHC in soil. It is validated for laboratory use.
2. Where the F1 fraction (C6 to C10) and BTEX are both measured, F1-BTEX is reported.
3. Where the F2 fraction (C10 to C16) and naphthalene are both measured, F2-naphthalene is reported.
4. Where the F3 fraction (C16 to C34) and PAHs* are both measured, F3-PAH is reported.
5. F4G is analyzed if the chromatogram does not descend to baseline before C50. Where F4 (C34 to C50) and F4G are both reported, the higher result is compared to the standard.
6. Unless otherwise stated in the sample comments, the following criteria have been met where applicable:
 - nC6 and nC10 response factors within 30% of response factor for toluene;
 - nC10, nC16, and nC34 response factors within 10% of each other;
 - C50 response factors within 70% of nC10 + nC16 + nC34 average; and,
 - Linearity is within 15%.
7. Unless otherwise stated in the sample comments, sampling requirements and analytical holding times have been met.
8. Gravimetric heavy hydrocarbons (F4G) cannot be added to the C6 and C50 hydrocarbons.
9. *PAHs = phenanthrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, fluoranthene, dibenz(a,h)anthracene, indeno(1,2,3-c,d)pyrene and pyrene.

Client: Morrison Hershfield
125 Commerce Valley Drive West
Thornhill, Ontario
L3T 7W4
Attention: Mr. Sarth Sheth
Invoice to: Morrison Hershfield
PO#:

Report Number: 1988705
Date Submitted: 2022-10-24
Date Reported: 2022-10-31
Project: 190261800
COC #: 218969
Temperature (C): 6
Custody Seal:

Page 1 of 16

Dear Sarth Sheth:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Report Comments:

Emma-Dawn Ferguson, Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <https://directory.cala.ca/>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Exceedence Summary

Sample I.D.	Analyte	Result	Units	Criteria

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Hydrocarbons

Lab I.D. 1658424
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS4

Analyte	Batch No	MRL	Units	Guideline	
PHC's F1	432228	10	ug/g	STD 55	<10
PHC's F1-BTEX	432231	10	ug/g		<10
PHC's F2	432021	2	ug/g	STD 230	<2
PHC's F2-Naphth	432049	2	ug/g		<2
PHC's F3	432021	20	ug/g	STD 1700	<20
PHC's F3-PAH	432246	20	ug/g		<20
PHC's F4	432021	20	ug/g	STD 3300	<20

Metals

Lab I.D. 1658425
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS1

Analyte	Batch No	MRL	Units	Guideline	
Antimony	432242	1	ug/g	STD 40	<1
Arsenic	432242	1	ug/g	STD 18	4
Barium	432242	1	ug/g	STD 670	26
Beryllium	432242	1	ug/g	STD 8	<1
Boron (Hot Water Soluble)	432166	0.5	ug/g	STD 2	<0.5
Boron (total)	432242	5	ug/g	STD 120	7
Cadmium	432242	0.4	ug/g	STD 1.9	<0.4
Chromium Total	432242	1	ug/g	STD 160	29
Chromium VI	432077	0.20	ug/g	STD 8	<0.20
Cobalt	432242	1	ug/g	STD 80	3
Copper	432242	1	ug/g	STD 230	13
Lead	432242	1	ug/g	STD 120	51

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Metals

Lab I.D. 1658425
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS1

Analyte	Batch No	MRL	Units	Guideline	
Mercury	432242	0.1	ug/g	STD 3.9	<0.1
Molybdenum	432242	1	ug/g	STD 40	<1
Nickel	432242	1	ug/g	STD 270	15
Selenium	432242	0.5	ug/g	STD 5.5	<0.5
Silver	432242	0.2	ug/g	STD 40	<0.2
Thallium	432242	1	ug/g	STD 3.3	<1
Uranium	432242	0.5	ug/g	STD 33	<0.5
Vanadium	432242	2	ug/g	STD 86	18
Zinc	432242	2	ug/g	STD 340	56

PAH

Lab I.D. 1658424
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS4

Analyte	Batch No	MRL	Units	Guideline	
1+2-methylnaphthalene	432028	0.05	ug/g		<0.05
Acenaphthene	432026	0.05	ug/g	STD 96	<0.05
Acenaphthylene	432026	0.05	ug/g	STD 0.15	<0.05
Anthracene	432026	0.05	ug/g	STD 0.67	<0.05
Benz[a]anthracene	432026	0.05	ug/g	STD 0.96	<0.05
Benzo[a]pyrene	432026	0.05	ug/g	STD 0.3	0.06
Benzo[b]fluoranthene	432026	0.05	ug/g	STD 0.96	<0.05
Benzo[ghi]perylene	432026	0.05	ug/g	STD 9.6	<0.05
Benzo[k]fluoranthene	432026	0.05	ug/g	STD 0.96	<0.05
Chrysene	432026	0.05	ug/g	STD 9.6	0.07

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PAH

Lab I.D. 1658424
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS4

Analyte	Batch No	MRL	Units	Guideline	
Dibenz[a h]anthracene	432026	0.05	ug/g	STD 0.1	<0.05
Fluoranthene	432026	0.05	ug/g	STD 9.6	0.12
Fluorene	432026	0.05	ug/g	STD 62	<0.05
Indeno[1 2 3-cd]pyrene	432026	0.05	ug/g	STD 0.76	<0.05
Methlynaphthalene, 1-	432026	0.05	ug/g	STD 76	<0.05
Methlynaphthalene, 2-	432026	0.05	ug/g	STD 76	<0.05
Naphthalene	432026	0.013	ug/g	STD 9.6	<0.013
Phenanthrene	432026	0.05	ug/g	STD 12	0.09
Pyrene	432026	0.05	ug/g	STD 96	0.09

Volatiles

Lab I.D. 1658424
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS4

Analyte	Batch No	MRL	Units	Guideline	
Acetone	432228	0.50	ug/g	STD 16	<0.50
Benzene	432228	0.0068	ug/g	STD 0.32	<0.0068
Bromodichloromethane	432228	0.05	ug/g	STD 18	<0.05
Bromoform	432228	0.05	ug/g	STD 0.61	<0.05
Bromomethane	432228	0.05	ug/g	STD 0.05	<0.05
Carbon Tetrachloride	432228	0.05	ug/g	STD 0.21	<0.05
Chlorobenzene	432228	0.05	ug/g	STD 2.4	<0.05
Chloroform	432228	0.05	ug/g	STD 0.47	<0.05
Dibromochloromethane	432228	0.05	ug/g	STD 13	<0.05
Dichlorobenzene, 1,2-	432228	0.05	ug/g	STD 6.8	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D. 1658424
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS4

Analyte	Batch No	MRL	Units	Guideline	
Dichlorobenzene, 1,3-	432228	0.05	ug/g	STD 9.6	<0.05
Dichlorobenzene, 1,4-	432228	0.05	ug/g	STD 0.2	<0.05
Dichlorodifluoromethane	432228	0.05	ug/g	STD 16	<0.05
Dichloroethane, 1,1-	432228	0.05	ug/g	STD 17	<0.05
Dichloroethane, 1,2-	432228	0.05	ug/g	STD 0.05	<0.05
Dichloroethylene, 1,1-	432228	0.05	ug/g	STD 0.064	<0.05
Dichloroethylene, 1,2-cis-	432228	0.05	ug/g	STD 55	<0.05
Dichloroethylene, 1,2-trans-	432228	0.05	ug/g	STD 1.3	<0.05
Dichloropropane, 1,2-	432228	0.05	ug/g	STD 0.16	<0.05
Dichloropropene, 1,3-	432228	0.05	ug/g	STD 0.18	<0.05
Dichloropropene, 1,3-cis-	432228	0.05	ug/g		<0.05
Dichloropropene, 1,3-trans-	432228	0.05	ug/g		<0.05
Ethylbenzene	432228	0.018	ug/g	STD 9.5	<0.018
Ethylene dibromide	432228	0.05	ug/g	STD 0.05	<0.05
Hexane (n)	432228	0.05	ug/g	STD 46	<0.05
Methyl Ethyl Ketone	432228	0.50	ug/g	STD 70	<0.50
Methyl Isobutyl Ketone	432228	0.50	ug/g	STD 31	<0.50
Methyl tert-Butyl Ether (MTBE)	432228	0.05	ug/g	STD 11	<0.05
Methylene Chloride	432228	0.05	ug/g	STD 1.6	<0.05
Styrene	432228	0.05	ug/g	STD 34	<0.05
Tetrachloroethane, 1,1,1,2-	432228	0.05	ug/g	STD 0.087	<0.05
Tetrachloroethane, 1,1,2,2-	432228	0.05	ug/g	STD 0.05	<0.05
Tetrachloroethylene	432228	0.05	ug/g	STD 4.5	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D. 1658424
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS4

Analyte	Batch No	MRL	Units	Guideline	
Toluene	432228	0.08	ug/g	STD 68	<0.08
Trichloroethane, 1,1,1-	432228	0.05	ug/g	STD 6.1	<0.05
Trichloroethane, 1,1,2-	432228	0.05	ug/g	STD 0.05	<0.05
Trichloroethylene	432228	0.01	ug/g	STD 0.91	<0.01
Trichlorofluoromethane	432228	0.05	ug/g	STD 4	<0.05
Vinyl Chloride	432228	0.02	ug/g	STD 0.032	<0.02
Xylene Mixture	432229	0.05	ug/g	STD 26	<0.05
Xylene, m/p-	432228	0.05	ug/g		<0.05
Xylene, o-	432228	0.05	ug/g		<0.05

Inorganics

Lab I.D. 1658425
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS1

Analyte	Batch No	MRL	Units	Guideline	
Cyanide (CN-)	432163	0.005	ug/g	STD 0.051	<0.005
Electrical Conductivity	432080	0.05	mS/cm	STD 1.4	0.28
pH - CaCl2	432001	2.00			7.92
Sodium Adsorption Ratio	432088	0.01		STD 12	0.45

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Moisture

Lab I.D. 1658424
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS4

Analyte	Batch No	MRL	Units	Guideline
Moisture-Humidite	432021	0.1	%	11.4

PHC Surrogate

Lab I.D. 1658424
 Sample Matrix Soil153
 Sample Type
 Sample Date 2022-10-24
 Sampling Time
 Sample I.D. A22-3 SS4

Analyte	Batch No	MRL	Units	Guideline
Alpha-androstrane	432021	0	%	83

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Guideline = O.Reg 153-T3-Ind/Com-Coarse

VOCs Surrogates

Lab I.D.	1658424
Sample Matrix	Soil153
Sample Type	
Sample Date	2022-10-24
Sampling Time	
Sample I.D.	A22-3 SS4

Analyte	Batch No	MRL	Units	Guideline
1,2-dichloroethane-d4	432228	0	%	82
4-bromofluorobenzene	432228	0	%	103
Toluene-d8	432228	0	%	88

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
432001	pH - CaCl2	5.15	98	90-110			0	
432021	PHC's F2	<2 ug/g	102	80-120	83	60-140		0-30
432021	PHC's F3	<20 ug/g	104	80-120	83	60-140		0-30
432021	PHC's F4	<20 ug/g	104	80-120	83	60-140		0-30
432021	Moisture-Humidite	<0.1 %	100	80-120				
432026	Methlynaphthalene, 1-	<0.05 ug/g	62	50-140	129	50-140	0	0-40
432026	Methlynaphthalene, 2-	<0.05 ug/g	57	50-140	120	50-140	0	0-40
432026	Acenaphthene	<0.05 ug/g	59	50-140	95	50-140	0	0-40
432026	Acenaphthylene	0.05 ug/g	56	50-140	88	50-140	0	0-40
432026	Anthracene	<0.05 ug/g	62	50-140	99	50-140	0	0-40
432026	Benz[a]anthracene	<0.05 ug/g	69	50-140	99	50-140	0	0-40
432026	Benzo[a]pyrene	<0.05 ug/g	63	50-140	91	50-140	0	0-40
432026	Benzo[b]fluoranthene	<0.05 ug/g	68	50-140	90	50-140	0	0-40
432026	Benzo[ghi]perylene	<0.05 ug/g	68	50-140	82	50-140	0	0-40
432026	Benzo[k]fluoranthene	<0.05 ug/g	73	50-140	93		0	0-40
432026	Chrysene	<0.05 ug/g	72	50-140	102	50-140	0	0-40
432026	Dibenz[a h]anthracene	<0.05 ug/g	74	50-140	83	50-140	0	0-40
432026	Fluoranthene	<0.05 ug/g	69	50-140	110	50-140	0	0-40
432026	Fluorene	<0.05 ug/g	58	50-140	88	50-140	0	0-40
432026	Indeno[1 2 3-cd]pyrene	<0.05 ug/g	68	50-140	81	50-140	0	0-40
432026	Naphthalene	<0.013 ug/g	60	50-140	97	50-140	0	0-40
432026	Phenanthrene	<0.05 ug/g	62	50-140	98	50-140	0	0-40
432026	Pyrene	<0.05 ug/g	69	50-140	113	50-140	0	0-40
432028	1+2-methylnaphthalene							
432049	PHC's F2-Napth							
432077	Chromium VI	<0.20 ug/g	103	70-130	81	70-130	0	0-35
432080	Electrical Conductivity	<0.05	103	90-110			0	0-10
432088	Sodium Adsorption Ratio	<0.01					9	
432163	Cyanide (CN-)	<0.005 ug/g	88	75-125	100	70-130	0	0-20
432166	Boron (Hot Water Soluble)	<0.5 ug/g	104	70-130	93	75-125	0	0-30
432228	Tetrachloroethane, 1,1,1,2-	<0.05 ug/g	98	60-130	94	50-140	0	0-50
432228	Trichloroethane, 1,1,1-	<0.05 ug/g	91	60-130	98	50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
432228	Tetrachloroethane, 1,1,2,2-	<0.05 ug/g	99	60-130	97	50-140	0	0-30
432228	Trichloroethane, 1,1,2-	<0.05 ug/g	97	60-130	96	50-140	0	0-50
432228	Dichloroethane, 1,1-	<0.05 ug/g	92	60-130	95	50-140	0	0-50
432228	Dichloroethylene, 1,1-	<0.05 ug/g	81	60-130	109	50-140	0	0-50
432228	Dichlorobenzene, 1,2-	<0.05 ug/g	94	60-130	99	50-140	0	0-50
432228	Dichloroethane, 1,2-	<0.05 ug/g	92	60-130	105	50-140	0	0-50
432228	Dichloropropane, 1,2-	<0.05 ug/g	92	60-130	97	50-140	0	0-50
432228	Dichlorobenzene, 1,3-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
432228	Dichloropropene, 1,3-	<0.05 ug/g						
432228	Dichlorobenzene, 1,4-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
432228	Acetone	<0.50 ug/g	94	60-130	105	50-140	0	0-50
432228	Benzene	<0.0068	94	60-130	81	50-140	0	0-50
432228	Bromodichloromethane	<0.05 ug/g	92	60-130	84	50-140	0	0-50
432228	Bromoform	<0.05 ug/g	94	60-130	100	50-140	0	0-50
432228	Bromomethane	<0.05 ug/g	81	60-130	97	50-140	0	0-50
432228	Dichloroethylene, 1,2-cis-	<0.05 ug/g	90	60-130	103	50-140	0	0-50
432228	Dichloropropene, 1,3-cis-	<0.05 ug/g	82	60-130	99	50-140	0	0-50
432228	Carbon Tetrachloride	<0.05 ug/g	93	60-130	84	50-140	0	0-50
432228	Chloroform	<0.05 ug/g	93	60-130	84	50-140	0	0-50
432228	Dibromochloromethane	<0.05 ug/g	93	60-130	93	50-140	0	0-50
432228	Dichlorodifluoromethane	<0.05 ug/g	92	60-130	95	50-140	0	0-50
432228	Methylene Chloride	<0.05 ug/g	97	60-130	100	50-140	0	0-50
432228	Ethylbenzene	<0.018 ug/g	90	60-130	100	50-140	0	0-50
432228	Ethylene dibromide	<0.05 ug/g	99	60-130	95	50-140	0	0-50
432228	PHC's F1	<10 ug/g	100	80-120	121	60-140	0	0-30
432228	Hexane (n)	<0.05 ug/g	104	60-130	97	50-140	0	0-50
432228	Xylene, m/p-	<0.05 ug/g	97	60-130	109	50-140	0	0-50
432228	Methyl Ethyl Ketone	<0.50 ug/g	106	60-130	110	50-140	0	0-50
432228	Methyl Isobutyl Ketone	<0.50 ug/g	86	60-130	91	50-140	0	0-50
432228	Methyl tert-Butyl Ether (MTBE)	<0.05 ug/g	94	60-130	96	50-140	0	0-50
432228	Chlorobenzene	<0.05 ug/g	93	60-130	94	50-140	0	0-50
432228	Xylene, o-	<0.05 ug/g	92	60-130	93	50-140	0	0-50
432228	Styrene	<0.05 ug/g	89	60-130	96	50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
432228	Dichloroethylene, 1,2-trans-	<0.05 ug/g	93	60-130	100	50-140	0	0-50
432228	Dichloropropene, 1,3-trans-	<0.05 ug/g	86	60-130	99	50-140	0	0-50
432228	Tetrachloroethylene	<0.05 ug/g	90	60-130	98	50-140	0	0-50
432228	Toluene	<0.08 ug/g	89	60-130	99	50-140	0	0-50
432228	Trichloroethylene	<0.01 ug/g	89	60-130	85	50-140	0	0-50
432228	Trichlorofluoromethane	<0.05 ug/g	90	60-130	100	50-140	0	0-50
432228	Vinyl Chloride	<0.02 ug/g	99	60-130	99	50-140	0	0-50
432229	Xylene Mixture							
432231	PHC's F1-BTEX							
432242	Silver	<0.2 ug/g	105	70-130	106	70-130	0	0-20
432242	Arsenic	<1 ug/g	100	70-130	107	70-130	0	0-20
432242	Boron (total)	<5 ug/g	109	70-130	123	70-130	0	0-20
432242	Barium	<1 ug/g	104	70-130	131	70-130	2	0-20
432242	Beryllium	<1 ug/g	110	70-130	112	70-130	0	0-20
432242	Cadmium	<0.4 ug/g	109	70-130	114	70-130	0	0-20
432242	Cobalt	<1 ug/g	110	70-130	108	70-130	0	0-20
432242	Chromium Total	<1 ug/g	112	70-130	135	70-130	4	0-20
432242	Copper	<1 ug/g	116	70-130	108	70-130	1	0-20
432242	Mercury	<0.1 ug/g	100	70-130	99	70-130	0	0-20
432242	Molybdenum	<1 ug/g	102	70-130	106	70-130	0	0-20
432242	Nickel	<1 ug/g	113	70-130	113	70-130	2	0-20
432242	Lead	<1 ug/g	105	70-130	109	70-130	4	0-20
432242	Antimony	<1 ug/g	91	70-130	110	70-130	0	0-20
432242	Selenium	<0.5 ug/g	106	70-130	108	70-130	0	0-20
432242	Thallium	<1 ug/g	105	70-130	105	70-130	0	0-20
432242	Uranium	<0.5 ug/g	94	70-130	102	70-130	0	0-20
432242	Vanadium	<2 ug/g	110	70-130	147	70-130	3	0-20
432242	Zinc	<2 ug/g	110	70-130	118	70-130	2	0-20
432246	PHC's F3-PAH							

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
432001	pH - CaCl2	pH Meter	2022-10-26	2022-10-26	IP	Ag Soil
432021	PHC's F2	GC/FID	2022-10-27	2022-10-27	SP	CCME
432021	PHC's F3	GC/FID	2022-10-27	2022-10-27	SP	CCME
432021	PHC's F4	GC/FID	2022-10-27	2022-10-27	SP	CCME
432021	Moisture-Humidite	Oven	2022-10-27	2022-10-27	SP	ASTM 2216
432026	Methlynaphthalene, 1-	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Methlynaphthalene, 2-	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Acenaphthene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Acenaphthylene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Anthracene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Benz[a]anthracene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Benzo[a]pyrene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Benzo[b]fluoranthene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Benzo[ghi]perylene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Benzo[k]fluoranthene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Chrysene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Dibenz[a h]anthracene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Fluoranthene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Fluorene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Indeno[1 2 3-cd]pyrene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Naphthalene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Phenanthrene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432026	Pyrene	GC-MS	2022-10-26	2022-10-26	C_M	P 8270
432028	1+2-methylnaphthalene	GC-MS	2022-10-27	2022-10-27	C_M	P 8270
432049	PHC's F2-Naph	GC/FID	2022-10-27	2022-10-27	SP	CCME
432077	Chromium VI	FAA	2022-10-27	2022-10-27	MW	M US EPA 3060A
432080	Electrical Conductivity	Electrical Conductivity Mete	2022-10-27	2022-10-27	Z_S	Cond-Soil
432088	Sodium Adsorption Ratio	iCAP OES	2022-10-27	2022-10-27	Z_S	Ag Soil
432163	Cyanide (CN-)	Skalar CN Analyzer	2022-10-28	2022-10-28	Z_S	MOECC E3015
432166	Boron (Hot Water Soluble)	iCAP OES	2022-10-28	2022-10-28	Z_S	MOECC E3470
432228	Tetrachloroethane, 1,1,1,2-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Trichloroethane, 1,1,1-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
432228	Tetrachloroethane, 1,1,2,2-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Trichloroethane, 1,1,2-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichloroethane, 1,1-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichloroethylene, 1,1-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichlorobenzene, 1,2-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichloroethane, 1,2-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichloropropane, 1,2-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichlorobenzene, 1,3-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichloropropene, 1,3-	GC-MS	2022-10-31	2022-10-31	PJ	V 8260B
432228	Dichlorobenzene, 1,4-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Acetone	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Benzene	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Bromodichloromethane	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Bromoform	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Bromomethane	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichloroethylene, 1,2-cis-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichloropropene, 1,3-cis-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Carbon Tetrachloride	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Chloroform	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dibromochloromethane	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichlorodifluoromethane	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Methylene Chloride	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Ethylbenzene	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Ethylene dibromide	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	PHC's F1	GC/FID	2022-10-31	2022-10-31	PJ	CCME
432228	Hexane (n)	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Xylene, m/p-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Methyl Ethyl Ketone	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Methyl Isobutyl Ketone	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Methyl tert-Butyl Ether (MTBE)	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Chlorobenzene	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Xylene, o-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Styrene	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
 125 Commerce Valley Drive West
 Thornhill, Ontario
 L3T 7W4
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield

Report Number: 1988705
 Date Submitted: 2022-10-24
 Date Reported: 2022-10-31
 Project: 190261800
 COC #: 218969

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
432228	Dichloroethylene, 1,2-trans-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Dichloropropene, 1,3-trans-	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Tetrachloroethylene	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Toluene	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Trichloroethylene	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Trichlorofluoromethane	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432228	Vinyl Chloride	GC-MS	2022-10-26	2022-10-26	PJ	V 8260B
432229	Xylene Mixture	GC-MS	2022-10-31	2022-10-31	PJ	V 8260B
432231	PHC's F1-BTEX	GC/FID	2022-10-31	2022-10-31	PJ	CCME
432242	Silver	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Arsenic	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Boron (total)	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Barium	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Beryllium	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Cadmium	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Cobalt	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Chromium Total	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Copper	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Mercury	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Molybdenum	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Nickel	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Lead	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Antimony	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Selenium	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Thallium	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Uranium	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Vanadium	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432242	Zinc	ICAPQ-MS	2022-10-31	2022-10-31	SD	EPA 200.8/6020
432246	PHC's F3-PAH	GC/FID	2022-10-31	2022-10-31	SP	CCME

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield
125 Commerce Valley Drive West
Thornhill, Ontario
L3T 7W4
Attention: Mr. Sarth Sheth
PO#:
Invoice to: Morrison Hershfield

Report Number: 1988705
Date Submitted: 2022-10-24
Date Reported: 2022-10-31
Project: 190261800
COC #: 218969

CWS for Petroleum Hydrocarbons in Soil - Tier 1**Notes:**

1. The laboratory method complies with CCME Tier 1 reference method for PHC in soil. It is validated for laboratory use.
2. Where the F1 fraction (C6 to C10) and BTEX are both measured, F1-BTEX is reported.
3. Where the F2 fraction (C10 to C16) and naphthalene are both measured, F2-naphthalene is reported.
4. Where the F3 fraction (C16 to C34) and PAHs* are both measured, F3-PAH is reported.
5. F4G is analyzed if the chromatogram does not descend to baseline before C50. Where F4 (C34 to C50) and F4G are both reported, the higher result is compared to the standard.
6. Unless otherwise stated in the sample comments, the following criteria have been met where applicable:
 - nC6 and nC10 response factors within 30% of response factor for toluene;
 - nC10, nC16, and nC34 response factors within 10% of each other;
 - C50 response factors within 70% of nC10 + nC16 + nC34 average; and,
 - Linearity is within 15%.
7. Unless otherwise stated in the sample comments, sampling requirements and analytical holding times have been met.
8. Gravimetric heavy hydrocarbons (F4G) cannot be added to the C6 and C50 hydrocarbons.
9. *PAHs = phenanthrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, fluoranthene, dibenz(a,h)anthracene, indeno(1,2,3-c,d)pyrene and pyrene.

CLIENT INFORMATION				INVOICE INFORMATION (SAME AS CLIENT INFORMATION: YES <input type="checkbox"/> NO <input type="checkbox"/>			
Company: Morrison Hershfield (MH)				Company: MH		Fax:	
Contact: Nicholas Moore, Sarah Sheth				Contact: Accounts Payable		Email: #1:	
Address:				Address:		Email: #2:	
Telephone:		Cell: 647-606-9354		Telephone:		PO #:	
Email: #1: nmoore@morrisonhershfield.com				<p style="text-align: center;">REGULATION/GUIDELINE REQUIRED</p> <input type="checkbox"/> Sanitary Sewer, City: _____ <input type="checkbox"/> Storm Sewer, City: _____ <input type="checkbox"/> ODWSOG (Use DW CoC if analyzing drinking water) <input type="checkbox"/> PWQO <input type="checkbox"/> O.Reg 347 <input type="checkbox"/> Other: _____			
Email: #2: ssheth@morrisonhershfield.com							
Project: 190261800		Quote #:					
TURN-AROUND TIME (Business Days)				<input checked="" type="checkbox"/> O. Reg 153 <small>The sample results from this submission will form part of a formal Record of Site Condition (RSC) under O.Reg. 153/04. Analysis of full parameter list only</small> ICC Table # 3, Coarse / Fine, Surface / subsurface Type: Com-Ind / Res-Park / Agri / GW / All Other / Sediment Yes <input type="checkbox"/> No <input type="checkbox"/>			
<input type="checkbox"/> 1 Day* (100%)	<input type="checkbox"/> 2 Day** (50%)	<input type="checkbox"/> 3-5 Days (25%)	<input checked="" type="checkbox"/> 5-7 Days (Standard)				
Please contact Lab in advance to determine rush availability.							
*For results reported after rush due date, surcharges will apply: before 12:00 - 100%, after 12:00 - 50%.							
**For results reported after rush due date, surcharges will apply: before 12:00 - 50%, after 12:00 - 25%.				<input checked="" type="checkbox"/> O. Reg 406 Excess Soils Table # 1-3 Full depth/Strat/Ceiling/mSPL Leachate Type: Com-Ind / Res-Park / Agri / All Other Category: Surface / Subsurface			

The optimal temperature conditions during transport should be less than 10°C. Sample(s) cannot be frozen, unless otherwise indicated or agreed upon with the Laboratory. **Note that this COC is not to be used for drinking water samples.** The COC must be complete upon submission of the samples, there will be a \$25 surcharge if required information is missing (required fields are shaded in grey).

Sample Details

Field Filtered -->		O.Reg.153 parameters								RN# (Lab Use Only)
Sample Matrix	# of Containers	PHC FL - F4	BTEX	VOCs	PAHs	PCBs	Metals + Inorganic	Metals only		
Arz-3 554	3	X		X	X					
Arz-3 551	1						X			25

PRINT	SIGN	DATE/TIME	TEMP (°C)	COMMENTS:
Sampled By: N, Moore				
Relinquished By: Victor Gallant				
Received By: Victor Gallant		10/24/22 2:15pm	6.1°C	

Client: Morrison Hershfield Limited
2440 Don Reid Drive, Suite 200
Ottawa, ON
K1H 1E1
Attention: Mr. Sarth Sheth
Invoice to: Morrison Hershfield Limited
PO#:

Report Number: 1992826
Date Submitted: 2023-01-20
Date Reported: 2023-01-27
Project: 190261800 Teston Rd
COC #: 220707
Temperature (C): 18
Custody Seal:

Page 1 of 20

Dear Sarth Sheth:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Report Comments:

Raheleh Zafari, Environmental Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise stated

Eurofins Environment Testing Canada Inc. is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at <https://directory.cala.ca/>

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline or regulatory limits listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official guideline or regulation as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

O.Reg 153-T3-Ind/Com-Coarse

Exceedence Summary

Sample I.D.	Analyte	Result	Units	Criteria
Inorganics				
BHP-25	Electrical Conductivity	2.84	mS/cm	STD 1.4
BHP-25	Sodium Adsorption Ratio	26.8		STD 12
BHP-34	Electrical Conductivity	1.56	mS/cm	STD 1.4
BHP-34	Sodium Adsorption Ratio	31.1		STD 12

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Hydrocarbons

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671848	1671849	1671850	1671851
					Sample Matrix	Soil153	Soil153	Soil153	Soil153
					Sample Type				
					Sample Date	2023-01-20	2023-01-20	2023-01-20	2023-01-20
					Sampling Time	10:30	11:00	10:00	12:30
					Sample I.D.	BHP-25	BHP-17	BHP-38	BHP-34
PHC's F1	436689	10	ug/g	STD 55		<10	<10	<10	<10
PHC's F1-BTEX	436695	10	ug/g			<10	<10	<10	<10
PHC's F2	436721	2	ug/g	STD 230		<2	<2	<2	<2
PHC's F2-Naph	436848	2	ug/g			<2	<2	<2	<2
PHC's F3	436721	20	ug/g	STD 1700		20	<20	<20	<20
PHC's F3-PAH	436849	20	ug/g			20	<20	<20	<20
PHC's F4	436721	20	ug/g	STD 3300		50	<20	<20	<20

Metals

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671848	1671849	1671850	1671851
					Sample Matrix	Soil153	Soil153	Soil153	Soil153
					Sample Type				
					Sample Date	2023-01-20	2023-01-20	2023-01-20	2023-01-20
					Sampling Time	10:30	11:00	10:00	12:30
					Sample I.D.	BHP-25	BHP-17	BHP-38	BHP-34
Antimony	436722	1	ug/g	STD 40		<1	<1	<1	<1
Arsenic	436722	1	ug/g	STD 18		1	1	3	3
Barium	436722	1	ug/g	STD 670		17	16	72	64
Beryllium	436722	1	ug/g	STD 8		<1	<1	<1	<1
Boron (Hot Water Soluble)	436874	0.5	ug/g	STD 2		<0.5	<0.5	<0.5	<0.5
Boron (total)	436722	5	ug/g	STD 120		<5	<5	6	5
Cadmium	436722	0.4	ug/g	STD 1.9		<0.4	<0.4	<0.4	<0.4
Chromium Total	436722	1	ug/g	STD 160		7	6	21	20
Chromium VI	436872	0.20	ug/g	STD 8		<0.20	<0.20	<0.20	<0.20
Cobalt	436722	1	ug/g	STD 80		2	2	7	7
Copper	436722	1	ug/g	STD 230		8	9	16	19
Lead	436722	1	ug/g	STD 120		2	3	7	8

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Metals

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1671848 Soil153	1671849 Soil153	1671850 Soil153	1671851 Soil153
2023-01-20 10:30 BHP-25	2023-01-20 11:00 BHP-17	2023-01-20 10:00 BHP-38	2023-01-20 12:30 BHP-34

Analyte	Batch No	MRL	Units	Guideline	1671848 Soil153	1671849 Soil153	1671850 Soil153	1671851 Soil153
Mercury	436722	0.1	ug/g	STD 3.9	<0.1	<0.1	<0.1	<0.1
Molybdenum	436722	1	ug/g	STD 40	<1	<1	<1	<1
Nickel	436722	1	ug/g	STD 270	5	4	16	17
Selenium	436722	0.5	ug/g	STD 5.5	<0.5	<0.5	<0.5	<0.5
Silver	436722	0.2	ug/g	STD 40	<0.2	<0.2	<0.2	<0.2
Thallium	436722	1	ug/g	STD 3.3	<1	<1	<1	<1
Uranium	436722	0.5	ug/g	STD 33	<0.5	<0.5	<0.5	<0.5
Vanadium	436722	2	ug/g	STD 86	15	12	29	27
Zinc	436722	2	ug/g	STD 340	13	14	38	36

OCP/PCB

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1671848 Soil153	1671849 Soil153
2023-01-20 10:30 BHP-25	2023-01-20 11:00 BHP-17

Analyte	Batch No	MRL	Units	Guideline	1671848 Soil153	1671849 Soil153
Aldrin	436726	0.002	ug/g	STD 0.088	<0.002	<0.002
Chlordane	436726	0.006	ug/g	STD 0.05	<0.006	<0.006
Chlordane, alpha-	436726	0.002	ug/g		<0.002	<0.002
Chlordane, gamma-	436726	0.002	ug/g		<0.002	<0.002
DDD	436726	0.002	ug/g	STD 4.6	<0.002	<0.002
DDE	436726	0.002	ug/g	STD 0.52	<0.002	<0.002
DDT	436726	0.002	ug/g	STD 1.4	<0.002	<0.002
Dieldrin	436726	0.002	ug/g	STD 0.088	<0.002	<0.002
Endosulfan	436726	0.004	ug/g	STD 0.3	<0.004	<0.004
Endosulfan I	436726	0.002	ug/g		<0.002	<0.002

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Guideline = O.Reg 153-T3-Ind/Com-Coarse

OCP/PCB

Lab I.D.	1671848	1671849
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2023-01-20	2023-01-20
Sampling Time	10:30	11:00
Sample I.D.	BHP-25	BHP-17

Analyte	Batch No	MRL	Units	Guideline		
Endosulfan II	436726	0.002	ug/g		<0.002	<0.002
Endrin	436726	0.002	ug/g	STD 0.04	<0.002	<0.002
Heptachlor	436726	0.002	ug/g	STD 0.19	<0.002	<0.002
Heptachlor Epoxide	436726	0.002	ug/g	STD 0.05	<0.002	<0.002
Hexachlorobenzene	436726	0.002	ug/g	STD 0.66	<0.002	<0.002
Hexachlorobutadiene	436726	0.002	ug/g	STD 0.031	<0.002	<0.002
Hexachlorocyclohexane Gamma-	436726	0.002	ug/g	STD 0.056	<0.002	<0.002
Hexachloroethane	436726	0.002	ug/g	STD 0.21	<0.002	<0.002
Methoxychlor	436726	0.002	ug/g	STD 1.6	<0.002	<0.002

PAH

Lab I.D.	1671848	1671849	1671850	1671851
Sample Matrix	Soil153	Soil153	Soil153	Soil153
Sample Type				
Sample Date	2023-01-20	2023-01-20	2023-01-20	2023-01-20
Sampling Time	10:30	11:00	10:00	12:30
Sample I.D.	BHP-25	BHP-17	BHP-38	BHP-34

Analyte	Batch No	MRL	Units	Guideline				
1+2-methylnaphthalene	436736	0.05	ug/g		<0.05	<0.05	<0.05	<0.05
Acenaphthene	436398	0.05	ug/g	STD 96	<0.05	<0.05	<0.05	<0.05
Acenaphthylene	436398	0.05	ug/g	STD 0.15	<0.05	<0.05	<0.05	<0.05
Anthracene	436398	0.05	ug/g	STD 0.67	<0.05	<0.05	<0.05	<0.05
Benz[a]anthracene	436398	0.05	ug/g	STD 0.96	<0.05	<0.05	<0.05	<0.05
Benzo[a]pyrene	436398	0.05	ug/g	STD 0.3	<0.05	<0.05	<0.05	<0.05
Benzo[b]fluoranthene	436398	0.05	ug/g	STD 0.96	<0.05	<0.05	<0.05	<0.05
Benzo[ghi]perylene	436398	0.05	ug/g	STD 9.6	<0.05	<0.05	<0.05	<0.05
Benzo[k]fluoranthene	436398	0.05	ug/g	STD 0.96	<0.05	<0.05	<0.05	<0.05
Chrysene	436398	0.05	ug/g	STD 9.6	<0.05	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PAH

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1671848 Soil153	1671849 Soil153	1671850 Soil153	1671851 Soil153
2023-01-20 10:30 BHP-25	2023-01-20 11:00 BHP-17	2023-01-20 10:00 BHP-38	2023-01-20 12:30 BHP-34

Analyte	Batch No	MRL	Units	Guideline	1671848 Soil153	1671849 Soil153	1671850 Soil153	1671851 Soil153
Dibenz[a h]anthracene	436398	0.05	ug/g	STD 0.1	<0.05	<0.05	<0.05	<0.05
Fluoranthene	436398	0.05	ug/g	STD 9.6	<0.05	<0.05	<0.05	<0.05
Fluorene	436398	0.05	ug/g	STD 62	<0.05	<0.05	<0.05	<0.05
Indeno[1 2 3-cd]pyrene	436398	0.05	ug/g	STD 0.76	<0.05	<0.05	<0.05	<0.05
Methylnaphthalene, 1-	436398	0.05	ug/g	STD 76	<0.05	<0.05	<0.05	<0.05
Methylnaphthalene, 2-	436398	0.05	ug/g	STD 76	<0.05	<0.05	<0.05	<0.05
Naphthalene	436398	0.013	ug/g	STD 9.6	<0.013	<0.013	<0.013	<0.013
Phenanthrene	436398	0.05	ug/g	STD 12	<0.05	<0.05	<0.05	<0.05
Pyrene	436398	0.05	ug/g	STD 96	<0.05	<0.05	<0.05	<0.05

Volatiles

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1671848 Soil153	1671849 Soil153	1671850 Soil153	1671851 Soil153
2023-01-20 10:30 BHP-25	2023-01-20 11:00 BHP-17	2023-01-20 10:00 BHP-38	2023-01-20 12:30 BHP-34

Analyte	Batch No	MRL	Units	Guideline	1671848 Soil153	1671849 Soil153	1671850 Soil153	1671851 Soil153
Acetone	436689	0.50	ug/g	STD 16	<0.50	<0.50	<0.50	<0.50
Benzene	436689	0.0068	ug/g	STD 0.32	<0.0068	<0.0068	<0.0068	<0.0068
Bromodichloromethane	436689	0.05	ug/g	STD 18	<0.05	<0.05	<0.05	<0.05
Bromoform	436689	0.05	ug/g	STD 0.61	<0.05	<0.05	<0.05	<0.05
Bromomethane	436689	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05
Carbon Tetrachloride	436689	0.05	ug/g	STD 0.21	<0.05	<0.05	<0.05	<0.05
Chlorobenzene	436689	0.05	ug/g	STD 2.4	<0.05	<0.05	<0.05	<0.05
Chloroform	436689	0.05	ug/g	STD 0.47	<0.05	<0.05	<0.05	<0.05
Dibromochloromethane	436689	0.05	ug/g	STD 13	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,2-	436689	0.05	ug/g	STD 6.8	<0.05	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

1671848 Soil153	1671849 Soil153	1671850 Soil153	1671851 Soil153
2023-01-20 10:30 BHP-25	2023-01-20 11:00 BHP-17	2023-01-20 10:00 BHP-38	2023-01-20 12:30 BHP-34

Analyte	Batch No	MRL	Units	Guideline	1671848 Soil153	1671849 Soil153	1671850 Soil153	1671851 Soil153
Dichlorobenzene, 1,3-	436689	0.05	ug/g	STD 9.6	<0.05	<0.05	<0.05	<0.05
Dichlorobenzene, 1,4-	436689	0.05	ug/g	STD 0.2	<0.05	<0.05	<0.05	<0.05
Dichlorodifluoromethane	436689	0.05	ug/g	STD 16	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,1-	436689	0.05	ug/g	STD 17	<0.05	<0.05	<0.05	<0.05
Dichloroethane, 1,2-	436689	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,1-	436689	0.05	ug/g	STD 0.064	<0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,2-cis-	436689	0.05	ug/g	STD 55	<0.05	<0.05	<0.05	<0.05
Dichloroethylene, 1,2-trans-	436689	0.05	ug/g	STD 1.3	<0.05	<0.05	<0.05	<0.05
Dichloropropane, 1,2-	436689	0.05	ug/g	STD 0.16	<0.05	<0.05	<0.05	<0.05
Dichloropropene,1,3-	436689	0.05	ug/g	STD 0.18	<0.05	<0.05	<0.05	<0.05
Dichloropropene,1,3-cis-	436689	0.05	ug/g		<0.05	<0.05	<0.05	<0.05
Dichloropropene,1,3-trans-	436689	0.05	ug/g		<0.05	<0.05	<0.05	<0.05
Ethylbenzene	436689	0.018	ug/g	STD 9.5	<0.018	<0.018	<0.018	<0.018
Ethylene dibromide	436689	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05
Hexane (n)	436689	0.05	ug/g	STD 46	<0.05	<0.05	<0.05	<0.05
Methyl Ethyl Ketone	436689	0.50	ug/g	STD 70	<0.50	<0.50	<0.50	<0.50
Methyl Isobutyl Ketone	436689	0.50	ug/g	STD 31	<0.50	<0.50	<0.50	<0.50
Methyl tert-Butyl Ether (MTBE)	436689	0.05	ug/g	STD 11	<0.05	<0.05	<0.05	<0.05
Methylene Chloride	436689	0.05	ug/g	STD 1.6	<0.05	<0.05	<0.05	<0.05
Styrene	436689	0.05	ug/g	STD 34	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,1,2-	436689	0.05	ug/g	STD 0.087	<0.05	<0.05	<0.05	<0.05
Tetrachloroethane, 1,1,2,2-	436689	0.05	ug/g	STD 0.05	<0.05	<0.05	<0.05	<0.05
Tetrachloroethylene	436689	0.05	ug/g	STD 4.5	<0.05	<0.05	<0.05	<0.05

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Volatiles

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671848	1671849	1671850	1671851
					Sample Matrix	Soil153	Soil153	Soil153	Soil153
					Sample Type				
					Sample Date	2023-01-20	2023-01-20	2023-01-20	2023-01-20
					Sampling Time	10:30	11:00	10:00	12:30
					Sample I.D.	BHP-25	BHP-17	BHP-38	BHP-34
Toluene	436689	0.08	ug/g	STD 68		<0.08	<0.08	<0.08	<0.08
Trichloroethane, 1,1,1-	436689	0.05	ug/g	STD 6.1		<0.05	<0.05	<0.05	<0.05
Trichloroethane, 1,1,2-	436689	0.05	ug/g	STD 0.05		<0.05	<0.05	<0.05	<0.05
Trichloroethylene	436689	0.01	ug/g	STD 0.91		<0.01	<0.01	<0.01	<0.01
Trichlorofluoromethane	436689	0.05	ug/g	STD 4		<0.05	<0.05	<0.05	<0.05
Vinyl Chloride	436689	0.02	ug/g	STD 0.032		<0.02	<0.02	<0.02	<0.02
Xylene Mixture	436692	0.05	ug/g	STD 26		<0.05	<0.05	<0.05	<0.05
Xylene, m/p-	436689	0.05	ug/g			<0.05	<0.05	<0.05	<0.05
Xylene, o-	436689	0.05	ug/g			<0.05	<0.05	<0.05	<0.05

Inorganics

Analyte	Batch No	MRL	Units	Guideline	Lab I.D.	1671848	1671849	1671850	1671851
					Sample Matrix	Soil153	Soil153	Soil153	Soil153
					Sample Type				
					Sample Date	2023-01-20	2023-01-20	2023-01-20	2023-01-20
					Sampling Time	10:30	11:00	10:00	12:30
					Sample I.D.	BHP-25	BHP-17	BHP-38	BHP-34
Cyanide (CN-)	436804	0.005	ug/g	STD 0.051		<0.005	<0.005	<0.005	<0.005
Electrical Conductivity	436864	0.05	mS/cm	STD 1.4		2.84*	0.46	0.30	1.56*
pH - CaCl2	436777	2.00				7.75	7.60	7.53	7.56
Sodium Adsorption Ratio	436868	0.01		STD 12		26.8*	7.05	2.52	31.1*

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Guideline = O.Reg 153-T3-Ind/Com-Coarse

Moisture

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.
1671848	Soil153		2023-01-20	10:30	BHP-25
1671849	Soil153		2023-01-20	11:00	BHP-17
1671850	Soil153		2023-01-20	10:00	BHP-38
1671851	Soil153		2023-01-20	12:30	BHP-34

Analyte	Batch No	MRL	Units	Guideline	1671848	1671849	1671850	1671851
Moisture-Humidite	436721	0.1	%		9.0	10.1	13.1	11.2

PCBs

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

Lab I.D.	Sample Matrix	Sample Type	Sample Date	Sampling Time	Sample I.D.
1671848	Soil153		2023-01-20	10:30	BHP-25
1671849	Soil153		2023-01-20	11:00	BHP-17

Analyte	Batch No	MRL	Units	Guideline	1671848	1671849
Aroclor 1242	436724	0.02	ug/g		<0.02	<0.02
Aroclor 1248	436724	0.02	ug/g		<0.02	<0.02
Aroclor 1254	436724	0.02	ug/g		<0.02	<0.02
Aroclor 1260	436724	0.02	ug/g		<0.02	<0.02
Polychlorinated Biphenyls	436724	0.02	ug/g	STD 1.1	<0.02	<0.02

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Guideline = O.Reg 153-T3-Ind/Com-Coarse

PCB Surrogate

Lab I.D.	1671848	1671849
Sample Matrix	Soil153	Soil153
Sample Type		
Sample Date	2023-01-20	2023-01-20
Sampling Time	10:30	11:00
Sample I.D.	BHP-25	BHP-17

Analyte	Batch No	MRL	Units	Guideline		
Decachlorobiphenyl	436725	0	%		76	69

PHC Surrogate

Lab I.D.	1671848	1671849	1671850	1671851
Sample Matrix	Soil153	Soil153	Soil153	Soil153
Sample Type				
Sample Date	2023-01-20	2023-01-20	2023-01-20	2023-01-20
Sampling Time	10:30	11:00	10:00	12:30
Sample I.D.	BHP-25	BHP-17	BHP-38	BHP-34

Analyte	Batch No	MRL	Units	Guideline				
Alpha-androstrane	436721	0	%		62	65	61	64

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Guideline = O.Reg 153-T3-Ind/Com-Coarse

VOCs Surrogates

Lab I.D.
 Sample Matrix
 Sample Type
 Sample Date
 Sampling Time
 Sample I.D.

Analyte	Batch No	MRL	Units	Guideline	1671848 Soil153	1671849 Soil153	1671850 Soil153	1671851 Soil153
1,2-dichloroethane-d4	436689	0	%		104	103	103	105
4-bromofluorobenzene	436689	0	%		94	93	92	92
Toluene-d8	436689	0	%		98	98	98	98

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436398	Methylnaphthalene, 1-	<0.05 ug/g	81	50-140	56	50-140	0	0-40
436398	Methylnaphthalene, 2-	<0.05 ug/g	78	50-140	52	50-140	0	0-40
436398	Acenaphthene	<0.05 ug/g	90	50-140	69	50-140	0	0-40
436398	Acenaphthylene	0.05 ug/g	86	50-140	65	50-140	0	0-40
436398	Anthracene	<0.05 ug/g	90	50-140	72	50-140	0	0-40
436398	Benz[a]anthracene	<0.05 ug/g	83	50-140	77	50-140	0	0-40
436398	Benzo[a]pyrene	<0.05 ug/g	74	50-140	51	50-140	0	0-40
436398	Benzo[b]fluoranthene	<0.05 ug/g	82	50-140	68	50-140	0	0-40
436398	Benzo[ghi]perylene	<0.05 ug/g	92	50-140	52	50-140	0	0-40
436398	Benzo[k]fluoranthene	<0.05 ug/g	92	50-140	73		0	0-40
436398	Chrysene	<0.05 ug/g	89	50-140	79	50-140	0	0-40
436398	Dibenz[a h]anthracene	<0.05 ug/g	89	50-140	52	50-140	0	0-40
436398	Fluoranthene	<0.05 ug/g	84	50-140	76	50-140	0	0-40
436398	Fluorene	<0.05 ug/g	88	50-140	69	50-140	0	0-40
436398	Indeno[1 2 3-cd]pyrene	<0.05 ug/g	89	50-140	54	50-140	0	0-40
436398	Naphthalene	<0.013 ug/g	85	50-140	81	50-140	0	0-40
436398	Phenanthrene	<0.05 ug/g	86	50-140	80	50-140	0	0-40
436398	Pyrene	<0.05 ug/g	84	50-140	76	50-140	0	0-40
436689	Tetrachloroethane, 1,1,1,2-	<0.05 ug/g	98	60-130	94	50-140	0	0-50
436689	Trichloroethane, 1,1,1-	<0.05 ug/g	91	60-130	98	50-140	0	0-50
436689	Tetrachloroethane, 1,1,2,2-	<0.05 ug/g	99	60-130	97	50-140	0	0-30
436689	Trichloroethane, 1,1,2-	<0.05 ug/g	97	60-130	96	50-140	0	0-50
436689	Dichloroethane, 1,1-	<0.05 ug/g	92	60-130	95	50-140	0	0-50
436689	Dichloroethylene, 1,1-	<0.05 ug/g	81	60-130	109	50-140	0	0-50
436689	Dichlorobenzene, 1,2-	<0.05 ug/g	94	60-130	99	50-140	0	0-50
436689	Dichloroethane, 1,2-	<0.05 ug/g	92	60-130	105	50-140	0	0-50
436689	Dichloropropane, 1,2-	<0.05 ug/g	92	60-130	97	50-140	0	0-50
436689	Dichlorobenzene, 1,3-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
436689	Dichloropropene, 1,3-	<0.05 ug/g						
436689	Dichlorobenzene, 1,4-	<0.05 ug/g	91	60-130	90	50-140	0	0-50
436689	Acetone	<0.50 ug/g	94	60-130	105	50-140	0	0-50
436689	Benzene	<0.0068	94	60-130	81	50-140	0	0-50

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436689	Bromodichloromethane	<0.05 ug/g	92	60-130	84	50-140	0	0-50
436689	Bromoform	<0.05 ug/g	94	60-130	100	50-140	0	0-50
436689	Bromomethane	<0.05 ug/g	81	60-130	97	50-140	0	0-50
436689	Dichloroethylene, 1,2-cis-	<0.05 ug/g	90	60-130	103	50-140	0	0-50
436689	Dichloropropene, 1,3-cis-	<0.05 ug/g	82	60-130	99	50-140	0	0-50
436689	Carbon Tetrachloride	<0.05 ug/g	93	60-130	84	50-140	0	0-50
436689	Chloroform	<0.05 ug/g	93	60-130	84	50-140	0	0-50
436689	Dibromochloromethane	<0.05 ug/g	93	60-130	93	50-140	0	0-50
436689	Dichlorodifluoromethane	<0.05 ug/g	92	60-130	95	50-140	0	0-50
436689	Methylene Chloride	<0.05 ug/g	97	60-130	100	50-140	0	0-50
436689	Ethylbenzene	<0.018 ug/g	90	60-130	100	50-140	0	0-50
436689	Ethylene dibromide	<0.05 ug/g	99	60-130	95	50-140	0	0-50
436689	PHC's F1	<10 ug/g	106	80-120	111	60-140	0	0-30
436689	Hexane (n)	<0.05 ug/g	104	60-130	97	50-140	0	0-50
436689	Xylene, m/p-	<0.05 ug/g	97	60-130	109	50-140	0	0-50
436689	Methyl Ethyl Ketone	<0.50 ug/g	106	60-130	110	50-140	0	0-50
436689	Methyl Isobutyl Ketone	<0.50 ug/g	86	60-130	91	50-140	0	0-50
436689	Methyl tert-Butyl Ether (MTBE)	<0.05 ug/g	94	60-130	96	50-140	0	0-50
436689	Chlorobenzene	<0.05 ug/g	93	60-130	94	50-140	0	0-50
436689	Xylene, o-	<0.05 ug/g	92	60-130	93	50-140	0	0-50
436689	Styrene	<0.05 ug/g	89	60-130	96	50-140	0	0-50
436689	Dichloroethylene, 1,2-trans-	<0.05 ug/g	93	60-130	100	50-140	0	0-50
436689	Dichloropropene, 1,3-trans-	<0.05 ug/g	86	60-130	99	50-140	0	0-50
436689	Tetrachloroethylene	<0.05 ug/g	90	60-130	98	50-140	0	0-50
436689	Toluene	<0.08 ug/g	89	60-130	99	50-140	0	0-50
436689	Trichloroethylene	<0.01 ug/g	89	60-130	85	50-140	0	0-50
436689	Trichlorofluoromethane	<0.05 ug/g	90	60-130	100	50-140	0	0-50
436689	Vinyl Chloride	<0.02 ug/g	99	60-130	99	50-140	0	0-50
436692	Xylene Mixture							
436695	PHC's F1-BTEX							
436721	PHC's F2	<2 ug/g	110	80-120	93	60-140	0	0-30
436721	PHC's F3	<20 ug/g	112	80-120	93	60-140	0	0-30
436721	PHC's F4	<20 ug/g	112	80-120	93	60-140	0	0-30

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436721	Moisture-Humidite	<0.1 %	100	80-120			1	
436722	Silver	<0.2 ug/g	124	70-130	109	70-130	0	0-20
436722	Arsenic	<1 ug/g	92	70-130	97	70-130	0	0-20
436722	Boron (total)	<5 ug/g	98	70-130	140	70-130	0	0-20
436722	Barium	<1 ug/g	97	70-130	272	70-130	10	0-20
436722	Beryllium	<1 ug/g	96	70-130	87	70-130	0	0-20
436722	Cadmium	<0.4 ug/g	98	70-130	103	70-130	0	0-20
436722	Cobalt	<1 ug/g	98	70-130	95	70-130	1	0-20
436722	Chromium Total	<1 ug/g	102	70-130	132	70-130	2	0-20
436722	Copper	<1 ug/g	102	70-130	98	70-130	6	0-20
436722	Mercury	<0.1 ug/g	90	70-130	92	70-130	0	0-20
436722	Molybdenum	<1 ug/g	96	70-130	92	70-130	0	0-20
436722	Nickel	<1 ug/g	101	70-130	93	70-130	3	0-20
436722	Lead	<1 ug/g	91	70-130	82	70-130	7	0-20
436722	Antimony	<1 ug/g	89	70-130	79	70-130	0	0-20
436722	Selenium	<0.5 ug/g	101	70-130	99	70-130	0	0-20
436722	Thallium	<1 ug/g	93	70-130	90	70-130	0	0-20
436722	Uranium	<0.5 ug/g	90	70-130	92	70-130	0	0-20
436722	Vanadium	<2 ug/g	101	70-130	164	70-130	1	0-20
436722	Zinc	<2 ug/g	100	70-130	106	70-130	1	0-20
436724	Aroclor 1242	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436724	Aroclor 1248	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436724	Aroclor 1254	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436724	Aroclor 1260	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436724	Polychlorinated Biphenyls	<0.02 ug/g	81	60-140	77	60-140	0	0-40
436726	Chlordane, alpha-	<0.002 ug/g	68	50-140	87	50-140	0	0-40
436726	Aldrin	<0.002 ug/g	69	50-140	85	50-140	0	0-40
436726	Chlordane	<0.006 ug/g					0	
436726	Dieldrin	<0.002 ug/g	73	50-140	87	50-140	0	0-40
436726	Endosulfan	<0.004 ug/g					0	
436726	Endosulfan I	<0.002 ug/g	67	50-140	90	50-140	0	0-40
436726	Endosulfan II	<0.002 ug/g	75	50-140	91	50-140	0	0-40
436726	Endrin	<0.002 ug/g	73	50-140	87	50-140	0	0-40

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Quality Assurance Summary

Batch No	Analyte	Blank	QC % Rec	QC Limits	Spike % Rec	Spike Limits	Dup % RPD	Duplicate Limits
436726	Hexachlorocyclohexane Gamma-	<0.002 ug/g	72	50-140	79	50-140	0	0-40
436726	Chlordane, gamma-	<0.002 ug/g	65	50-140	89	50-140	0	0-40
436726	Heptachlor	<0.002 ug/g	73	50-140	88	50-140	0	0-40
436726	Heptachlor Epoxide	<0.002 ug/g	69	50-140	89	50-140	0	0-40
436726	Hexachlorobenzene	<0.002 ug/g	102	50-140		50-140	0	0-40
436726	Hexachlorobutadiene	<0.002 ug/g	95				0	
436726	Hexachloroethane	<0.002 ug/g	93				0	
436726	Methoxychlor	<0.002 ug/g	78	50-140	86	50-140	0	0-40
436726	DDD	<0.002 ug/g	75	50-140	84	50-140	0	0-40
436726	DDE	<0.002 ug/g	75	50-140	92	50-140	0	0-40
436726	DDT	<0.002 ug/g	85	50-140	83	50-140	0	0-40
436736	1+2-methylnaphthalene							
436777	pH - CaCl2	5.25	100	90-110			0	
436804	Cyanide (CN-)	<0.005 ug/g	87	75-125	93	70-130	0	0-20
436848	PHC's F2-Naph							
436849	PHC's F3-PAH							
436864	Electrical Conductivity	<0.05	97	90-110			1	0-10
436868	Sodium Adsorption Ratio	<0.01					1	
436872	Chromium VI	<0.20 ug/g	106	70-130	83	70-130	0	0-35
436874	Boron (Hot Water Soluble)	<0.5 ug/g	103	70-130	104	75-125	0	0-30

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436398	Methylnaphthalene, 1-	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Methylnaphthalene, 2-	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Acenaphthene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Acenaphthylene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Anthracene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benz[a]anthracene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benzo[a]pyrene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benzo[b]fluoranthene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benzo[ghi]perylene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Benzo[k]fluoranthene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Chrysene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Dibenz[a h]anthracene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Fluoranthene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Fluorene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Indeno[1 2 3-cd]pyrene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Naphthalene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Phenanthrene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436398	Pyrene	GC-MS	2023-01-24	2023-01-25	C_M	P 8270
436689	Tetrachloroethane, 1,1,1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Trichloroethane, 1,1,1-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Tetrachloroethane, 1,1,2,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Trichloroethane, 1,1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethane, 1,1-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethylene, 1,1-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichlorobenzene, 1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethane, 1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloropropane, 1,2-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichlorobenzene, 1,3-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloropropene, 1,3-	GC-MS	2023-01-23	2023-01-23	PJ	V 8260B
436689	Dichlorobenzene, 1,4-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Acetone	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Benzene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436689	Bromodichloromethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Bromoform	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Bromomethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethylene, 1,2-cis-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloropropene, 1,3-cis-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Carbon Tetrachloride	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Chloroform	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dibromochloromethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichlorodifluoromethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Methylene Chloride	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Ethylbenzene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Ethylene dibromide	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	PHC's F1	GC/FID	2023-01-23	2023-01-23	PJ	CCME
436689	Hexane (n)	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Xylene, m/p-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Methyl Ethyl Ketone	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Methyl Isobutyl Ketone	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Methyl tert-Butyl Ether (MTBE)	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Chlorobenzene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Xylene, o-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Styrene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloroethylene, 1,2-trans-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Dichloropropene, 1,3-trans-	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Tetrachloroethylene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Toluene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Trichloroethylene	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Trichlorofluoromethane	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436689	Vinyl Chloride	GC-MS	2023-01-23	2023-01-24	PJ	V 8260B
436692	Xylene Mixture	GC-MS	2023-01-24	2023-01-24	PJ	V 8260B
436695	PHC's F1-BTEX	GC/FID	2023-01-24	2023-01-24	PJ	CCME
436721	PHC's F2	GC/FID	2023-01-25	2023-01-25	SS	CCME
436721	PHC's F3	GC/FID	2023-01-25	2023-01-25	SS	CCME
436721	PHC's F4	GC/FID	2023-01-25	2023-01-25	SS	CCME

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436721	Moisture-Humidite	Oven	2023-01-25	2023-01-25	SS	ASTM 2216
436722	Silver	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Arsenic	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Boron (total)	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Barium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Beryllium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Cadmium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Cobalt	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Chromium Total	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Copper	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Mercury	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Molybdenum	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Nickel	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Lead	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Antimony	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Selenium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Thallium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Uranium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Vanadium	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436722	Zinc	ICAPQ-MS	2023-01-24	2023-01-24	SD	EPA 200.8/6020
436724	Aroclor 1242	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436724	Aroclor 1248	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436724	Aroclor 1254	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436724	Aroclor 1260	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436724	Polychlorinated Biphenyls	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Chlordane, alpha-	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Aldrin	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Chlordane	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Dieldrin	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Endosulfan	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Endosulfan I	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Endosulfan II	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Endrin	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992826
 Date Submitted: 2023-01-20
 Date Reported: 2023-01-27
 Project: 190261800 Teston Rd
 COC #: 220707

Test Summary

Batch No	Analyte	Instrument	Preparation Date	Analysis Date	Analyst	Method
436726	Hexachlorocyclohexane Gamma-	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Chlordane, gamma-	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Heptachlor	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Heptachlor Epoxide	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Hexachlorobenzene	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Hexachlorobutadiene	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Hexachloroethane	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	Methoxychlor	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	DDD	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	DDE	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436726	DDT	GC/ECD	2023-01-25	2023-01-25	R_G	EPA 8081B/8082A
436736	1+2-methylnaphthalene	GC-MS	2023-01-25	2023-01-25	C_M	P 8270
436777	pH - CaCl2	pH Meter	2023-01-26	2023-01-26	IP	Ag Soil
436804	Cyanide (CN-)	Skalar CN Analyzer	2023-01-26	2023-01-26	Z_S	MOECC E3015
436848	PHC's F2-Naph	GC/FID	2023-01-27	2023-01-27	SS	CCME
436849	PHC's F3-PAH	GC/FID	2023-01-27	2023-01-27	SS	CCME
436864	Electrical Conductivity	Electrical Conductivity Mete	2023-01-27	2023-01-27	Z_S	Cond-Soil
436868	Sodium Adsorption Ratio	iCAP OES	2023-01-27	2023-01-27	Z_S	Ag Soil
436872	Chromium VI	FAA	2023-01-27	2023-01-27	Z_S	M US EPA 3060A
436874	Boron (Hot Water Soluble)	iCAP OES	2023-01-27	2023-01-27	Z_S	MOECC E3470

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Client: Morrison Hershfield Limited
2440 Don Reid Drive, Suite 200
Ottawa, ON
K1H 1E1
Attention: Mr. Sarth Sheth
PO#:
Invoice to: Morrison Hershfield Limited

Report Number: 1992826
Date Submitted: 2023-01-20
Date Reported: 2023-01-27
Project: 190261800 Teston Rd
COC #: 220707

CWS for Petroleum Hydrocarbons in Soil - Tier 1**Notes:**

1. The laboratory method complies with CCME Tier 1 reference method for PHC in soil. It is validated for laboratory use.
2. Where the F1 fraction (C6 to C10) and BTEX are both measured, F1-BTEX is reported.
3. Where the F2 fraction (C10 to C16) and naphthalene are both measured, F2-naphthalene is reported.
4. Where the F3 fraction (C16 to C34) and PAHs* are both measured, F3-PAH is reported.
5. F4G is analyzed if the chromatogram does not descend to baseline before C50. Where F4 (C34 to C50) and F4G are both reported, the higher result is compared to the standard.
6. Unless otherwise stated in the sample comments, the following criteria have been met where applicable:
 - nC6 and nC10 response factors within 30% of response factor for toluene;
 - nC10, nC16, and nC34 response factors within 10% of each other;
 - C50 response factors within 70% of nC10 + nC16 + nC34 average; and,
 - Linearity is within 15%.
7. Unless otherwise stated in the sample comments, sampling requirements and analytical holding times have been met.
8. Gravimetric heavy hydrocarbons (F4G) cannot be added to the C6 and C50 hydrocarbons.
9. *PAHs = phenanthrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, fluoranthene, dibenz(a,h)anthracene, indeno(1,2,3-c,d)pyrene and pyrene.



Certificate of Analysis

Client: Morrison Hershfield Limited
2440 Don Reid Drive, Suite 200
Ottawa, ON
K1H 1E1

Attention: Mr. Sarth Sheth

PO#:

Invoice to: Morrison Hershfield Limited

Report Number: 1992940
Date Submitted: 2023-01-23
Date Reported: 2023-01-30
Project: 190261800
COC #: 905059

Dear Sarth Sheth:

Please find attached the analytical results for your samples. If you have any questions regarding this report, please do not hesitate to call (613-727-5692).

Report Comments:

APPROVAL: _____
Raheleh Zafari, Environmental Chemist

All analysis is completed at Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) unless otherwise indicated.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by CALA, Canadian Association for Laboratory Accreditation to ISO/IEC 17025 for tests which appear on the scope of accreditation. The scope is available at: <https://directory.cala.ca/>.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is licensed by the Ontario Ministry of the Environment, Conservation, and Parks (MECP) for specific tests in drinking water (license #2318). A copy of the license is available upon request.

Eurofins Environment Testing Canada Inc. (Ottawa, Ontario) is accredited by the Ontario Ministry of Agriculture, Food, and Rural Affairs for specific tests in agricultural soils.

Please note: Field data, where presented on the report, has been provided by the client and is presented for informational purposes only. Guideline values listed on this report are provided for ease of use (informational purposes) only. Eurofins recommends consulting the official provincial or federal guideline as required. Unless otherwise stated, measurement uncertainty is not taken into account when determining guideline or regulatory exceedances.

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992940
 Date Submitted: 2023-01-23
 Date Reported: 2023-01-30
 Project: 190261800
 COC #: 905059

Group	Analyte	MRL	Units	Guideline	1672375 R347 2022-12-12 MH BH3 - SS2	1672376 R347 2022-12-12 MH BH4 - SS2
Anions	F	0.10	mg/L	LQC 150.0	0.21	0.24
General Chemistry	Cyanide (free)	0.05	mg/L	LQC 20.0	<0.05	<0.05
Leachate	REG 558 Leach				y	y
	Zero Headspace Extraction				y	y
Mercury	Hg	0.001	mg/L	LQC 0.1	<0.001	<0.001
Metals	Ag	0.01	mg/L	LQC 5	<0.01	<0.01
	As	0.02	mg/L	LQC 2.5	<0.02	<0.02
	B	0.1	mg/L	LQC 500.0	<0.1	<0.1
	Ba	0.01	mg/L	LQC 100.0	0.42	0.32
	Cd	0.008	mg/L	LQC 0.5	<0.008	<0.008
	Cr	0.05	mg/L	LQC 5.0	<0.05	<0.05
	Pb	0.01	mg/L	LQC 5.0	<0.01	<0.01
	Se	0.02	mg/L	LQC 1.0	<0.02	<0.02
	U	0.01	mg/L	LQC 10.0	<0.01	<0.01
Moisture	Moisture-Humidite	0.1	%		0.5	3.2
Others	Ignitability				neg	neg
	NO2 + NO3 as N	1.0	mg/L	LQC 1000	<1.0	<1.0
PAH	Benzo(a)pyrene	0.01	ug/L	LQC 1.0	0.01	0.01
PCBs	Polychlorinated Biphenyls (PCBs)	0.1	ug/L	LQC 300	<0.1	<0.1
VOCs Surrogates	1,2-dichloroethane-d4	0	%		108	110
	4-bromofluorobenzene	0	%		90	90
	Toluene-d8	0	%		99	100
Volatiles	1,1-dichloroethylene	0.5	ug/L	LQC 1400	<0.5	<0.5
	1,2-dichlorobenzene	0.4	ug/L	LQC 20000	<0.4	<0.4
	1,2-dichloroethane	0.5	ug/L	LQC 500	<0.5	<0.5

Guideline = REG 558

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992940
 Date Submitted: 2023-01-23
 Date Reported: 2023-01-30
 Project: 190261800
 COC #: 905059

Group	Analyte	MRL	Units	Guideline	1672375 R347 2022-12-12 MH BH3 - SS2	1672376 R347 2022-12-12 MH BH4 - SS2
Volatiles	1,4-dichlorobenzene	0.4	ug/L	LQC 500	<0.4	<0.4
	Benzene	0.5	ug/L	LQC 500	<0.5	<0.5
	Carbon Tetrachloride	0.2	ug/L	LQC 500	<0.2	<0.2
	Chloroform	0.5	ug/L	LQC 10000	<0.5	<0.5
	Dichloromethane	4.0	ug/L	LQC 5000	<4.0	<4.0
	Methyl Ethyl Ketone (MEK)	2	ug/L	LQC 200000	<2	<2
	Monochlorobenzene	0.5	ug/L	LQC 8000	<0.5	<0.5
	Tetrachloroethylene	0.3	ug/L	LQC 3000	<0.3	<0.3
	Trichloroethylene	0.3	ug/L	LQC 5000	<0.3	<0.3
	Vinyl Chloride	0.2	ug/L	LQC 200	<0.2	<0.2

Guideline = REG 558

* = Guideline Exceedence

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992940
 Date Submitted: 2023-01-23
 Date Reported: 2023-01-30
 Project: 190261800
 COC #: 905059

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Run No 436045 Analysis/Extraction Date 2023-01-27 Analyst C M Method P 8270			
Benzo[a]pyrene	<0.01 ug/L	83	50-140
Run No 436750 Analysis/Extraction Date 2023-01-25 Analyst AsA Method SW1030			
Ignitability			
Run No 436790 Analysis/Extraction Date 2023-01-26 Analyst AsA Method EPA 1311/O. Reg 347			
REG 558 Leach			
Zero Headspace Extraction			
Run No 436791 Analysis/Extraction Date 2023-01-25 Analyst AsA Method ASTM 2216			
Moisture-Humidite			80-120
Run No 436813 Analysis/Extraction Date 2023-01-26 Analyst AsA Method SM2320,2510,4500H/F			
F	<0.10 mg/L	105	90-110
Run No 436847 Analysis/Extraction Date 2023-01-27 Analyst SD Method EPA 200.8			
Silver	<0.01 mg/L	100	70-130

Guideline = REG 558

*** = Guideline Exceedence**

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992940
 Date Submitted: 2023-01-23
 Date Reported: 2023-01-30
 Project: 190261800
 COC #: 905059

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Arsenic	<0.02 mg/L	95	70-130
Boron (total)	<0.1 mg/L	78	70-130
Barium	<0.01 mg/L	97	70-130
Cadmium	<0.008 mg/L	99	70-130
Chromium Total	<0.05 mg/L	101	70-130
Lead	<0.01 mg/L	92	70-130
Selenium	<0.02 mg/L	104	70-130
Uranium	<0.01 mg/L	86	70-130
Run No 436854 Analysis/Extraction Date 2023-01-26 Analyst PJ Method EPA 8260			
Dichloroethylene, 1,1-	<0.5 ug/L	81	60-130
Dichlorobenzene, 1,2-	<0.4 ug/L	94	60-130
Dichloroethane, 1,2-	<0.5 ug/L	92	60-130
Dichlorobenzene, 1,4-	<0.4 ug/L	90	60-130
Benzene	<0.5 ug/L	94	60-130
Carbon Tetrachloride	<0.2 ug/L	93	60-130
Chloroform	<0.5 ug/L	93	60-130
Methylene Chloride	<4.0 ug/L	97	60-130

Guideline = REG 558

*** = Guideline Exceedence**

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range

Certificate of Analysis

Client: Morrison Hershfield Limited
 2440 Don Reid Drive, Suite 200
 Ottawa, ON
 K1H 1E1
 Attention: Mr. Sarth Sheth
 PO#:
 Invoice to: Morrison Hershfield Limited

Report Number: 1992940
 Date Submitted: 2023-01-23
 Date Reported: 2023-01-30
 Project: 190261800
 COC #: 905059

QC Summary

Analyte	Blank	QC % Rec	QC Limits
Methyl Ethyl Ketone	<2 ug/L	110	60-130
Chlorobenzene	<0.5 ug/L	93	60-130
Tetrachloroethylene	<0.3 ug/L	90	60-130
Trichloroethylene	<0.3 ug/L	89	60-130
Vinyl Chloride	<0.2 ug/L	79	60-130
Run No 436861 Analysis/Extraction Date 2023-01-27 Analyst AaN Method M SM3112B-3500B			
Mercury	<0.001 mg/L	112	76-123
Run No 436877 Analysis/Extraction Date 2023-01-27 Analyst Z S Method SM4500-CNC/MOE E3015			
Cyanide (CN-)	<0.05 mg/L	88	75-125
Run No 436886 Analysis/Extraction Date 2023-01-30 Analyst R G Method EPA 8081B			
Polychlorinated Biphenyls	<0.1 ug/L	91	60-140
Run No 436917 Analysis/Extraction Date 2023-01-30 Analyst SKH Method C SM4500-NO3-F			
NO2 + NO3 as N	<1.0 mg/L	99	80-120

Guideline = REG 558

*** = Guideline Exceedence**

Results relate only to the parameters tested on the samples submitted.
 Methods references and/or additional QA/QC information available on request.

MRL = Method Reporting Limit, AO = Aesthetic Objective, OG = Operational Guideline, MAC = Maximum Acceptable Concentration, IMAC = Interim Maximum Acceptable Concentration, STD = Standard, PWQO = Provincial Water Quality Guideline, IPWQO = Interim Provincial Water Quality Objective, TDR = Typical Desired Range