

First Name	Last Name	Position	Organization	Address	City/Prov/PC	Email	Emailed Notice of Addendum May 29, 2025
Ab	Faconi	Director of Education	York Region Catholic School Board	320 Bloomington Road West	Aurora ON L4G 3G8	mary.battista@ycdsb.ca	undeliverable
Andrea	Pastori	Strategic Policy Coordinator	Ministry of Energy	77 Grenville St., 6th Floor	Toronto, ON M7A 1B3	andrea.pastori@ontario.ca	yes
Andrew	Drzewiecki	Director of Engineering & Public Works	Township of King, Public Works & Engineering	2075 King Road,	King City ON L7B 1A1	adrzewiecki@king.ca	no longer at King Township
Anjala	Puvananathan	Regional Director	Canadian Environmental Assessment Agency	55 St. Clair Avenue East, 9th Floor	Toronto ON M4T 1M2	anjala.puvananathan@ceaa-acee.gc.ca	undeliverable
Avia	Eek	Ward 6 Councillor	King Township	2075 King Road	King City, Ontario L7B 1A1	aek@king.ca	yes
Barbara	McEwan	Clerk	City of Vaughan, Clerks Department	2141 Major Mackenzie Drive	Maple ON L6A 1T1	barbara.mcewan@vaughan.ca	undeliverable
Bill	Cober	Ward 4 Councillor	King Township	2075 King Road	King City, Ontario L7B 1A1	bcober@king.ca	no longer at King Township
Bonnie	Catania	Town Clerk	Township of King, Clerks Department	2075 King Road,	King City ON L7B 1A1	bcatania@king.ca	yes
Carmine	Perrelli	Regional Councillor	Town of Richmond Hill	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	carmine.perrelli@richmondhill.ca	undeliverable
Celeste	Dugas	Manager, York Durham District Office	Ministry of the Environment, Conservation and Parks	320 Westney Rd. S., 5th floor	Ajax, ON L1S 7J5	celeste.dugas@ontario.ca	yes
Cheryl	O'Donnell	Manager, Air Policy and Climate Change	Ministry of the Environment, Conservation and Parks	40 St. Clair Ave. W., 6h Floor	Toronto, ON M4V 1M2	cheryl.odonnell@ontario.ca	undeliverable
Christopher	Langford	Manager, GTHA Transit Policy Office	Metrolinx / GO Transit	Colleg Park, Suite 3000, 777 Bay Street	Toronto, ON M7A 2J8	christopher.langford@ontario.ca	undeliverable
Corrie	McBain	Board Chair	York Region District School Board	60 Wellington Street	Aurora, ON L4G 3H2	corrie.mcbain@yrdsb.ca	
Daniel	Kostopoulos	City Manager	City of Vaughan, City Manager	2142 Major Mackenzie Drive	Maple ON L6A 1T1		undeliverable
Dave	Barrow	Mayor	Town of Richmond Hill	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	dbarrow@richmondhill.ca	undeliverable
David	Cooper	Manager, Environmental and Land Use Policy	Ministry of Agriculture, Food & Rural Affairs	Ontario Government Building, 1 Stone Road W. 3rd Floor	Guelph, ON	david.cooper@ontario.ca	undeliverable
David	Boyd	Ward 2 Councillor	King Township	2075 King Road	King City, Ontario L7B 1A1	dboyd@king.ca	yes
Debbie	Schaefer	Ward 5 Councillor	King Township	2075 King Road	King City, Ontario L7B 1A1	dschaefer@king.ca	yes
Deepak	Panjwani	Project Manager	City of Vaughan, Water and Wastewater	2141 Major Mackenzie Drive	Maple ON L6A 1T1	deepak.panjwani@vaughan.ca	yes
Don	Hamilton	Regional Councillor	City of Markham	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	dhamilton@markham.ca	undeliverable
Elizabeth	Martelluzzi	Planner II, Heritage Coordinator	Township of King, LACAC (Heritage Committee)	2075 King Road,	King City ON L7B 1A3	emartelluzzi@king.ca	no longer at King Township
Frank	Scarpitti	Mayor	City of Markham	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	fscarpitti@markham.ca	yes
Gaspare	Ritacca	Manager of Planning & Development	Township of King, Planning Department	2076 King Road,	King City ON L7B 1A2	gritacca@king.ca	yes
Gino	Rosati	Regional Councillor	City of Vaughan	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	gino.rosati@vaughan.ca	yes
Grace	Conte	Coordinator, Planning and Development	Toronto and Region Conservation Authority	101 Exchange Ave.	Vaughan, ON, L4K 5R6	gconte@trca.on.ca	yes
Harsimrat	Pruthi	Planner II, YR Rep	Toronto and Region Conservation Authority	101 Exchange Ave.	Vaughan, ON, L4K 5R6	hpruthi@trca.on.ca	yes
Heather	Malcolmson	Director, Source Protection Programs	Ministry of the Environment, Conservation and Parks	40 St. Clair Ave. W., 14th Floor	Toronto, ON 'M4V 1M2	heather.malcolmson@ontario.ca	yes
Jack	Heath	Regional Councillor	City of Markham	17250 Yonge Street	Newmarket, Ontario L3Y 6Z6	jheath@markham.ca	yes
Jakob	Schneider	Ward 3 Councillor	King Township	2075 King Road	King City, Ontario L7B 1A1	jschneider@king.ca	no longer at King Township
Jason	Schmidt-Shoukri	Deputy City Manager, Planning and Growth Management	City of Vaughan, Planning Department	2141 Major Mackenzie Drive	Maple ON L6A 1T1	Jason.Schmidt-Shoukri@vaughan.ca	undeliverable
Jim	Jones	Regional Councillor	City of Markham	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	jjones@markham.ca	yes

Joe	Dipaolo	Regional Councillor	Town of Richmond Hill	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	joe.dipaola@richmondhill.ca	yes
Joe	Li	Regional Councillor	City of Markham	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	joeli@markham.ca	yes
John	Taylor	Mayor	Town of Newmarket	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	jtaylor@newmarket.ca	yes
John	Vandenberg	Environmental Project Manager, DWQMS Representative	Township of King, Public Works & Engineering	2076 King Road,	King City ON L7B 1A2	jvandenberg@king.ca	no longer at King Township
Jordan Alexander	Cescolini	Ward 1 Councillor	King Township	2075 King Road	King City, Ontario L7B 1A1		no email provided
Karla	Barboza	Team Lead, Heritage	Ministry of Tourism, Culture and Sport	401 Bay St., Suite 1700	Toronto, ON M7A 0A7	karla.barboza@ontario.ca	yes
Katrina	Guy	Heritage Coordinator	City of Vaughan, Heritage Vaughan Committee	2141 Major Mackenzie Drive	Maple ON L6A 1T1	katrina.guy@vaughan.ca	yes
Linda D.	Jackson	Regional Councillor	City of Vaughan	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1		no email provided
Lise	Chabot	Manager, Ministry Partnerships	Ministry of Indigenous Relations and Reconciliation	160 Bloor St. E., 9th Floor	Toronto, ON M7A 2E6	lise.chabot@ontario.ca	yes
Mansoor	Mahmood	Manager, Environmental Approvals Branch	Ministry of the Environment, Conservation and Parks	135 St. Clair Ave. W., 1st Floor	Toronto, ON M4V 1P5	mahmood.mansoor@ontario.ca	undeliverable
Margaret	Quirk	Mayor	Town of Georgina	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	mquirk@georgina.ca	yes
Mario	Ferri	Regional Councillor	City of Vaughan	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	mario.ferri@vaughan.ca	yes
Maurizio	Bevilacqua	Mayor	City of Vaughan	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	maurizio.bevilacqua@vaughan.ca	undeliverable
Michael	Helfinger	Senior Policy Advisor	Ministry of Economic Development and Growth	Hearst Block, 900 Bay Street, 6th Floor	Toronto, ON M7A 2E1	michael.helfinger@ontario.ca	undeliverable
Mike	Cole	Deputy Director of Engineering & Development	Township of King, Engineering & Development	2075 King Road,	King City ON L7B 1A1	mcole@king.ca	no longer at King Township
Monique	Mousseau	Regional Manager - Environmental Affairs, Programs Branch	Transport Canada - Ontario Region	4900 Yonge Street, Suite 300	Toronto, ON M2N 6A5	moussem@tc.gc.ca	undeliverable
Paul	Savoie	Impact Assessment Biologist - Fish Habitat Management	Fisheries and Oceans Canada	District Office, 3027 Harvester Road, Unit 304	Burlington ON L7R 4K3	Paul.Savoie@dfo-mpo.gc.ca	undeliverable
Robert	Grossi	Regional Councillor	Town of Georgina	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1		no email provided
Sheila	Allen	EA Section, Ontario Region	Environment Canada	P.O. Box 5050, 867 Lakeshore Road	Burlington ON L7R 4A6		no email provided
Stephen	Collins	Deputy City Manager, Public Works	City of Vaughan, Engineering & Public Works	2141 Major Mackenzie Drive	Maple ON L6A 1T1	stephen.collins@vaughan.ca	undeliverable
Stephen	Naylor	Director of Planning	Township of King, Planning Department	2585 King Road	King City ON L7B 1A1	snaylor@king.ca	yes
Steve	Pellegrini	Mayor	King Township	2075 King Road	King City, Ontario L7B 1A1	spellegrini@king.ca	yes
Steven	Strong	Regional Operations, Aurora District	Ministry of Natural Resources and Forestry	50 Bloomington Road	Aurora ON L4G 0L8	steven.strong@ontario.ca	yes
Neil	Hannington	Director, Central Region	Ministry of the Environment, Conservation and Parks	Place Nouveau, 5775 Yonge St., 8th floor	Toronto, ON M2M 4J1	Neil.hannington@ontario.ca	yes, Tina Dufresne has retired
Tom	Mrakas	Mayor	Town of Aurora	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1		no email provided
Tom	Vegh	Deputy Mayor and Regional Councillor	Town of Newmarket	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1		no email provided
Victor	Doyle	Manager, Planning Innovation	Ministry of Municipal Affairs and Housing	College Park, 777 Bay St., 13th Floor	Toronto, ON, M5G 2E5	heather.watt@ontario.ca	yes
Virginia	Hackson	Mayor	East Gwillimbury	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	vhackson@eastgwillimbury.ca	undeliverable
Wayne	Emmerson	Regional Chair & CEO	York Region Council	17250 Yonge Street	Newmarket, Ontario L3Y 6Z1	wayne.emmerson@york.ca	no longer at YR
Wayne	Pinkney	Project Manager	Township of King, Public Works & Engineering	2585 King Road	King City ON L7B 1A1	wpinkney@king.ca	no longer at King Township
Emilee	O'Leary	Regional Environmental Assessment Coordinator	MECP			emilee.oleary@ontario.ca	yes

		Township of King				Ksnell@king.ca ; <a href="mailto:Stephen Naylor <snaylor@king.ca>">Stephen Naylor <snaylor@king.ca> ; <a href="mailto:Daniel Kostopoulos <dkostopoulos@king.ca>">Daniel Kostopoulos <dkostopoulos@king.ca> ; <a href="mailto:Samantha Fraser <sfraser@king.ca>">Samantha Fraser <sfraser@king.ca> ; <a href="mailto:Mary Asselstine <masselstine@king.ca>">Mary Asselstine <masselstine@king.ca> ; <a href="mailto:Jordan Cescolini <jcescolini@king.ca>">Jordan Cescolini <jcescolini@king.ca> ; <a href="mailto:Jennifer Anstey <janstey@king.ca>">Jennifer Anstey <janstey@king.ca> ; <a href="mailto:Kristen Harrison <kharrison@king.ca>">Kristen Harrison <kharrison@king.ca> ; dWilkinson@king.ca	yes, added to the 2025 email notification
--	--	------------------	--	--	--	--	---

First Name	Last Name	Organization	Address	City/Prov/PC	Email	Emailed Notice of Addendum May 29, 2025
Patty	Fleetwood	Nobleton Village Association	12978 Highway 27	King, ON L0G 1N0	nobletoninfo@gmail.com	yes
Patricia	Koblizek	King City Chamber of Commerce	2700 King Road	King City ON L7B 1L6		no email provided
Richard	Lorello	Nashville Area Ratepayers Association (NARA)	235 Treelawn Blvd., P.O. Box 927	Klienburg ON L0J 1C0	ellena@mantella.ca ; c.hippem@mantellacorporation.com	yes, undeliverable to ellana@mantella.ca
Gill	Watt	Concerned Citizens of King Township (CCKT)		PO Box 875 King City L7B 1A9	http://cckt.ca/contact-us/	no email provided
Debbie	Crandall	S.T.O.R.M. (Save The Oak Ridges Moraine)	Box 533	Bolton ON L7E 5T4	debbeday@rogers.com	yes
Debra	Kakaria	Nobleton Landowners Group	7050 Weston Road, Suite 230	Woodbridge, ON L4L 8G7	dkakaria@mnhbcplan.com	yes
Jason	Bottoni	Treasure Hill	1681 Langstaff Rd, Unit 1	Vaughan, ON L4K 5T3	info@treasurehill.com	yes
Paul	Brown	CB Land Management Inc	8800 Dufferin St, Suite 200	Vaughan, Ontario L4K 0C5		no email provided
Candice	Leung	Lennard Commercial Realty, Brokerage	201-60 Columbia Way	Markham, ON L3R 0C9	CLeung@lennard.com	yes
Tom	Scanlan	Tribute Communities	1815 Ironsteon Manor, Unit 1	Pickering, ON L1W 3W9	tom.s@mytribute.ca	yes
Al	Steedman	Schaeffers Consulting Engineers	6 Ronrose Dr	Concord, ON L4K 4R3	asteedman@schaeffers.com	yes
Peter	Stefanovic				pstefanovic@schaeffers.com	yes
Anne	Hilliard	Coldwell Banker Ronan Realty, Brokerage	82 Hawman Ave	Nobleton, ON L0G 1N0	AnneH@ronanrealty.com	yes
Kim	Empringham	Ontario Federation of Agriculture			york@ofa.on.ca	yes
Edward	McDonnell	Friends of the Greenbelt Foundation	661 Yonge Ste. Suite 500	Toronto ON M4Y 1Z9	info@greenbelt.ca	yes
Sarah	Enright	Montessori Country School - Nobleton Campus	6185 15th Sideroad	Nobleton, ON L0G 1N0	sarahe@mcs-nobleton.com	undeliverable
Felipe	Dias	Tercot Communities	56 The Esplanade, Suite 406	Toronto, ON M5E 1A7	INFO@TERCOT.COM	yes
Joanna	Fast	Evans Planning	8481 Keele St, Unit 12	Vaughan, ON L4K 1Z7	alayton@evansplanning.com	yes
John	Huffman	Greybrook Realty	890 Yonge Street	Toronto, ON M4W 3P4	john.huffman@greybrook.com	yes
Azam	Bhaloo	Foray Group	445 Hood Road	Markham, ON L3R 8H1	azamb@foraygroup.com	yes
Aleksander	Masley	Urbanworks Engineering Corp	80 Jutland Road, Suite 500	Toronto, ON M8Z 2H1	amasley@urbanworkseng.com	undeliverable
Susan	Zuccero	Tribute Communities	1815 Ironstone Manor, Unit 1	Pickering, ON L1W 3W9	susan.z@mytribute.ca	yes
Adam	Grossi	Humphries Planning			agrossi@humphriesplanning.com	undeliverable
Rosemarie	Humphries	Humphries Planning			rhumphries@humphriesplanning.com	yes
Berardino		Orca Equity			berardino@orcaequity.ca	yes
Darlene	Quilty	MHBC Planning	442 Brant Street, Suite 204	Burlington, ON L7R 2G4	dquilty@mnhbcplan.com	yes

First Name	Last Name	Position	Organization	Address	City/Prov/PC	Email	Emailed Notice of Addendum May 29, 2025
John	Chadwick	Manager Environmental Engineering	Hydro One	433 Bay Street, South Tower, 6th Floor	Toronto, ON M5G 2P5	SecondaryLandUse@HydroOne.com	yes
Maria	Agnew	Senior Real Estate Coordinator	Hydro One	185 Clegg Road	Markham L6G 1B7	SecondaryLandUse@HydroOne.com	yes
Janet	O'Brien		Hydro One			SecondaryLandUse@HydroOne.com	yes
Bob	Paradis		Hydro One			SecondaryLandUse@HydroOne.com	yes
Mark	Wilson	Stakeholder Relations	Enbridge Gas Distribution	500 Consumers Road	North York M2J 1P8	mark.wilson@enbridge.com	yes
Jamie	Rochford	Sr. Advisor, Planning; Central Reg	Enbridge Gas Distribution	101 Honda Blvd, Markham, ON L6C 0M6	Markham, ON L6C 0M6	Jamie.Rochford@enbridge.com	yes
Jesse	Gasteiger		Vianet			jesse@vianet.ca	yes
Paul	Chetcuti		Rogers			Paul.Chetcuti@rci.rogers.com	yes
Kevin	Noseworth		YorkNet			Kevin.Noseworthy@york.ca	yes
Indira	Sharma	Project Coordinator	Prestige Telecom	200 Town Centre Boulevard, Suite 300	Markham, ON L3R 8G5	telusutilitymarkups@telecon.ca	yes
Paul	Totino	Manager	Telus	25 York Street, 22nd Fl	Toronto, ON M5J 2V5	paul.totino@telus.com ; frederic.sua@telus.com	yes, responded with no issues/comments on works
Ken	Butt		Bell Media			ken.butt@bell.ca	yes

First Name	Last Name	Position	First Nation	Address	City/Prov/PC	Email	Phone	Notes	Emailed Notice of Addendum May 29, 2025
Taynar	Simpson	Chief	Alderville First Nation	11696 Second Line Road	Roseneath, ON, K0K 2X0	tsimpson@alderville.ca	905-352-3000	Updated May 26, 2025 based on High S EA contact list Updated June 3, 2021; previous mailing address Alderville First Nation P.O. Box 46	yes
Geoff	Stonefish	Director of Operation	Association of Iroquois and Allied Indians	387 Princess Avenue	London, Ontario, N6B 2A7	gstonefish@aiai.on.ca	(519) 434 – 2761	May 28 2025 Updated June 3, 2021	yes
Joanne P.	Sandy	Chief	Beausoleil First Nation	11 O'Gemaa Miikaan	Christian Island, ON L9M 0A9	council@chimnissing.ca; jsandy@chimnissing.ca	(705) 247-2051	Updated May 26 2025 Updated June 3, 2021	yes
Donna	Big Canoe	Chief	Chippewas of Georgina Island First Nation	Administration OfficeR.R.#2 Box N-13	SUTTON WEST, Ontario L0E1R0	donna.bigcanoe@georginaisland.com	705-437-1337	Update May 26 2025	yes
Ted	Williams	Chief	Chippewas of Rama First Nation	200 - 5884 RAMA ROAD	RAMA, OntarioL3V6H6	"admin@ramafirstnation.communication@ramafirstnation.com	705-325-3611	Updated May 27 2025 Sharjay James	yes
Gregory	Nadjiwon	Chief	Chippewas of Nawash	135 Lakeshore Blvd.	Neyaashiinigmiing, Ontario, N0H2T0	cnadministrator@nawash.ca; Chief@nawash.ca		May 28 Updated June 3, 2021	yes and sao@nawash.ca added to contact
Keith	Knott	Chief	Curve Lake First Nation	Curve Lake First Nation Government Services Building 22 Winookeedaa Road	CURVE LAKE, Ontario K0L1R0	Communication@curvelake.ca;keithk@curvelake.ca	705-657-8045	Updated May 26 2025 Updated June 3, 2021	yes
Laurie Marie	Carr	Chief	Hiawatha First Nation	431 Hiawatha Line	Hiawatha, Ontario K9J 0E6	chiefcarr@hiawathafn.ca	(705) 295-4421	Updated May 27 2025 , June 3, 2021	yes
Catherine	Dupont	Grand Chef	Huron-Wendat Nation	255, place Chef-Michel-Laveau	Wendake, QuebecG0A4V0	catherine.dupont@cnhw.qc.ca	418 843-3767	Updated May 27, 2025, June 3, 2021	NO, email undeliverable
Allen	MacNaughton	Chief	Haudenosaunee Confederacy Chiefs Council	16 Sunrise Court Suite 600	Ohsweken, ON P.O. Box 714	info@hdi.land; administrator@hdi.land		Updated May 28, 2025 can not confirm the Chief via website June 3, 2021	yes
Brian	Doolittle	HCCC Delegate	Haudenosaunee Development Institute (HDITO)			briandoolittle@hdi.land		Added May 28 from website	yes
Aaron	Deltor	HCCC Delegate	Haudenosaunee Development Institute (HDITO)			aarondeltor@hdi.land		Added May 28 from website	NO, email undeliverable
Kris	Nahrgang	Chief	Kawartha Nishnawbe First Nation of Burleigh Falls	P.O. Box 1432	Lakefield, Ontario K0L 2H0			Not recognized	NO, no email provided
Kelly	LaRocca	Chief	Mississauga of Scugog Island First Nation	22521 ISLAND ROAD	PORT PERRY, Ontario L9L1B6	info@scugogfirstnation.com	(905) 985-3337	Updated May 27 2025	yes
Claire	Sault	Chief	Mississaugas of the New Credit	2789 MISSISSAUGA ROAD, RR6	HAGERSVILLE, Ontario N0A1H0	Communications@mncfn.ca; claires@mncfn.ca	(905) 768-1133	Updated May 28 2025 MECP requested that they be notified	yes
Rodrick Donald	Maracle	Chief	Mohawks of the Bay of Quinte	24 MEADOW DRIVE	TYENDINAGA MOHAWK TERRITORY	rdonm@mbq-tmt.org	(613) 396-3424	Updated May 28 2025	yes
Rhonda	Williams-Lovett	Chief	Moose Deer Point First Nation	PO BOX 119	MACTIER, Ontario P0C1H0	colette.isaac@moosedeerpoint.com	(705) 375-5209	Updated May 28 2025	yes , communicated that the study is not applicable to them as they are not within the boundary
Roger Lewis	Thomas	Chief	Munsee-Delaware Nation	RR 1	MUNCEY, Ontario N0L1Y0		(519) 289-5396	May 28 Can not confirm Chief	NO, no email provided
Sherri-Lyn	Hill	Chief	Six Nations of the Grand River	1695 Chiefswood Rd PO BOX 5000	OHSWEKEN, Ontario N0A1M0		(519) 445-2201	May 28 2025 cant confirm email Updated June 3, 2021	NO, no email provided
Cathy	Stevens	Chief	Nipissing First Nation	36 SEMO ROAD	GARDEN VILLAGE, OntarioP2B3K2		705-753-2050	May 28 cant find email, send through	NO, no email provided
Philip	Franks	Chief	Wahta Mohawks (Mowhawks of Gibson)	2664 Muskoka Rd #38	P.O. Box 260 Bala, Ontario, P0C 1A0	philip.franks@wahtamohawkscouncil.ca	(705) 762-2354	May 28 Updated June 3, 2021	yes
Steve	Chen	Certified Translator (ATIO/CTTIC)	Allspeed Translations and Consultants Inc.	133C Finch Ave. East 7	Toronto, Ontario, Canada M2N 0H	info@allspeedtranslations.com		May 28 - do we have to contact them? French translation services for Huron-Wendat & Six Nations	yes
Guy	Monague	Chief							NO, no email provided
Shirley	Debassige	President	Toronto & York Region Metis Council	75 Sherbourne Street, Suite 311	Toronto, Ontario M5A 2P9	Council@TYRMC.org	416-977-9881 ext. 124	Update May 28 2025MECP requested that they be notified Updated June 3, 2021	yes

Onat Yildiz

From: Bell, Trevor (MECP) <Trevor.Bell@ontario.ca>
Sent: Thursday, April 24, 2025 3:56 PM
To: Onat Yildiz
Cc: Johnny Pang; Bellissimo, Elena; Millis, Tom
Subject: RE: Notice of Addendum Report - Nobleton Water and Wastewater Servicing Schedule C MCEA

Follow Up Flag: Follow up
Flag Status: Flagged

Hi Onat,

MECP staff have reviewed the draft addendum report and the hydrological assessment report for your project. We understand that the revised solution includes the following changes from what was described in the original Class EA:

- Convert Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity 102 L/s and provisions for future expansion.
- Increase footprint of the Well 5 building expansion to house the new treatment equipment.
- Convert Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s.
- Construct new raw watermain to connect Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy.
- Increase the capacity of the new Well 6 from 34 L/s to 41 L/s.

MECP is generally satisfied with the reports. Please ensure the final addendum report includes a detailed record of consultation and correspondence with Indigenous communities.

MECP has no objection to the increase in the well capacities in Wells 2 and 6 as described in the addendum report. The Region will require a Permit to Take Water (PTTW) which in turn will require a pumping test.

It is recommended York Region and their consultant engage with the MECP prior to conducting the pumping test to ensure all possible well and environmental interference will be addressed during the test. This consultation will ensure the MECP's concerns are addressed prior to a PTTW application.

A construction dewatering PTTW or EASR may be required for the construction phase of the project. A Hydrogeological Study is required for both pumping tests and construction dewatering permit applications.

For more information please see the Technical guidance document for hydrogeological studies in support of category 3 PTTW applications at this link: <https://www.ontario.ca/page/technical-guidance-document-hydrogeological-studies-support-category-3-applications>.

Thank you for the opportunity to review the addendum report. If you have any questions, please do not hesitate to contact me directly.

Sincerely,

Trevor Bell | Regional Environmental Planner
Project Review Unit, Environmental Assessment Branch
Ministry of the Environment, Conservation and Parks
New Phone: 437-213-1014 | trevor.bell@ontario.ca

From: Bell, Trevor (MECP)
Sent: Monday, April 14, 2025 4:37 PM
To: Onat Yildiz <Onat.Yildiz@etoengineering.ca>
Cc: Johnny Pang <Johnny.Pang@etoengineering.ca>; Bellissimo, Elena <Elena.Bellissimo@york.ca>; Millis, Tom <Tom.Millis@york.ca>
Subject: RE: Notice of Addendum Report - Nobleton Water and Wastewater Servicing Schedule C MCEA

Hi Onat,

Thank you for the quick response! I received the report and will be in touch soon to let you know if we have any comments.

Thanks,
Trevor

From: Onat Yildiz <Onat.Yildiz@etoengineering.ca>
Sent: Monday, April 14, 2025 4:04 PM
To: Bell, Trevor (MECP) <Trevor.Bell@ontario.ca>
Cc: Johnny Pang <Johnny.Pang@etoengineering.ca>; Bellissimo, Elena <Elena.Bellissimo@york.ca>; Millis, Tom <Tom.Millis@york.ca>
Subject: RE: Notice of Addendum Report - Nobleton Water and Wastewater Servicing Schedule C MCEA

Hi Trevor,

Below is a link to the Hydrogeological Assessment Report referenced in the document, let me know if there are access issues.



[Hydrogeological Impact Assessment Report_Nobleton Wells2 & 5.pdf](#)

Thanks,
OnatYildiz,EIT



Mobile 437.234.2475
Email Onat.Yildiz@etoengineering.ca
Address 9030 Leslie Street, Suite 300
Richmond Hill, ON L4B 1G2

ETO Engineering

Engineering the Future for 15 Strong Years

Our working hours may be different. Please do not feel obligated to reply outside of your scheduled working hours.

From: Bell, Trevor (MECP) <Trevor.Bell@ontario.ca>
Sent: Monday, April 14, 2025 9:56 AM
To: Onat Yildiz <Onat.Yildiz@etoengineering.ca>
Cc: Johnny Pang <Johnny.Pang@etoengineering.ca>; Bellissimo, Elena <Elena.Bellissimo@york.ca>; Millis, Tom <Tom.Millis@york.ca>
Subject: RE: Notice of Addendum Report - Nobleton Water and Wastewater Servicing Schedule C MCEA

the sender and know the content is safe.

Hi Onat,

Can you please send me the Hydrogeological Assessment Report that is part of Appendix B for this project?

Thanks,
Trevor

From: Bell, Trevor (MECP)
Sent: Wednesday, March 26, 2025 4:54 PM
To: Onat Yildiz <Onat.Yildiz@etoengineering.ca>
Cc: Johnny Pang <Johnny.Pang@etoengineering.ca>; Bellissimo, Elena <Elena.Bellissimo@york.ca>; Millis, Tom <Tom.Millis@york.ca>
Subject: RE: Notice of Addendum Report - Nobleton Water and Wastewater Servicing Schedule C MCEA

Hi Onat,

Thanks for providing the draft Addendum. We need up to 30 days for the review, so I'll get back to you on or before April 24.

Thanks,
Trevor

From: Onat Yildiz <Onat.Yildiz@etoengineering.ca>
Sent: Tuesday, March 25, 2025 1:17 PM
To: Bell, Trevor (MECP) <Trevor.Bell@ontario.ca>; EA Notices to CRegion (MECP) <eanotification.cregion@ontario.ca>
Cc: Johnny Pang <Johnny.Pang@etoengineering.ca>; Bellissimo, Elena <Elena.Bellissimo@york.ca>; Millis, Tom <Tom.Millis@york.ca>
Subject: RE: Notice of Addendum Report - Nobleton Water and Wastewater Servicing Schedule C MCEA

CAUTION -- EXTERNAL E-MAIL - Do not click links or open attachments unless you recognize the sender.

Hi Trevor,

Following up on the Notice Letter from 2 weeks ago, please find attached the DraftEA Addendum document for MECP review. Note that Section 3 –EA Addendum Consultation has some highlighted text related to the stakeholder outreach. Region is in the process of completing this work, and the information will be included in the final version of the document.

Please let us know about the review period for this document, and feel free to reach out by phone or email if you require any additional information.

Thanks,
Onat Yildiz, EIT



Mobile 437.234.2475
Email Onat.Yildiz@etoengineering.ca
Address 9030 Leslie Street, Suite 300
Richmond Hill, ON L4B 1G2

ETO Engineering

Engineering the Future for 15 Strong Years

Our working hours may be different. Please do not feel obligated to reply outside of your scheduled working hours.

From: Onat Yildiz
Sent: Tuesday, March 11, 2025 10:37 AM
To: Trevor.Bell@ontario.ca; eanotification.cregion@ontario.ca
Cc: Johnny Pang <Johnny.Pang@etoengineering.ca>; Bellissimo, Elena <Elena.Bellissimo@york.ca>; Millis, Tom <Tom.Millis@york.ca>
Subject: Notice of Addendum Report - Nobleton Water and Wastewater Servicing Schedule C MCEA

Hi Trevor,

Attached please find a Notice Letter for an upcoming addendum to the Nobleton Water and Wastewater Servicing Municipal Class EA completed in November 2021 in accordance with the Municipal Class Environmental Assessment process for a Schedule C project. Please note that we are looking to share the draft addendum report with the MECP for review in the upcoming weeks.

Thanks,

Onat Yildiz, EIT



Mobile	437.234.2475
Email	Onat.Yildiz@etoengineering.ca
Address	9030 Leslie Street, Suite 300 Richmond Hill, ON L4B 1G2

ETO Engineering

Engineering the Future for 15 Strong Years

Our working hours may be different. Please do not feel obligated to reply outside of your scheduled working hours.

March 6, 2025

Trevor Bell
Regional Environmental Planner, Project Review Unit
Ontario Ministry of the Environment, Conservation and Parks
5th Floor, 777 Bay Street
Toronto, Ontario M7A 2J3

Dear Mr. Bell,

The Regional Municipality of York (the Region) completed the Nobleton Water and Wastewater Servicing Municipal Class Environmental Assessment Study in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project in November 2021. The purpose of the Class EA was to identify preferred water and wastewater servicing solutions to accommodate the anticipated growth in the community of Nobleton to the 2041 horizon. The recommended water servicing solution included upgrades at two existing Regional water facilities (Nobleton Well 2 and Nobleton Well 5). The recommended upgrades at the Nobleton Well 2 facility, located at 22 Faris Avenue, included an increase in capacity, new building expansion to house associated electrical equipment, and a new chlorine contact tank. The recommended upgrades for the Nobleton Well 5 facility, located at 12860 Hwy 27, consisted of a new production well (Nobleton Well 6), and addition of an oxidation-filtration process for the removal of iron and manganese to improve the aesthetic water quality.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing Class EA conclusion and we are proposing the following changes:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion.
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment.
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s.
- Construct new raw watermain to connect Nobleton Well 2 to the new Water Treatment Plant, including provisions for a future well connection for redundancy.
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s.

As a result of the proposed changes, the Region has begun preparing an addendum to the 2021 Project File to document the reasons for the proposed changes, the potential impacts and mitigation measures to minimize the impact. The Class EA Addendum will be completed in accordance with the Municipal Class Environmental Assessment process. As a stakeholder with key interests of the project, the Region is notifying MECP regarding the Class EA Addendum process. Other stakeholders including indigenous communities/organizations that were consulted during the original EA will also receive notification of the Addendum and invitation to consult prior to the statutory public notification.

Please contact the undersigned to confirm receipt of this notification and advise of any additional details that MECP is looking for when reviewing our upcoming Class EA Addendum document.

We look forward to hearing from you and working together on this Project.

Yours truly,

A handwritten signature in blue ink, appearing to read "Tom Millis".

Tom Millis, P.Eng.
Manager, Engineering
The Regional Municipality of York
Capital Delivery Water and Wastewater, Public Works
17250 Yonge Street
Newmarket, Ontario L3Y 6Z1
1-877-464-9675 ext 75598
Tom.Millis@york.ca

Cc: Elena Bellissimo, The Regional Municipality of York; Johnny Pang, ETO Engineering

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:42 AM
To: aarondeltor@hdi.land
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw water main to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:38 AM
To: sao@nawash.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:35 AM
To: shardayj@ramafirstnation.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:29 AM
To: info@allspeedtranslations.com
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:29 AM
To: philip.franks@wahtamohawkscouncil.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:28 AM
To: colette.isaac@moosedeerpoint.com
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:27 AM
To: rdonm@mbq-tmt.org
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:27 AM
To: Communications@mncfn.ca; claires@mncfn.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:26 AM
To: info@scugogfirstnation.com
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:26 AM
To: briandoolittle@hdi.land; aaron@hdi.land
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:25 AM
To: info@hdi.land; administration@hdi.land
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:24 AM
To: catherine.dupont@cnhw.qc.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:23 AM
To: chiefcarr@hiawathafn.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:23 AM
To: Communication@curvelake.ca; keithk@curvelake.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:22 AM
To: cnadministrator@nawash.ca; Chief@nawash.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:21 AM
To: admin@ramafirstnation.ca; communications@ramafirstnation.ca;
shardayj@ramafirstnationa.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class
Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:20 AM
To: donna.bigcanoe@georginaisland.com
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:20 AM
To: council@chimnissing.ca; jsandy@chimnissing.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:19 AM
To: gstonefish@aiai.on.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:18 AM
To: tsimpson@alderville.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 11:30 AM
To: Council@TYRMC.org
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:31 PM
To: jtaylore@newmarket.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:28 PM
To: heather.watt@ontario.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:28 PM
To: steven.strong@ontario.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:26 PM
To: Margaret Quirk
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:24 PM
To: lise.chabot@ontario.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:24 PM
To: karla.barboza@ontario.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:22 PM
To: Don Hamilton; Mayor, Frank Scarpitti - Markham; Deputy Mayor Jack Heath Markham; Jim Jones; Joe Li
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:19 PM
To: gconte@trca.on.ca; hpruthi@trca.on.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:15 PM
To: corrie.mcbain@yrdsb.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 4:01 PM
To: Carmine Perrelli; Mayor David Barrow Richmond Hill; Joe DiPaola
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 3:59 PM
To: barbara.mcewan@vaughan.ca; daniel.kostopoulos@vaughan.ca; deepak.panjwani@vaughan.ca; Gino Rosati; Jason.Schmidt-Shoukri@vaughan.ca; katrina.guy@vaughan.ca; Mario Ferri; Maurizio Bevilacqua; stephen.collins@vaughan.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 3:47 PM
To: emilee.oleary@ontario.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 3:46 PM
To: Neil.hannington@ontario.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 3:42 PM
To: celeste.dugas@ontario.ca; cheryl.odonnell@ontario.ca; heather.malcolmson@ontario.ca; mahmood.mansoor@ontario.ca; tina.dufresne@ontario.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 3:38 PM
To: andrea.pastori@ontario.ca
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Our Mission: **Working together to serve our thriving communities – today and tomorrow**

Webbe, Owen

From: Bellissimo, Elena
Sent: Thursday, May 29, 2025 2:29 PM
To: adrzewiecki@king.ca; aeek@king.ca; bcober@king.ca; bcatania@king.ca; dboyd@king.ca; emartelluzzi@king.ca; Gaspare Ritacca; jschneider@king.ca; jvandenberg@king.ca; mcole@king.ca; snaylor@king.ca; Steve Pellegrini; Kyle Snell; Daniel Wilkinson; wpinkney@king.ca; Debbie Schaefer
Subject: NOTICE OF ADDENDUM: Nobleton Water and Wastewater Servicing - Municipal Class Environmental Assessment Study
Attachments: Notice of Addendum, Nobleton Water Wastewater Servicing, EA Study.pdf

Greetings,

I hope this email finds you well.

Attached is the **Notice of Addendum** for the Nobleton Water and Wastewater Servicing, Municipal Class Environmental Assessment Study completed in November 2021 in accordance with the Municipal Class Environmental Assessment (Class EA) process for a Schedule C project.

The recommended water servicing solution proposed in 2021 included upgrades at two existing Regional water facilities, Nobleton Well 2 and Nobleton Well 5.

Since the Class EA completion, in 2021, the Region has proceeded with the detailed design for the Nobleton water servicing solution and the following changes are being proposed:

- Convert Nobleton Well 5 facility into a centralized iron and manganese treatment facility with a treatment capacity of 102 L/s and provisions for future expansion
- Increase footprint of the Nobleton Well 5 building expansion to house the new treatment equipment
- Convert Nobleton Well 2 facility into a raw water pumping station and increase Well 2 capacity from 34 L/s to 41 L/s
- Construct new raw watermain to connecting Nobleton Well 2 and Well 6 to the new Water Treatment Plant, including provisions for a future well connection for redundancy
- Increase the capacity of the new Nobleton Well 6 from 34 L/s to 41 L/s

This notice places the Notice of Addendum on public record for a comment period of 31 calendar days from May 30, 2025 to June 30, 2025; we invite you to review it at york.ca/ea. Please provide written comments and concerns by June 30, 2025, to me at Elena.Bellissimo@york.ca or at 905-251-1467.

You are receiving this email because you previously signed up for the Nobleton EA mailing list. If you wish to remove your name from this mailing list, please reply to this email indicating that you no longer wish to receive updates. If you have any questions, please do not hesitate to contact me.

Thank you.

Elena Bellissimo, P.Eng. | Project Manager, Capital Delivery – Water & Wastewater, Public Works

The Regional Municipality of York | 17250 Yonge Street | Newmarket, ON L3Y 6Z1
C: 905-251-1467 | Elena.Bellissimo@york.ca | york.ca

Notice of Addendum


Municipal Class Environmental Assessment Study

In 2021, The Regional Municipality of York completed a Schedule C Municipal Class Environmental Assessment (Class EA) study that looked at long-term water and wastewater servicing options in the Township of King.

ADDENDUM TO PROJECT FILE

A Notice of Completion was issued on November 3, 2021. Since the completion of the Class EA, additional updates were recommended including:

- Converting the Nobleton Well 5 facility into a centralized water treatment facility for Nobleton Wells 2, 5 and 6, and increasing the treatment capacity to 102 litres per second
- Converting the Nobleton Well 2 facility into a raw water (untreated water) pumping station
- Constructing a new raw (untreated water) watermain connecting Nobleton Well 2 to the new centralized water treatment facility
- Increasing the capacity of Wells 2 and 6 from 34 litres per second to 41 litres per second



The above noted recommendations require an addendum to the 2021 Project File.

This notice places the Project File Report Addendum on public record for review and comment for 31 calendar days from May 30, 2025 to June 30, 2025. The Project File Report Addendum is available for public review on york.ca/ea. An accessible version of the material is available upon request. This notice was issued on May 30, 2025.

We invite you to review the Project File Report Addendum and direct written comments to:

Access York

17250 Yonge Street
Newmarket, ON L3Y 6Z1
accessyork@york.ca
1-877-464-9675

In addition, a request to the Minister of the Environment, Conservation and Parks for an order may be made on the grounds that the requested order may prevent, mitigate or remedy adverse impacts on constitutionally protected Aboriginal and treaty rights.

Requests should include your full name and contact information and should specify what kind of order is being requested (additional conditions or individual environmental assessment), explain how an order may prevent, mitigate or remedy potential adverse impacts, and can include any supporting information. For more information on requests for orders, visit Ontario's Class Environmental Assessments: Section 16 Order.

Requests must be received by the Ministry of the Environment, Conservation and Parks by June 30, 2025 and should be addressed in writing to:

Minister

Ministry of the Environment, Conservation and Parks
777 Bay Street, 5th Floor
Toronto, ON M7A 2J3
minister.mecp@ontario.ca

and

Director

Environmental Assessment Branch
Ministry of the Environment, Conservation and Parks
135 St. Clair Avenue West, 1st Floor
Toronto, ON M4V 1P5
EABDirector@ontario.ca

With a copy to York Region at

The Regional Municipality of York

Regional Clerks
17250 Yonge Street
Newmarket, ON L3Y 6Z1
regionalclerk@york.ca

Personal information submitted (e.g., name, address and phone number) is collected, maintained and disclosed under the authority of the *Environmental Assessment Act* and the *Municipal Freedom of Information and Protection of Privacy Act* for the purposes of creating a public record and consultation purposes. Personal information you submit will become part of a public record that is available to the general public, unless you request that your personal information remain confidential.