

Initial Report
Premises/Facility under investigation (name and address)

Nails For You Upper Canda Mall
G5-17600 Yonge Street
Newmarket, Ontario, L3Y 4Z1

Type of Premises/Facility

Personal Service Setting

Date Board of Health became aware of IPAC lapse (yyyy/mm/dd)	Date of Initial Report posting (yyyy/mm/dd)
---	--

2025/07/17

2025/07/24

Date of Initial Report update(s) (if applicable) (yyyy/mm/dd)	How the IPAC lapse was identified
--	--

Complaint

Summary Description of the IPAC Lapse

- Cleaning and disinfection of reusable equipment/tools was not conducted in accordance with the "Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd Edition, July 2019".
- Disinfectant not used as per the Manufacturer's Instructions for Use (MIFU). Non-adherence to required contact time.

IPAC Lapse Investigation	Yes	No	N/A	Please provide further details/steps
Did the IPAC lapse involve a member of a regulatory college?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
If yes, was the issue referred to the regulatory college?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Were any corrective measures recommended and/or implemented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Please provide further details/steps	Corrective measures for Premises/Facility: <ul style="list-style-type: none"> • Clean and disinfect all equipment/tools after each use in accordance with the "Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd Edition, July 2019". • Use disinfectants in accordance with the Manufacturer's Instructions for Use (MIFU). 			

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)
N/A

Initial Report Comments:

Operator was provided with education on corrective measures.

Any additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact:

Health Connection

Telephone Number
1-800-361-5653

Email Address
Health.inspectors@york.ca

Final Report

Date of Final Report posting (yyyy/mm/dd)

2025/07/24

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)

N/A

Brief description of corrective measures taken

Corrective measures were confirmed to have been implemented on July 18, 2025.

Date of all corrective measures were confirmed to have been completed (yyyy/mm/dd)

2025/07/18

Final Report Comments and Contact Information

Reinspection was conducted, and all corrective measures were confirmed to have been implemented on July 18, 2025

Any Additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact:

Health Connection

Telephone Number

1-800-361-5653

Email Address

Health.inspectors@york.ca